

## UNITED REPUBLIC OF TANZANIA MINISTRY OF NATURAL RESOURCES AND TOURISM TANZANIA FOREST SERVICES (TFS) AGENCY



## CONTRACT NO. AE-068/2021-2022/HQ/TCRP/W/06

#### BETWEEN

TANZANIA FOREST SERVICES AGENCY
P. O. Box 40832,
Dar es Salaam, Tanzania

#### AND

MCB COMPANY LIMITED

MBEYA UNIVERSITY OF SCIENCE AND TECHNOLOGY

P. O. Box 131,

MBEYA, TANZANIA

FOR PROPOSED DESIGN AND CONSTRUCTION OF ENTRY GATE IN MATOGORO, MT. HANANG, PUGU KAZIMZUMBWI, AMANI AND NILO NATURE RESERVES.

#### Form of Contract

This Contract, made the Oday of January, 2022 between Tanzania Forest Services Agency, P.O BOX 40832, Dar-es-Salaam (hereinafter called "the Employer") and MCB COMPANY LIMITED, MBEYA UNIVERSITY OF SCIENCE AND TECHNOLOGY, P.O BOX 131, Mbeya (hereinafter called "the Contractor") of the other part.

Whereas the Employer is desirous that the Contractor execute for proposed Design and Construction of entry Gate in Matogoro, Mt. Hanang, Pugu Kazimzumbwi, Amani and Nilo Nature Reserves (hereinafter called "the Works") and the Employer has accepted the Tender by the Contractor for the execution and completion of such works and the remedying of any defects therein in the sum of Tanzania Shillings 932,364,328.96 (Nine Hundred Thirty Two Million Three Hundred Sixty Four Thousand Three Hundred Twenty Eight Ninety Six Cents) VAT Inclusive (hereinafter called "Contract Price").

#### WHEREAS:

A. Employer owns various Properties (as listed under Employer's Requirements attached to this agreement) and is desirous of developing the same by constructing Tourism Entry gate with different specifications (the "Works"). The work is divided into Five lots as described here under;

NO.	DESCRIPTION	LOCATION	UNIT S	PRICE (VAT Inclusive)
1.	Construction of Entry Gate	Matogoro Nature Reserve	1	233,245,341.67
2.	Construction of Entry Gate	Pugu Kazimzumbwi Nature Reserves	1	257,166,037.18
3.	Construction of Entry Gate	Amani Nature Reserve	1	207,611,409.49
4.	Construction of Entry Gate	Nilo Nature Reserve	1	45,665,187.33
5.	Construction of Entry Gate	Mt. Hanang Nature Reserve	1	133,138,351.29
6.	Subtotal			876,826,326.96
7.	Professional fee			55,364,328.00
8.		Total amount		932,190,654.96

Grdung.

B. The Employer has accepted the Tender by the Contractor for the execution and completion of such works and the remedying of any defects therein at the terms and considerations set out in this Contract.

Now this Contract witness as follows:

1 1 1

- In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as part of this Agreement.
  - a. Form of Contract;
  - b. Letter of Acceptance;
  - c. Submission Form
  - d. Special Conditions of Contract;
  - e. General Conditions of Contract:
  - Bill of Quantities
  - g. the Employer's Requirements and Drawings
  - h. Power of Attorney
- In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all respects with the provisions of the Contract.
- 3. the Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying of defects wherein the Contract Price Tanzania Shillings 932,364,328.96 (Nine Hundred Thirty Two Million Three Hundred Sixty Four Thousand Three Hundred Twenty Eight Ninety Six Cents) VAT Inclusive payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

Gudney.

In Witness whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

SIGNED by the said CONSERVATION COMMISSIONER for and on behalf of the Employer.
Name PROF DOSSANTOS SILATO
Signature: Warm'
Occupation: CONSERVATION COMMISSIONER
Date: OH. Q. 2022 TANZANIA FOREST SERVICES (TFS) AGENCY
Name: DAVID NUNGONGO
Signature: 100 VVV) 102
Designation: WANACIEK SECTAL SERVICES.
SIGNED by the said Director/HoD, MCB Company Ltd of Mbeya University of Science and Technology, P. O. BOX 131 MBEYA for and on behalf of the 'Contractor'.  Name: \$\int_{\infty} q_{\infty} \lambda \infty \i
Signature:
Occupation: MANAGINE DREFOR /
Occupation: MANAGONE DIRECTOR  Date: 06-01-2022  In the Presence of A Company of the presence of A Comp
In the Presence of
Name: ABDON AND RID BUNDALA SIGNATURE: - FINDREWT.
Signature: - Prodrews.
Designation: 40
Date:

-

## LETTER OF ACCEPTANCE



## UNITED REPUBLIC OF TANZANIA MINISTRY OF NATURAL RESOURCES AND TOURISM TANZANIA FOREST SERVICES AGENCY



Address

: "TFS"

P.O. BOX. 40832 DAR ES SALAAM

Tel No

: (+255) (022) 2928154

Fax No

: (+255) (022) 2928151

E-mail

: mpingo@tfs.go.tz

In reply please quote:

Ref. No. AB.77/127/01

5th January, 2022

Director.

MCB Company Ltd

Mbeya University of Science and Technology,

P. O. BOX 131

MBEYA

REF: LETTER OF ACCEPTANCE

This is to notify you that your letter dated 30th December, 2021 for execution of the Proposed Design and Construction of entry Gate in Matogoro, Mt. Hanang, Pugu Kazimzumbwi, Amani and Nilo Nature Reserves for Tender No. AE-068/2021-2022/HQ/TCRP/W/06 for the Contract Price of the equivalent of Tanzania Shillings 932,364,328.96 ( Nine Hundred Thirty Two Million Three Hundred Sixty Four Thousand Three Hundred Twenty Eight Ninety Six Cents) VAT Inclusive as corrected and modified in accordance with the Instructions to Tenderers is hereby accepted by us.

We hereby confirming National Construction Council (NCC) Tanzania to be the appointing authority, to appoint the Adjudicator in case of any arisen disputes in accordance with ITT 43.1.

You are hereby instructed to proceed with the execution of the said works in accordance with the Contract documents.

Please return the contract dully signs

Prof. Dos Santos Silavo CONSERVATION COMMISSIONER

CC: Chief Executive Officer.

The Controller & Audit General.

Public Procurement Regulatory Authority,

P.O. Box 9080.

P.O. Box 2865.

DAR ES SALAAM.

DODOMA.

Internal Audit General.

P.O. Box 630


Attorney General,

P.O Box 9111,

DODOMA.

CC

DAR ES SALAAM.



# MBEYA UNIVERSITY OF SCIENCE AND TECHNOLOGY (MUST) MCB COMPANY LIMITED



P. O. Box 131 Mbeya, Lanzania Telephone: +255,2503016/17 Fax: -255,2502302

Limail:

melcompany limited a mustnet acitz

CK.115/127/109/01



Conservation Commissioner.
Tanzania Forestry Services Agency,
P.O.BOX 40832.
DAR ES SALAAM.

RE: PREPARATION OF WORKING DRAWINGS AND CONSTRUCTION COSTS FOR CONSTRUCTION OF NATURE RESERVE ENTRY GATES AT AMANI (MUHEZA), PUGU KAZIMZUMBWI (KISARAWE/ MKURANGA), NILO (KOROGWE), MT. HANANG (MANYARA) AND MATOGORO (SONGEA).

SUB: Submission of Working Drawings and Construction Costs

Reference is made to the above heading.

MCB Company Limited of Mbeya University of Science and Technology is submitting one sets of detailed drawings for construction of five (5) Nature reserve entry Gates at Amani (Muheza), Pugu Kazimzumbwi (Kisarawe Mkuranga), Nilo (Korogwe), Mt. Hanang (Manyara) and Matogoro (Songea).

The total cost of Design, Supervision and Construction of the mentioned Nature reserve entry Gates sums to Tanzanian Shillings Nine Hundred Thirty Two Million One Hundred Ninety Thousand Six Hundred Fifty Four and Ninety Six Cents Only (Tshs. 932, 190,654.96). The mode of payments is incorporated in the Contract agreements to be signed later.

The duration for execution of the projects is estimated to Six (6) Months.

Thank you for your gooperation.

Lsubmit

Eng. Iver Neficible Director

MCB Company Limited

Mbeya University of Science and Technology

## SPECIAL CONDITIONS OF CONTRACT (SCC)

## Special Conditions of Contract

The following Special Conditions Contract (SCC) shall supplement the GCC. Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

SCC Clause	GCC Clause	Conditions	Description
1.	1.1.2 & 1.3	Employer's name and address	The Employer is;  Tanzania Forest Services Agency, Mpingo House, Nyerere Road, P. O. Box 40832, Dar es Salaam, Tanzania
2.	1.1.2 & 1.3	Project Manager's name and address	The Project Manager is  Eng. Kaston H. Sanga  Tanzania Forest Services Agency, Mpingo House, Nyerere Road, P. O. Box 40832, Dar es Salaam, Tanzania
3.	1.1.3	Time for Completion	Time for completion is: as specified in table 1 [Summary of Sections] below.
4.	1.1.3	Defects Liability Period	The defects liability period is: twelve (12) months calculated from completion date of each particular section.
5.	1.1.5	Section	Section(s) means: parts of Works divided as sections under table 1 [Summary of Sections] below.
6	1.1.6	Site	The site of the works shall mean: Matogoro, Mt.Hanang, Pugu Kazimzumbwi, Amani and Nilo Nature Reserves
7	1.5 (j)	Other documents	The following documents shall also



SCC Clause	GCC Clause	Conditions	Description
		forming part of the Contract	form part of the Contract:
			a. Form of Contract;
	l.		b. the Letter of Acceptance;
			c. the Special Conditions of Contract;
			d. these General Conditions of Contract;
			e. the Drawings
			f. Bill of Quantities
8	1.7	Supply of Documents	Number of Documents/copies to be supplied by Contractor to the Project Manager shall be: three (3).
9	1.12	Compliance with the Law	Exceptions to compliance with the applicable Law are; Not Applicable.
10	1.13	Taxes and Duties	Exceptions to compliance with the applicable tax laws are; Not Applicable.
11	1.15	Inspections and Audits	The Funding source is Tanzania Forest Services Agency (Own source)
12	2.1	Right of Access and Possession of the Site	Time for right of access and possession of all sites is: within fourteen (14) days from signing of the Contract by the last Party.
13	3.1	Employer's approval	The Project Manager shall obtain the specific approval of the Employer before taking action under the-following Sub-Clauses of these Conditions:
			(a) Sub-Clause 4.12 [Unforeseeable Physical Conditions]: Agreeing to or determining an extension of time and/or additional cost.

SCC Clause	GCC Clause	Conditions	Description
			(ii) Sub-Clause 13.1 [Right to Vary]: Instructing a Variation, except if such a Variation would increase the Accepted Contract Amount.
			(iii) Sub-Clause 13.3 [Variation Procedure]: Approving a proposal for Variation submitted by the Contractor in accordance with Sub-Clause 13.1 [Right to Vary] or 13.2 [Value Engineering], except if such a Variation would increase the Accepted Contract Amount by less than the percentage specified in the Appendix to Bid.
			(iv)Sub-Clause 13.4 [Payment in Applicable Currencies]: Specifying the amount payable in each of the applicable currencies.
			Notwithstanding the obligation, as set out above, to obtain approval, if, in the opinion of the Project Manager, an emergency occurs affecting the safety of life or of the Works or of adjoining property, he may, without relieving the Contractor of any of his duties and responsibility under the Contract, instruct the Contractor to execute all such work or to do all such things as may, in the opinion of the Engineer, be necessary to abate or reduce the risk. The Contractor shall forthwith comply, despite

SCC	GCC Clause	Conditions	Description
Clause	Clause		the absence of approval of the Employer, with any such instruction of the Project Manager. Within seven (7) days of having issued such emergency instructions, the Project Manager shall submit written documentation of such instructions to the Employer. The Project Manager shall determine an addition to the Contract Price, in respect of such instruction, in accordance with Clause 13 [Variations and Adjustments] and shall notify the Contractor accordingly, with a copy to the Employer."
14	3.1 (d)	Response by the Project Manager	Time for a written response by the Project Manager is: fourteen (14) days.
15	4.2 % 8.6	Performance Security	The performance security is: <b>Not Applicable</b>
16	4.4	Sub-contractors	Exceptions or other requirements of sub-contracting: Not Applicable
17	4.16	Transport of Goods	Exceptions or other requirements:  Not Applicable
18	4.21	Progress Reports	Exceptions or other requirements for monthly progress reports: Not Applicable
19	4.22	Security of the Site	Exceptions or other requirements for security of the site: Not Applicable
20	5.1	General design obligations	Period for notifying unforeseeable errors, faults and defects in the Employer's Requirements is: fourteen (14) days.
21	8.1	Commencement of	Exceptions or other precedent

SCC Clause	GCC Clause	Conditions	Description
		the works	conditions for commencement of the works: <b>Not Applicable</b>
22.	8.6	Liquidated damages for delay of the Works	Liquidated damages for delay of the works for each particular section are: 0.1% of the value of a particular section per day.  The maximum number of liquidated damages for delay is: 10% of the value of a particular section.
23.	9.1	Tests on Completion	Exceptions or other requirements for sequencing the tests on completion are: <b>Not Applicable</b>
24	12.1	Tests after Completion	Tests after completion shall be specified by the Project Manager.  Exceptions or other requirements or obligation of the Employer for tests after completion are: Not Applicable
25	13.5	Provisional Sums	Percentage for adjustment of Provisional Sums shall be agreed by the Parties.
26.	13.8	Adjustments for Changes in Cost	Adjustments for Changes in Cost are Not Applicable.
27	14.1	The Contract Price	Exceptions or other requirements on the contract price are: <b>Not Applicable</b>

Gudney.

SCC Clause	GCC Clause	Conditions	Description
28	14.2	Advance payment	Total advance payment is 15% of the contract sum payable in the currencies and proportions in which the Contract sum is payable.  Advance payment shall be paid in a single instalment  A requirement for submission of Advance Payment Guarantee is Commitment Letter from the Vice Chancellor
29	14.2	Repayment of advance payment	Exceptions or other requirement for advance payment deductions from the interim payments are: 20% of the interim certificate and shall be fully recovered when work progress has attained 85%.
30	14.2(b)	Repayment amortization rate of advance payment	Amortization rate of the amount of Interim Payment Certificate shall be 20% of the certified amount.
31	14.3	Percentage of Retention Money	Percentage of retention is: 5% of interim payment Certificate
32	14.3	Limit of Retention Money	Limit of retention 5% of the contract amount.
33	14.5(b) (i)		Plant and Materials for payment when shipped route to the Site are <b>Not Applicable</b> .
	14.5(c) (i)	Plant and Materials	Plant and Materials for payment when delivered to the Site are <b>Not Applicable</b>



SCC Clause	GCC Clause	Conditions	Description
34	14.7	Payment and Currency	Minimum amount of interim Payment Certificate shall 10% of the contract price.  Design Cost shall be paid in full upon submission of final design documents.  The currency of payment shall be Tanzania Shillings (TZS)
35	14.10	Submission of Statement of Completion	Exceptions or other requirement for number of copies to be submitted by the Contractor are: <b>Not Applicable</b> .
36	14.11	Final Statement	Exceptions or other requirement for number of copies of Final Statement to be submitted by the Contractor are: <b>Not Applicable</b>
37	17.6	Maximum total liability of the Contractor to the Employer	Maximum total Liability of the Contractor to the Employer will be the total value of the Contract (Contract Sum).
38	18.1	Terms of Insurance by the Employer	Exceptions or other requirement for terms of insurance stipulated in the bidding document where the insuring party is the Employer are: Not Applicable
		Periods for submission of insurance:	Periods for submission of insurance is 28 days
		Eligible Countries for Insurance	The Contractor shall place insurance with Insurers within Tanzania only.
39	18.2	Insurance for Works and Equipment by the Contractor	Exceptions or other requirement for terms of insurance where the insuring party is the contractor are: <b>Not Applicable</b>

SCC Clause	GCC Clause	Conditions	Description	
40	18.2(d)	Maximum amount to be covered by insurance of the Employer's risks	Maximum amount to be covered for insurance of the Employer's risks is: 10% of Contract Sum	
41	18.3	Insurance against Injury to Persons and Damage to Property by the Contractor	Exceptions or other requirement for terms of insurance against Injury to Persons and Damage to Property by the Contractor where the insuring party is the contractor are: Not Applicable.	
42	20.2	Appointing Authority of DAP	Name of the appointing Authority of the DAP is: the National Construction Council (NCC).	
43	20.3	Composition of DAP	The DAP shall be composed of: one sole member.	
44	20.5(a) (i)	International Institution and Rules of arbitration	Institution for arbitration is the National Construction Council (NCC)  Rules of arbitration shall be to National Construction Council (NCC) Arbitration Rules applicable at the time of a dispute.	
45	20.5(a) (ii)	Place of Arbitration	Place of arbitration shall be agreed by the Parties when a dispute arise.	
46	20.5(a)	Disputes with Foreign Contractors Resolved through Local Arbitration	Not Applicable	

Table 1: Summary of Sections for Construction of Tourism Entry Gate

NO.	DESCRIPTION	LOCATION	UNIT S	PRICE (VAT
1.	Construction of Entry Gate	Matogoro Nature Reserve	1	233,245,341.67
2.	Construction of Entry Gate	Pugu Kazimzumbwi Nature Reserves	1	257,166,037.18
3.	Construction of Entry Gate	Amani Nature Reserve	1	207,611,409.49
4.	Construction of Entry Gate	Nilo Nature Reserve	1	45,665,187.33
5.	Construction of Entry Gate	Mt. Hanang Nature Reserve	1	133,138,351.29
6.	Subtotal			876,826,326.96
7.	Professional fee			55,364,328.00
8.		Total amount		932,190,654.96

Bud ......

## GENERAL CONDITIONS OF CONTRACT (GCC)

General Provisions		
1.1 Definition	In these Conditions of Contract, (General Conditions and Special Conditions), the following words and expressions shall have the meanings stated. Words indicating persons or parties include corporations and other legal entities, except where the context requires otherwise.	
1.1.1 The Contract	"Contract" means the Contract entered between the Employer and the Contractor for design and construction of works.  "Letter of Acceptance" means the letter of formal acceptance of the bid, signed by the Employer and communicated to the Contractor.	
	"Form of Bid" means the document entitled Form of Bid, which was completed by the Contractor and includes the signed offer to the Employer for the works.	
	"Employer's Requirement" means the document entitled Employer's Requirement, as included in the Contract, and any additions and modifications to the Employer's Requirement in accordance with the Contract. Such document specifies the Works.	
	"Drawings" means the drawings of the Works as included in the Contract, and any additional and modified drawings issued by (or on behalof) the Employer in accordance with the Contract.	
	"Schedules" means the document(s) entitled schedules, completed by the Contractor and submitted with the Form of Bid, as included in the Contract. Such document may include the Bill of Quantities, data, lists, and schedules or rates and/or prices.	
	"Bid" means the Form of Bid and all othe documents which the Contractor submitted with the Form of Bid, as included in the Contract.	

	"Bill of Quantities" and "Day Work Schedule" and "Schedule of Payment Currencies" mean the documents so named (if any) which are comprised in the Schedules.
1.1.2 Parties and Persons	"Party" means the Employer or the Contractor, as the context requires.
	"Employer" means the person named as Employer in the Special Conditions of Contracts (SCC) and the legal successors in title to this person.
	"Contractor" means the person(s) named as contractor in the Form of Bid accepted by the Employer and the legal successors in title to this person(s).
	"Project Manager" means the person appointed by the Employer to act as the Project Manager for the purposes of the Contract and named in the SCC, or other person appointed from time to time by the Employer and notified to the Contractor under GCC 3.4 [Replacement of the Project Manager].
	"Contractor's Representative" means the person named by the Contractor in the Contract or appointed from time to time by the Contractor under GCC 4.3 [Contractor's Representative], who acts on behalf of the Contractor.
	"Employer's Personnel" means the Project Manager, the assistants referred to in GCC 3.2 [Delegation by the Project Manager] and all other staff, labour and other employees of the Project Manager and of the Employer; and any other personnel notified to the Contractor, by the Employer or the Project Manager, as Employer's Personnel.
	"Contractor's Personnel" means the Contractor's Representative and all personnel whom the Contractor utilises on Site, who may include the staff, labour and other employees of the Contractor and of each Subcontractor; and any other personnel assisting the Contractor in the execution of the Works.

"Subcontractor" means any person named in the Contract as a subcontractor, or any person appointed as a subcontractor, for a part of the Works; and the legal successors in title to each of these persons.

"Dispute Adjudication Panel (DAP)" means the person or three persons appointed under GCC 20.3 [Appointment of the Dispute Board] or GCC 20.3 [Failure to Agree on the Composition of the Dispute Board]

## 1.1.3 Dates, Tests, Periods and Completion

"Base Date" means the date 28 days prior to the latest date for submission of the Bid.

"Commencement Date" means the date notified under GCC 8.1 [Commencement of Works].

"Time for Completion" means the time for completing the Works or a Section (as the case may be) under GCC 8.2 [Time for Completion], as stated in the SCC (with any extension under GCC 8.4 [Extension of Time for Completion]), calculated from the Commencement Date.

"Tests on Completion" means the tests which are specified in the Contract or agreed by both Parties or instructed as a Variation, and which are carried out under GCC 9 [Tests on Completion] before the Works or a Section (as the case may be) are taken over by the Employer.

"Taking-Over Certificate" means a certificate issued under GCC 10 [Employer's Taking Over].

"Tests after Completion" means the tests (if any) which are specified in the Contract and which are carried out in accordance with the Employer's Requirement after the Works or a Section (as the case may be) are taken over by the Employer.

"Defects Liability Period" means the period for notifying defects in the Works or a Section (as the case may be) under GCC 11.1 [Completion of Outstanding Work and Remedying Defects], which extends over twelve months except if otherwise stated in the SCC (with any extension under GCC 11.3 [Extension of Defects Liability Period]], calculated from the date on which the Works or Section is completed as certified under GCC 10.1 [Taking Over of the Works and Sections].

"Performance Certificate" means the certificate issued under GCC 11.9 [Performance Certificate].

"day" means a calendar day and "year" means 365 days.

## 1.1.4 Money and Payments

"Accepted Contract Amount" means the amount accepted in the Letter of Acceptance for the execution and completion of the Works and the remedying of any defects.

"Contract Price" means the price defined in GCC 14.1 [The Contract Price], and includes adjustments in accordance with the Contract.

"Cost" means all expenditure reasonably incurred (or to be incurred) by the Contractor, whether on or off the Site, including overhead and similar charges, but does not include profit.

"Final Payment Certificate" means the payment certificate issued under GCC 14.13 [Issue of Final Payment Certificate].

"Final Statement" means the statement defined in GCC 14.11 [Application for Final Payment Certificate].

"Foreign Currency" means a currency in which part (or all) of the Contract Price is payable, but not the Local Currency.

"Interim Payment Certificate" means a payment certificate issued under GCC 14 [Contract Price and Payment], other than the Final Payment Certificate.

"Local "Currency" means the currency of the Country.

"Payment Certificate" means a payment certificate issued under GCC 14 [Contract Price and Payment]. "Provisional Sum" means a sum (if any) which is specified in the Contract as a provisional sum, for the execution of any part of the Works or for the supply of Plant, Materials or services under GCC 13.5 [Provisional Sums].

"Retention Money" means the accumulated retention moneys which the Employer retains under GCC 14.3 [Application for Interim Payment Certificates] and pays under GCC 14.9 [Payment of Retention Money].

"Statement" means a statement submitted by the Contractor as part of an application, under GCC 14 [Contract Price and Payment], for a payment certificate.

## 1.1.5 Works and Goods

"Contractor's Equipment" means all apparatus, machinery, vehicles and other things required for the execution and completion of the Works and the remedying of any defects. However, Contractor's Equipment excludes Temporary Works, Employer's Equipment (if any), Plant, Materials and any other things intended to form or forming part of the Permanent Works.

"Goods" means Contractor's Equipment, Materials, Plant and Temporary Works, or any of them as appropriate.

"Materials" means things of all kinds (other than Plant) intended to form or forming part of the Permanent Works, including the supplyonly materials (if any) to be supplied by the Contractor under the Contract.

"Permanent Works" means the permanent works to be executed by the Contractor under the Contract.

"Plant" means the apparatus, machinery and other equipment intended to form or forming part of the Permanent Works, including vehicles purchased for the Employer and relating to the construction or operation of the Works.

"Section" means a part of the Works specified in the SCC as a Section (if any).

"Temporary Works" means all temporary works of every kind [other than Contractor's Equipment) required on Site for the execution and completion of the Permanent Works and the remedying of any defects.

"Works" mean the Permanent Works and the Temporary Works, or either of them as appropriate.

## 1.1.6 Other Definitions

"Contractor's Documents" means the calculations, computer programs and other software, drawings, manuals, models and other documents of a technical nature (if any) supplied by the Contractor under the Contract.

"Country" means the country in which the Site (or most of it) is located, where the Permanent Works are to be executed.

"Employer's Equipment" means the apparatus, machinery and vehicles (if any) made available by the Employer for the use of the Contractor in the execution of the Works, as stated in the Employer's Requirement; but does not include Plant which has not been taken over by the Employer.

"Force Majeure" is defined in GCC 19 [Force Majeure].

"Laws" means all national (or state) legislation, statutes, ordinances and other laws, and regulations and by-laws of any legally constituted public authority.

"Performance Security" means the security (or securities, if any) under GCC 4.2 [Performance Security].

"Site" means the place stated in the SCC where the Permanent Works are to be executed including storage and working areas and to which Plant and Materials are to be delivered and any other places as may be specified in the SCC as forming part of the Site.

"Unforeseeable" means not reasonably foresceable by an experienced contractor by the Base Date.

	"Variation" means any change to the Works, which is instructed or approved as a variation under GCC 13 [Variations and Adjustments].
1.2 Interpretation	In the Contract, except where the context requires otherwise:  words indicating one gender include all genders;  words indicating the singular also include the plural and words indicating the plural also include the singular;  provisions including the word "agree," "agreed" or "agreement" require the agreement to be record in writing;  "written" or "in writing" means hand-written, type-written, printed or electronically made, and resulting in a permanent record; and the word "tender" is synonymous with "bid", and "tenderer" with "bidder" and the words "tender documents" with "bidding documents"
1.3 Communications	The marginal words and other headings shall not be taken into consideration in the interpretation of these Conditions.  Communications between parties that are referred to in the Conditions shall be effective only when in writing. A notice shall be effective only when it is received by the concerned party. The language for communications shall be English
1.4 Governing Language and Law	The governing language of the Contract shall be English.  The Contract shall be governed by the laws of Tanzania
1.5 Priority of Documents	The documents forming the Contract are to be taken as mutually explanatory of one another. For the purposes of interpretation, the priority of the documents shall be in accordance with the following sequence:
	Form of Agreement; the Letter of Acceptance;

	Minutes of negotiations and addenda (if any);
	the Form of Bid;
	the Special Conditions of Contract;
	these General Conditions of Contract;
	the Employer's Requirements and Drawings (if any);
	the Schedules;
	Contractor's Proposal; and any other documents listed in the SCC forming part of the Contract.
	If an ambiguity or discrepancy is found in the documents, the Project Manager shall issue any necessary clarification or instruction.
1.6 Assignment	The Contractor shall not assign the whole or any part of the Contract or any benefit or interest in or under the Contract. However, the contractor:
	may assign the whole or any part with the prior consent in writing of the Employer; and
	may, as security in favour of a bank or financial institution, assign its right to any moneys due, or to become due, under the Contract.
1.7 Care and Supply of Documents	Each of the Contractor's Documents shall be in the custody and care of the Contractor, unless and until taken over by the Employer. Unless otherwise stated in the Contract, the Contractor shall supply to the Project Manager number of copies of Contractor's Documents stated in the SCC.
	The Contractor shall keep, on the Site, a copy of the Contract, publications named in the Employer's Requirements, the Contractor's Documents including Drawings and approved Variations and other communications given under the Contract. Authorized personnel of the Employer shall have the right to access to the aforementioned documents at all reasonable times.

	If a Party becomes aware of an error or defect of technical nature in a document which was prepared for use in executing the Works, the Party shall promptly give notice to the other Party of such error or defect.
1.8 Error in the Employer's Requirements	If the Contractor suffers delay and/or incurs Cost as a result of an error in the Employer requirements, and experienced Contractor exercising due care would not have discovered the error when scrutinizing the employer's requirements under GCC 5.1 (General Design Obligations), the contractor shall give notice to the Project Manager and may be entitled subject to GCC 20.1 (contractor's claims) to an extension of time and associated costs (if any) for such delay, if completion is or will be delayed, under GCC 8.4 [Extension of Time for Completion].
	After receiving this further notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine these matters.
1.9 Employer's Use of Contractor's Documents	The Contractor shall retain the copyright and other intellectual property rights in the Contractor's Documents and other design documents made by (or on behalf of) the Contractor.
	The Contractor shall be deemed (by signing the Contract) to give to the Employer a non-terminable transferable non-exclusive royalty-free licence to copy, use and communicate the Contractor's Documents, including making and using modifications of them. This licence shall:
	apply throughout the actual or intended working life (whichever is longer) of the relevant parts of the Works,
	entitle any person in proper possession of the relevant part of the Works to copy, use and communicate the Contractor's Documents for the purposes of completing, operating, maintaining, altering, adjusting, repairing and demolishing the Works, and

	in the case of Contractor's Documents which are in the form of computer programs and other software, permit their use on any computer on the Site and other places as envisaged by the Contract, including replacements of any computers supplied by the Contractor.
	The Contractor's Documents and other design documents made by the Contractor shall not, without the Contractor's consent, be used, copied or communicated to a third party by (or on behalf of) the Employer for purposes other than those permitted under this GCC.
1.10 Contractor's Use of Employer's Documents	The Employer shall retain the copyright and other intellectual property rights in the Employer's requirements including Drawings and other documents made by (or on behalf of) the Employer. The Contractor may, at his cost, copy, use, and obtain communication of these documents for the purposes of the Contract. They shall not, without the Employer's consent, be copied, used or communicated to a third party by the Contractor, except as necessary for the purposes of the Contract.
1.11 Confidential Details	The Contractor shall disclose all such confidential and other information as may be reasonably required by the Employer in order to verify the Contractor's compliance with the Contract and allow its proper implementation.
1.12 Compliance with Laws	The Contractor shall, in performing the Contract, comply with applicable Laws. Unless otherwise stated in the SCC:
	the Employer shall have obtained (or shall obtain) the planning, zoning, or similar permission for the Permanent Works, and any other permissions described in the Employer's Requirement as having been (or to be) obtained by the Employer; and the Employer shall indemnify and hold the Contractor harmless against and from the consequences of any failure to do so; and
	the Contractor shall give all notices, pay all

	taxes, duties and fees, and obtain all permits, licenses and approvals, as required by the Laws in relation to the design, execution and completion of the Works and the remedying of any defects; and the Contractor shall indemnify and hold the Employer harmless against and from the consequences of any failure to do so.
1.13 Taxes and Duties	The Contractor, Sub-contractors and Personnel shall pay such taxes, duties, fees and other impositions as may be levied under the Applicable Law unless otherwise stated in the SCC.
1.14 Joint and Several Liability	If the Contractor constitutes a joint venture, consortium, association of firms or other unincorporated grouping of two or more persons:  these persons shall be deemed to be jointly and severally liable to the Employer for the performance of the Contract;  these persons shall notify the Employer of their leader who shall have authority to bind the Contractor and each of these persons; and the Contractor shall not alter its composition or legal status without the prior consent of the Employer.
1.15 Instructions, Inspections and Audits	The Employer's personnel shall at all reasonable times during construction of the Work be entitled to examine, inspect, measure and test the materials and workmanship, and to check the progress of the construction.  If the Project Manager instructs the contractor to carry out a test not specified in the Employer's Requirement to check whether any work has a defect and the test shows that it does, the Contractor shall pay for the test and any samples. If there is no defect, the test shall be a Compensation Event.  The Contractor shall permit the Funding Source named in the SCC to inspect the Contractor's accounts and records relating to

the performance of the Contractor and to have them audited by auditors appointed by the Funding Source, if so required by the Funding Source.

## The Employer

## 2.1 Right of Access to the Site

The Employer shall give the Contractor right of access to, and possession of, all parts of the Site within the time (or times) stated in the SCC. The right and possession may not be exclusive to the Contractor. If, under the Contract, the Employer is required to give (to the Contractor) possession of any foundation, structure, plant or means of access, the Employer shall do so in the time and manner stated in the Employer's requirements. However, the Employer may withhold any such right or possession until the Performance Security has been received.

If no such time is stated in the SCC, the Employer shall give the Contractor right of access to, and possession of, the Site within such times as required to enable the Contractor to proceed without disruption in accordance with the programme submitted under GCC 8.3 [Programme].

If the Contractor suffers delay and/or incurs Cost as a result of a failure by the Employer to give any such right or possession within such time, the Contractor shall give notice to the Project Manager and may be entitled subject to GCC 20.1 [Contractor's Claims] to an extension of time and associated costs (if any) for such delay, if completion is or will be delayed, under GCC 8.4 [Extension of Time for Completion], and

After receiving this notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine these matters.

However, if and to the extent that the Employer's failure was caused by any error or delay by the Contractor, including an error in, or delay in the submission of, any of the

	Contractor's Documents, the Contractor shall not be entitled to such extension of time and any associated costs.
2.2 Permits, Licences or Approvals	The Employer shall provide, at the request of the Contractor, such reasonable assistance as to allow the Contractor to obtain properly:
	copies of the Laws of the Country which are relevant to the Contract but are not readily available, and
	any permits, licences or approvals required by the Laws of the Country:
	which the Contractor is required to obtain under GCC 1.12 [Compliance with Laws],
	for the delivery of Goods, including clearance through customs, and
	for the export of Contractor's Equipment when it is removed from the Site.
2.3 Employer's Personnel	The Employer shall be responsible for ensuring that the Employer's Personnel and the Employer's other contractors on the Site:  co-operate with the Contractor's efforts under GCC 4.6 [Co-operation], and
	take actions similar to those which the Contractor is required to take under subparagraphs (a), (b) and (c) of GCC 4.8 [Safety Procedures] and under GCC 4.18 [Protection of the Environment].
2.4 Suspension of Financing	If the Government has notified the Employer that the Government has suspended funds, which finances in whole or in part the execution of the Works, the Employer shall give notice of such suspension to the Contractor with detailed particulars, including the date of such notification, with a copy to the Project Manager, within 7 days of the Employer having received the suspension notification from the Government.
	In the event that the source of financing is suspended to the Employer, from which part of the payments to the Contractor are being

made:

- (a) The Employer shall notify the Contractor of such suspension within Seven (7) days of having received the financing agency's suspension notice.
- (b) After the Notice has been issued and within fourteen (14) working days, the Parties shall mutually agree on the future events of the Contract

## 2.5 Employer's Claims

If the Employer considers himself to be entitled to any payment under any Clause of these Conditions or otherwise in connection with the Contract, and/or to any extension of the Defects Liability Period, the Employer or the Project Manager shall give notice and particulars to the Contractor. However, notice is not required for payments due under GCC 4.19 [Electricity, Water and Gas], under GCC 4.20 [Employer's Equipment and Free-Issue Material], or for other services requested by the Contractor.

The notice shall be given as soon as practicable and no longer than 28 days after the Employer became aware, or should have become aware, of the event or circumstances giving rise to the claim. A notice relating to any extension of the Defects Liability Period shall be given before the expiry of such period.

The particulars shall specify the Clause or other basis of the claim, and shall include substantiation of the amount and/or extension to which the Employer considers himself to be entitled in connection with the Contract. The Project Manager shall then proceed in accordance with GCC 3.5 [Determinations] to agree or determine (i) the amount (if any) which the Employer is entitled to be paid by the Contractor, and/or (ii) the extension (if any) of the Defects Liability Period in accordance with GCC 11.3 [Extension of Defects Liability Period].

This amount may be included as a deduction

in the Contract Price and Payment Certificates. The Employer shall only be entitled to set off against or make any deduction from an amount certified in a Payment Certificate, or to otherwise claim against the Contractor, in accordance with this GCC.

## The Project Manager

## 3.1 Project Manager's Appointment, Duties and Authority

The Employer shall appoint the Project Manager who shall carry out the duties assigned to him in the Contract. The Project Manager shall be an independent legal entity or firm duly registered by relevant professional bodies in Tanzania and contracted by the Employer. The Project Manager's staff shall include suitably qualified Architects/Engineers and other professionals who are competent to carry out these duties.

The Project Manager shall have no authority to amend the Contract without approval of the Employer.

The Project Manager may exercise the authority attributable to the Project Manager as specified in or necessarily to be implied from the Contract. Notwithstanding the provisions of this Contract, if the Project Manager is required to obtain the approval of the Employer before exercising a specified authority, the requirements shall be as stated in the SCC. The Employer shall promptly inform the Contractor of any change to the authority attributed to the Project Manager.

However, whenever the Project Manager exercises a specified authority for which the Employer's approval is required, then (for the purposes of the Contract) the Project Manager shall seek and obtain a written approval of the Employer.

Except as otherwise stated in these Conditions:

- (a) whenever carrying out duties or exercising authority, specified in or implied by the Contract, the Project Manager shall be deemed to act for the Employer;
- b) the Project Manager has no authority to

relieve either Party of any duties, obligations or responsibilities under the Contract; and

any approval, check, certificate, consent, examination, inspection, instruction, notice, proposal, request, test, or similar act by the Project Manager (including absence of disapproval) shall not relieve the Contractor from any responsibility he has under the Contract, including responsibility for errors, omissions, discrepancies and non-compliances.

Any act by the Project Manager in response to a Contractor's request, except otherwise expressly specified, shall be notified in writing to the Contractor within the period stated in the SCC. Provided that such time shall not exceed 28 days from receipt of the request.

The following provisions shall apply:

The Project Manager shall obtain the specific approval of the Employer before taking action under the following GCCs of these Conditions:

- (a) GCC 4.12 [Unforeseeable Physical Conditions]: Agreeing or determining an extension of time and/or additional cost.
- (b) GCC 13.1 [Right to Vary]: Instructing a Variation, except;
- (i) in an emergency situation as determined by the Project Manager, or
- (ii) if such a Variation would not increase the total Contract Amount
- (c) GCC 13.3 [Variation Procedure]: Approving a proposal for Variation submitted by the Contractor in accordance with GCC 13.1 or 13.2.
- (d) GCC 13.4 [Payment in Applicable Currencies]: Specifying the amount payable in each of the applicable currencies.
- (e) Notwithstanding the obligation, as set out above, to obtain approval, if, in the opinion of the Project Manager, an emergency occurs affecting the safety of life or of the Works or of

adjoining property, he may, without relieving the Contractor of any of his duties and responsibility under the Contract, instruct the Contractor to execute all such work or to do all such things as may, in the opinion of the Project Manager, be necessary to abate or reduce the risk. The Contractor shall forthwith comply, despite the absence of approval of the Employer, with any such instruction of the Project Manager. The Project Manager shall determine an addition to the Contract Price, in respect of such instruction, in accordance with GCC 13 [Variations and Adjustments] and shall notify the Contractor accordingly, with a copy to the Employer.

#### 3.2 Delegation by the Project Manager

The Project Manager may from time to time authority delegate assign duties and revoke may also and assistants, assignment or delegation. These assistants may include a resident Architect/Engineer and/or independent inspectors appointed to inspect and/or test items of Plant and/or Materials. The assignment, delegation or revocation shall be in writing and shall not take effect until copies have been received by both Parties.

However, unless otherwise agreed by both Parties, the Project Manager shall not delegate the authority to determine any matter in accordance with GCC 3.5 [Determinations].

Assistants shall be suitably qualified persons, who are competent to carry out these duties and exercise this authority, and who are fluent in the language for communications defined in GCC 1.4 [Law and Language].

Each assistant, to whom duties have been assigned or authority has been delegated, shall only be authorised to issue instructions to the Contractor to the extent defined by the delegation. Any approval, check, certificate, consent, examination, inspection, instruction, notice, proposal, request, test, or similar act by an assistant, in accordance with the delegation, shall have the same effect as though the act had been an act of the Project Manager. However:

	any failure to disapprove any work, Plant or Materials shall not constitute approval, and shall therefore not prejudice the right of the Project Manager to reject the work, Plant or Materials; if the Contractor questions any determination or instruction of an assistant, the Contractor may refer the matter to the Project Manager, who shall promptly confirm, reverse or vary the determination or instruction.
3.3 Instructions of the Project Manager	The Project Manager may issue to the Contractor (at any time) instructions and additional or modified Drawings which may be necessary for the execution of the Works and the remedying of any defects, all in accordance with the Contract. The Contractor shall only take instructions from the Project Manager, or from an assistant to whom the appropriate authority has been delegated under this Clause. If an instruction constitutes a Variation, GCC 13 [Variations and Adjustments] shall apply.
	The Contractor shall comply with the instructions given by the Project Manager or delegated assistant, on any matter related to the Contract. Whenever practicable, their instructions shall be given in writing. If the Project Manager or a delegated assistant:
	gives an oral instruction,  receives a written confirmation of the instruction, from (or on behalf of) the Contractor, within two working days after giving the instruction, and
	does not reply by issuing a written rejection and/or instruction within two working days after receiving the confirmation,
	then the confirmation shall constitute the written instruction of the Project Manager or delegated assistant (as the case may be).
3.4 Replacement of the Project Manager	Notwithstanding GCC 3.1, if the Employer intends to replace the Project Manager, the Employer shall, not less than 21 days before the intended date of replacement, give notice to the

Contractor of the name, address and relevant experience of the intended replacement Project Manager. If the Contractor considers the intended replacement Project Manager to be unsuitable, he has the right to raise reasonable objection against him by notice to the Employer, with supporting particulars, and the Employer shall give consideration to this objection.

#### 3.5 Determination

S

Whenever these Conditions provide that the Project Manager shall proceed in accordance with this GCC 3.5 to agree or determine any matter, the Project Manager shall consult with each Party in an endeavour to reach agreement. If agreement is not achieved, the Project Manager shall make a fair determination in accordance with the Contract, taking due regard of all relevant circumstances.

The Project Manager shall give notice to both Parties of each agreement or determination, with supporting particulars within 14 working days from the receipt of the corresponding claim or request except when otherwise specified. Each Party shall give effect to each agreement or determination unless and until revised under GCC 20 [Claims, Disputes and Arbitration].

#### The Contractor

#### 4.1 Contractor's General Obligations

The Contractor shall design, execute and complete the Works in accordance with the Contract and with the Project Manager's instructions, and shall remedy any defects in the Works.

The Contractor shall provide the Plant and Contractor's Documents specified in the Contract, and all Contractor's Personnel, Goods, consumables and other things and services, whether of a temporary or permanent nature, required in and for this design, execution, completion and remedying of defects.

The works shall include any work which is necessary to satisfy the Employer's Requirements, contractor's proposal and Schedules, or is implied by the contract, and all works which (although not mentioned in the contract) are necessary for stability or for the completion, or safe and proper operation, of the works.

The Contractor shall be responsible for the adequacy, stability and safety of all Site operations and of all methods of construction.

The Contractor shall, whenever required by the Project Manager, submit details of the arrangements and methods which the Contractor proposes to adopt for the execution of the Works. No significant alteration to these arrangements and methods shall be made without this having previously been notified to the Project Manager.

#### 4.2 Performance Security

The Contractor shall obtain (at his cost) a Performance Security for proper performance, in the form, amount and currencies stated in the SCC.

The Contractor shall deliver the Performance Security to the Employer within 14 working days after receiving the Letter of Acceptance, and shall send a copy to the Project Manager. The Performance Security shall be issued by an entity and from within a country (or other jurisdiction) approved by the Employer, and shall be in the form annexed to the SCC or in another form approved by the Employer.

Contractor shall ensure that the Performance Security is valid and enforceable Contractor has executed completed the Works and remedied any defects. If the terms of the Performance Security specify its expiry date, and the Contractor has not become entitled to receive the Performance Certificate by the date 28 days prior to the expiry date, the Contractor shall extend the validity of the Performance Security until the Works have been completed and any defects have been remedied.

The Employer shall not make a claim under the

Performance Security, except for amounts to which the Employer is entitled under the Contract in the event of:

failure by the Contractor to extend the validity of the performance security as described in the preceding paragraph, in which event the Employer may claim the full amount of the performance security;

failure by the Contractor to pay the Employer an amount due, as either agreed by the Contractor or determined under GCC 2.5 [Employer's Claims] or GCC 20 [Claims, Disputes and Arbitration], within 42 days after this agreement or determination,

failure by the Contractor to remedy a default within 42 days after receiving the Employer's notice requiring the default to be remedied, or

Circumstances which entitle the Employer to termination under GCC 15.2 [Termination by Employer], irrespective of whether notice of termination has been given.

The Employer shall indemnify and hold the Contractor harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from a claim under the Performance Security to the extent to which the Employer was not entitled to make the claim.

The Employer shall return the Performance Security to the Contractor within 21 days after receiving a copy of the Performance Certificate.

#### 4.3 Contractor's Representative

The Contractor shall appoint the Contractor's Representative and shall give him all authority necessary to act on the Contractor's behalf under the Contract.

Unless the Contractor's Representative is named in the Contract, the Contractor shall, prior to the Commencement Date, submit to the Project Manager for consent the name and particulars of the person the Contractor proposes to appoint as Contractor's Representative. If consent is withheld or

subsequently revoked or if the appointed person fails to act as Contractor's Representative, the Contractor shall similarly submit the name and particulars of another suitable person for such appointment.

The Contractor shall not, without the prior consent of the Project Manager, revoke the appointment of the Contractor's Representative or appoint a replacement.

The whole time of the Contractor's Representative shall be given to directing the Contractor's performance of the Contract. If the Contractor's Representative is to be temporarily absent from the Site during the execution of the Works, a suitable replacement person shall be appointed, subject to the Project Manager's prior consent, and the Project Manager shall be notified accordingly.

The Contractor's Representative shall, on behalf of the Contractor, receive instructions under GCC 3.3 [Instructions of the Project Manager].

The Contractor's Representative may delegate any powers, functions and authority to any competent person, and may at any time revoke the delegation. Any delegation or revocation shall not take effect until the Project Manager has received prior notice signed by the Contractor's Representative, naming the person and specifying the powers, functions and authority being delegated or revoked.

The Contractor's Representative shall be fluent in the language for communications defined in GCC 1.4 [Law and Language].

4.4 Subcontractor The Contractor shall not subcontract the whole of the Works.

The Contractor shall be responsible for the acts or defaults of any Subcontractor, his agents or employees, as if they were the acts or defaults of the Contractor. Unless otherwise stated in the SCC:

the Contractor shall not be required to obtain consent to suppliers of Materials, or to a

	subcontract for which the Subcontractor is named in the Contract;
	the prior consent of the Project Manager shall be obtained to other proposed Subcontractors;
	the Contractor shall give the Project Manager not less than 28 days notice of the intended date of the commencement of each Subcontractor's work, and of the commencement of such work on the Site;
4.5 Nominated Subcontractors	In this GCC, "nominated Subcontractor" means a Subcontractor whom the Project Manager, under GCC 13 [Variations and Adjustments], instructs the Contractor to employ as a Subcontractor. The Contractor shall not be under any obligation to employ a nominated Subcontractor against whom the Contractor raises reasonable objection by notice to the Project Manager as soon as practicable, with supporting particulars.
4.6 Co-operation	The Contractor shall, as specified in the Contract or as instructed by the Project Manager, allow appropriate opportunities for carrying out work to:  the Employer's Personnel,  any other contractors employed by the
	Employer, and the personnel of any legally constituted public authorities,
	who may be employed in the execution on or near the Site of any work not included in the Contract.
	Any such instruction may constitute a Variation if and to the extent that it causes the Contractor to suffer delays and/or to incur Unforeseeable Cost. Services for these personnel and other contractors may include the use of Contractor's Equipment, Temporary Works or access

arrangements which are the responsibility of the Contractor.

The Contractor shall be responsible for his construction activities on the Site, and shall coordinate his own activities with those of other contractors to the extent (if any) specified in the Employer's Requirements.

If, under the Contract, the Employer is required to give to the Contractor possession of any foundation, structure, plant or means of access in accordance with Contractor's Documents, the Contractor shall submit such documents to the Project Manager in the time and manner stated in the Employer's Requirements.

#### 4.7 Setting Out

The Contractor shall set out the Works in relation to original points, lines and levels of reference specified in the Contract or notified by the Project Manager. The Contractor shall be responsible for the correct positioning of all parts of the Works, and shall rectify any error in the positions, levels, dimensions or alignment of the Works.

The Employer shall be responsible for any errors in these specified or notified items of reference, but the Contractor shall use reasonable efforts to verify their accuracy before they are used.

If the Contractor suffers delay and/or incurs cost from executing work which was necessitated by an error in these items of reference, and an experienced contractor could not reasonably have discovered such error and avoided this delay and/or cost, the Contractor shall give notice to the Project Manager and shall be entitled subject to GCC 20.1 [Contractor's Claims] to an extension of time and associated costs [if any] for such delay, if completion is or will be delayed, under GCC 8.4 [Extension of Time for Completion].

After receiving this further notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine these matters.

10 Cafet	m1
4.8 Safety Procedures	The Contractor shall:  comply with all applicable safety regulations, take care for the safety of all persons entitled to be on the Site,  use reasonable efforts to keep the Site and Works clear of unnecessary obstruction so as to avoid danger to these persons,  provide fencing, lighting, guarding and watching of the Works until completion and taking over under GCC 10 [Employer's Taking Over], and provide any Temporary Works (including roadways, footways, guards and fences) which may be necessary, because of the execution of the Works, for the use and protection of the public and of owners and occupiers of adjacent land.
4.9 Quality Assurance	The Contractor shall institute a quality assurance system to demonstrate compliance with the requirements of the Contract. The system shall be in accordance with the details stated in the Contract. The Project Manager shall be entitled to audit any aspect of the system.
	Details of all procedures and compliance documents shall be submitted to the Project Manager for information before each design and execution stage is commenced. When any document of a technical nature is issued to the Project Manager, evidence of the prior approval by the Contractor himself shall be apparent on the document itself.
	Compliance with the quality assurance system shall not relieve the Contractor of any of his duties, obligations or responsibilities under the Contract.
1.10 Site Data	The Employer shall have made available to the Contractor for his information, prior to the Base Date, all relevant data in the Employer's possession on sub-surface and hydrological conditions at the Site, including environmental

aspects. The Employer shall similarly make available to the Contractor all such data which come into the Employer's possession after the Base Date. The Contractor shall be responsible for interpreting all such data.

To the extent which was practicable (taking account of cost and time), the Contractor shall be deemed to have obtained all necessary information as to risks, contingencies and other circumstances which may influence or affect the Tender or Works. To the same extent, the Contractor shall be deemed to have inspected and examined the Site, its surroundings, the above data and other available information, and to have been satisfied before submitting the Tender as to all relevant matters, including (without limitation):

the form and nature of the Site, including subsurface conditions,

the hydrological and climatic conditions,

the extent and nature of the work and Goods necessary for the execution and completion of the Works and the remedying of any defects,

the Laws, procedures and labour practices of the Country, and

the Contractor's requirements for access, accommodation, facilities, personnel, power, transport, water and other services.

#### 4.11 Sufficiency of the Accepted Contract Amount

The Contractor shall be deemed to:

have satisfied himself as to the correctness and sufficiency of the Accepted Contract Amount, and

have based the Accepted Contract Amount on the data, interpretations, necessary information, inspections, examinations and satisfaction as to all relevant matters referred to in GCC 4.10 [Site Data] and any further data relevant to the Contractor's design.

Unless otherwise stated in the Contract, the Accepted Contract Amount covers all the Contractor's obligations under the Contract aspects. The Employer shall similarly make available to the Contractor all such data which come into the Employer's possession after the Base Date. The Contractor shall be responsible for interpreting all such data.

To the extent which was practicable (taking account of cost and time), the Contractor shall be deemed to have obtained all necessary information as to risks, contingencies and other circumstances which may influence or affect the Tender or Works. To the same extent, the Contractor shall be deemed to have inspected and examined the Site, its surroundings, the above data and other available information, and to have been satisfied before submitting the Tender as to all relevant matters, including (without limitation):

the form and nature of the Site, including subsurface conditions,

the hydrological and climatic conditions,

the extent and nature of the work and Goods necessary for the execution and completion of the Works and the remedying of any defects,

the Laws, procedures and labour practices of the Country, and

the Contractor's requirements for access, accommodation, facilities, personnel, power, transport, water and other services.

#### 4.11 Sufficiency of the Accepted Contract Amount

The Contractor shall be deemed to:

have satisfied himself as to the correctness and sufficiency of the Accepted Contract Amount, and

have based the Accepted Contract Amount on the data, interpretations, necessary information, inspections, examinations and satisfaction as to all relevant matters referred to in GCC 4.10 [Site Data] and any further data relevant to the Contractor's design.

Unless otherwise stated in the Contract, the Accepted Contract Amount covers all the Contractor's obligations under the Contract (including those under Provisional Sums, if any) and all things necessary for the proper design, execution and completion of the Works and the remedying of any defects.

#### 4.12 Unforeseeable Physical Conditions

In this GCC, "physical conditions" means natural physical conditions and man-made and other physical obstructions and pollutants, which the Contractor encounters at the Site when executing the Works, including subsurface and hydrological conditions but excluding climatic conditions.

If the Contractor encounters adverse physical conditions which he considers to have been Unforeseeable, the Contractor shall give notice to the Project Manager as soon as practicable.

This notice shall describe the physical conditions, so that they can be inspected by the Project Manager, and shall set out the reasons why the Contractor considers them to be Unforeseeable. The Contractor shall continue executing the Works, using such proper and reasonable measures as are appropriate for the physical conditions, and shall comply with any instructions which the Project Manager may give. If an instruction constitutes a Variation, GCC 13 [Variations and Adjustments] shall apply.

If and to the extent that the Contractor encounters physical conditions which are Unforesceable, gives such a notice, and suffers delay and/or incurs Cost due to these conditions, the Contractor may be entitled subject to notice under GCC 20.1 [Contractor's Claims] to an extension of time and associated costs (if any) for any such delay, if completion is or will be delayed, under GCC 8.4 [Extension of Time for Completion].

After receiving this further notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine these matters.

However, before additional Cost is finally agreed or determined under sub-paragraph (ii), the

Project Manager may also review whether other physical conditions in similar parts of the Works (if any) were more favourable than could reasonably have been foreseen when the Contractor submitted the Tender. If and to the extent that these more favourable conditions were encountered, the Project Manager may proceed in accordance with GCC [Determinations] to agree or determine the reductions in Cost which were due to these which may conditions. be included deductions) in the Contract Price and Payment Certificates. However, the net effect of all adjustments under sub-paragraph (b) and all these reductions, for all the physical conditions encountered in similar parts of the Works, shall not result in a net reduction in the Contract Price.

The Project Manager may take account of any evidence of the physical conditions foreseen by the Contractor when submitting the Tender, which may be made available by the Contractor, but shall not be bound by any such evidence.

## 4.13 Rights of Way and Facilities

The Contractor shall bear all costs and charges for special and/or temporary rights-of-way which he may require, including those for access to the Site. The Contractor shall also obtain, at his risk and cost, any additional facilities outside the Site which he may require for the purposes of the Works.

4.14 Avoidance of Interference	The Contractor shall not interfere unnecessarily or improperly with:
	the convenience of the public, or
	the access to and use and occupation of all roads and footpaths, irrespective of whether they are public or in the possession of the Employer or of others.
	The Contractor shall indemnify and hold the Employer harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from any such unnecessary or improper interference.
4.15 Access Route	The Contractor shall be deemed to have been satisfied as to the suitability and availability of access routes to the Site at Base Date. The Contractor shall use reasonable efforts to prevent any road or bridge from being damaged by the Contractor's traffic or by the Contractor's Personnel. These efforts shall include the proper use of appropriate vehicles and routes.
	Except as otherwise stated in these Conditions:
	the Contractor shall (as between the Parties) be responsible for any maintenance which may be required for his use of access routes;
	the Contractor shall provide all necessary signs or directions along access routes, and shall obtain any permission which may be required from the relevant authorities for his use of routes, signs and directions;
	the Employer shall not be responsible for any claims which may arise from the use or otherwise of any access route;
	the Employer does not guarantee the suitability or availability of particular access routes; and
	Costs due to non-suitability or non-availability, for the use required by the Contractor, of access routes shall be borne by the Contractor.
4.16 Transport of	Unless otherwise stated in the SCC:
Goods	the Contractor shall give the Project Manager not less than 21 days notice of the date on

	which any Plant or a major item of other Goods will be delivered to the Site; the Contractor shall be responsible for packing, loading, transporting, receiving, unloading, storing and protecting all Goods and other things required for the Works; and the Contractor shall indemnify and hold the Employer harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from the transport of Goods, and shall negotiate and pay all claims arising from their transport.
4.17 Contractor's Equipment	The Contractor shall be responsible for all Contractor's Equipment. When brought on to the Site, Contractor's Equipment shall be deemed to be exclusively intended for the execution of the Works. The Contractor shall not remove from the Site any major items of Contractor's Equipment without the consent of the Project Manager. However, consent shall not be required for vehicles transporting Goods or Contractor's Personnel off Site.
4.18 Protection of the Environment	The Contractor shall take all reasonable steps to protect the environment (both on and off the Site) and to limit damage and nuisance to people and property resulting from pollution, noise and other results of his operations.  The Contractor shall ensure that emissions, surface discharges and effluent from the Contractor's activities shall not exceed the values stated in the Employer's Requirement or prescribed by applicable Laws.

#### 4.19 Electricity, Water and Gas

The Contractor shall, except as stated below, be responsible for the provision of all power, water and other services he may require for his construction activities and to the extent defined in the Employer's Requirements, for the tests.

The Contractor shall be entitled to use for the purposes of the Works such supplies of electricity, water, gas and other services as may be available on the Site and of which details and prices are given in the Employer's Requirement. The Contractor shall, at his risk and cost, provide any apparatus necessary for his use of these services and for measuring the quantities consumed.

The quantities consumed and the amounts due (at these prices) for such services shall be agreed or determined by the Project Manager in accordance with GCC 2.5 [Employer's Claims] and GCC 3.5 [Determinations]. The Contractor shall pay these amounts to the Employer.

4.20	Employer's
Equip	oment and
Free-	Issue Materials

The Employer shall make the Employer's Equipment (if any) available for the use of the Contractor in the execution of the Works in accordance with the details, arrangements and prices stated in the Schedule of Prices. Unless otherwise stated in the Employer's Requirement:

the Employer shall be responsible for the Employer's Equipment, except that

the Contractor shall be responsible for each item of Employer's Equipment whilst any of the Contractor's Personnel is operating it, driving it, directing it or in possession or control of it.

The appropriate quantities and the amounts due (at such stated prices) for the use of Employer's Equipment shall be agreed or determined by the Project Manager in accordance with GCC 2.5 [Employer's Claims] and GCC 3.5 [Determinations]. The Contractor shall pay these amounts to the Employer.

The Employer shall supply, free of charge, the "free-issue materials" (if any) in accordance with details stated in the Employer's Requirement. The Employer shall, at his risk and cost, provide these materials at the time and place specified in the Contract. The Contractor shall then visually inspect them, and shall promptly give notice to the Project Manager of any shortage, defect or default in these materials. Unless otherwise agreed by both Parties, the Employer shall immediately rectify the notified shortage, defect or default.

After this visual inspection, the free-issue materials shall come under the care, custody and control of the Contractor. The Contractor's obligations of inspection, care, custody and control shall not relieve the Employer of liability for any shortage, defect or default not apparent from a visual inspection.

#### 4.21 Progress Reports

Unless otherwise stated in the SCC, monthly progress reports shall be prepared by the Contractor and submitted to the Project Manager in six copies. The first report shall cover the period up to the end of the first

calendar month following the Commencement Date. Reports shall be submitted monthly thereafter, each within 7 working days after the last day of the period to which it relates.

Reporting shall continue until the Contractor has completed all work which is known to be outstanding at the completion date stated in the Taking-Over Certificate for the Works.

Each report shall include:

charts and detailed descriptions of progress, including each stage of design (if any), Contractor's Documents, procurement, manufacture, delivery to Site, construction, erection and testing; and including these stages for work by each nominated Subcontractor (as defined in GCC 4.5 [Nominated Subcontractors]),

photographs showing the status of manufacture and of progress on the Site;

for the manufacture of each main item of Plant and Materials, the name of the manufacturer, manufacture location, percentage progress, and the actual or expected dates of:

commencement of manufacture,

Contractor's inspections.

tests, and

shipment and arrival at the Site:

the details described in GCC 6.10 [Records of Contractor's Personnel and Equipment];

copies of quality assurance documents, test results and certificates of Materials;

list of notices given under GCC 2.5 [Employer's Claims] and notices given under GCC 20.1 [Contractor's Claims];

safety statistics, including details of any hazardous incidents and activities relating to environmental aspects and public relations; and

comparisons of actual and planned progress, with details of any events or circumstances

	which may jeopardise the completion in accordance with the Contract, and the measures being (or to be) adopted to overcome delays.
4.22 Security of the Site	Unless otherwise stated in the SCC:  The Contractor shall be responsible for security of the site;  the Contractor shall be responsible for keeping unauthorised persons off the Site; and authorised persons shall be limited to the Contractor's Personnel and the Employer's
	Personnel; and to any other personnel notified to the Contractor, by the Employer or the Project Manager, as authorised personnel of the Employer's other contractors on the Site.
4.23 Contractor's Operations on Site	The Contractor shall confine his operations to the Site, and to any additional areas which may be obtained by the Contractor and agreed by the Project Manager as additional working areas. The Contractor shall take all necessary precautions to keep Contractor's Equipment and Contractor's Personnel within the Site and these additional areas, and to keep them off adjacent land.
	During the execution of the Works, the Contractor shall keep the Site free from all unnecessary obstruction, and shall store or dispose of any Contractor's Equipment or surplus materials. The Contractor shall clear away and remove from the Site any wreckage, rubbish and Temporary Works which are no longer required.
	Upon the issue of a Taking-Over Certificate, the Contractor shall clear away and remove, from that part of the Site and Works to which the Taking-Over Certificate refers, all Contractor's Equipment, surplus material, wreckage, rubbish and Temporary Works. The Contractor shall leave that part of the Site and the Works in a clean and safe condition. However, the Contractor may retain on Site, during the Defects Liability Period, such Goods as are

	required for the Contractor to fulfill obligations under the Contract.
4.24 Fossils	All fossils, coins, articles of value or antiquity and structures and other remains or things of geological or archaeological interest discovered on the Site shall, as between the Employer and the Contractor, be the absolute property of the Employer and the Contractor shall take reasonable precautions to prevent his workers or any other persons from removing or damaging any such article or thing and shall immediately upon discovery thereof and before removal acquaint the Project Manager of such discovery and carry out at the expense of the Employer the instructions of the Project Manager as to the disposal of the same.
	The Contractor shall, upon discovery of any such finding, promptly give notice to the Project Manager, who shall issue instructions for dealing with it. If the Contractor suffers delay and/or incurs Cost from complying with the instructions, the Contractor shall give a further notice to the Project Manager and shall be entitled subject to GCC 20.1 [Contractor's Claims] to an extension of time and any associated costs (if any) for such delay, if completion is or will be delayed, under GCC 8.4 [Extension of Time for Completion].
	After receiving this further notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine these matters.
Design	
5.1 General Design Obligations	The Contractor shall carry out, and be responsible for, the design of the Works. Design shall be prepared by qualified designers who are Architects/engineers or other professionals who comply with the criteria (if any) stated in the Employer's Requirements. Unless otherwise stated in the Contract, the Contractor shall submit to the Project Manager for consent the

name and particulars of each proposed designer

and design Subcontractor.

The Contractor warrants that he, his designers and design Subcontractors have the experience and capability necessary for the design. The Contractor undertakes that the designers shall be available to attend discussions with the Project Manager at all reasonable times, until the expiry date of the relevant Defects Liability Period.

Upon receiving notice under GCC 8.1 [Commencement of Works], the Contractor shall scrutinise the Employer's Requirements (including design criteria and calculations, if any) and the items of reference mentioned in GCC 4.7 [Setting Out]. Within the period stated in the Appendix to Tender, calculated from the Commencement Date, the Contractor shall give notice to the Project Manager of any error, fault or other defect found in the Employer's Requirements or these items of reference.

After receiving this notice, the Project Manager shall determine whether GCC 13 [Variation s and Adjustments] shall be applied, and shall give notice to the Contractor accordingly. If and to the extent that (taking account of cost and time) an experienced contractor exercising due care would have discovered the error, fault or other defect when examining the Site and the Employer's Requirements before submitting the Tender, the Time for Completion shall not be extended and the Contract Price shall not be adjusted.

#### 5.2 Contractor's Documents

The Contractor's Documents shall comprise the technical documents specified in the Employer's Requirements, documents required to satisfy all regulatory approvals, and the documents described in GCC 5.6 [As-Built Documents] and GCC 5.7 [Operation and Maintenance Manuals]. Unless otherwise stated in the Employer's Requirements, the Contractor's Documents be written language in the communications defined in GCC 1.4 [Law and Language.

The Contractor shall prepare all Contractors'

Documents, and shall also prepare any other documents necessary to instruct the Contractor's Personnel. The Employer's Personnel shall have the right to inspect the preparation of all these documents, wherever they are being prepared.

If the Employer's Requirements describe the Contractor's Documents which are to be submitted to the Project Manager for review and/or for approval, they shall be submitted accordingly, together with a notice as described below. In the following provisions of this GCC, (i) "review period" means the period required by the Project Manager for review and (if so specified) for approval, and (ii) "Contractor's Documents" exclude any documents which are not specified as being required to be submitted for review and/or for approval.

Unless otherwise stated in the Employer's Requirements, each review period shall not exceed 21 days, calculated from the date on which the Project Manager receives a Contractor's Document and the Contractor's notice. This notice shall state that the Contractor's Document is considered ready, both for review (and approval, if so specified) in accordance with this GCC and for use. The notice shall also state that the Contractor's Document complies with the Contract, or the extent to which it does not comply.

The Project Manager may, within the review period, give notice to the Contractor that a Contractor's Document fails (to the extent stated) to comply with the Contract. If a Contractor's Document so fails to comply, it shall be rectified, resubmitted and reviewed (and, if specified, approved) in accordance with this GCC, at the Contractor's cost.

For each part of the Works, and except to the extent that the prior approval or consent of the Project Manager shall have been obtained:

(a) in the case of a Contractor's Document which has (as specified) been submitted for the

Project Manager's approval:

- (i) the Project Manager shall give notice to the Contractor that the Contractor's Document is approved, with or without comments, or that it fails (to the extent stated) to comply with the Contract;
- (ii) execution of such part of the Works shall not commence until the Project Manager has approved the Contractor's Document; and
- (iii) the Project Manager shall be deemed to have approved the Contractor's Document upon the expiry of the review periods for all the Contractor's Documents which are relevant to the design and execution of such part, unless the Project Manager has previously notified otherwise in accordance with sub-paragraph (i);
- (b) execution of such part of the Works shall not commence prior to the expiry of the review periods for all the Contractor's Documents which are relevant to its design and execution;
- (c) execution of such part of the Works shall be in accordance with these reviewed (and, if specified, approved) Contractor's Documents; and
- (d) if the Contractor wishes to modify any design or document which has previously been submitted for review (and, if specified, approval), the Contractor shall immediately give notice to the Project Manager. Thereafter, the Contractor shall submit revised documents to the Project Manager in accordance with the above procedure.

If the Project Manager instructs that further Contractor's Documents are required, the Contractor shall prepare them promptly.

Any such approval or consent, or any review (under this GCC or otherwise), shall not relieve the Contractor from any obligation or responsibility.

5.3 Contractor's

The Contractor undertakes that the design, the

Undertakings	Contractor's Documents, the execution and the completed Works will be in accordance with:
	(a) the Laws of Tanzania, and
	(b) the documents forming the Contract, as altered or modified by Variations.
5.4 Technical Standards and Regulations	The design, the Contractor's Documents, the execution and the completed Works shall comply with the Country's technical standards, building, construction and environmental Laws, Laws applicable to the product being produced from the Works, and other standards specified in the Employer's Requirements, applicable to the Works, or defined by the applicable Laws.
	All these Laws shall, in respect of the Works and each Section, be those prevailing when the Works or Section are taken over by the Employer under GCC 10 [Employer's Taking Over]. References in the Contract to published standards shall be understood to be references to the edition applicable on the Base Date, unless stated otherwise.
	If changed or new applicable standards come into force in the Country after the Base Date, the Contractor shall give notice to the Project Manager and (if appropriate) submit proposals for compliance. In the event that:
	the Project Manager determines that compliance is required, and
	the proposals for compliance constitute a variation, then the Project Manager may initiate a Variation in accordance with GCC 13 Variation's and Adjustments].
5.5 Training	The Contractor shall carry out the training of Employer's Personnel in the operation and

maintenance of the Works to the extent specified in the Employer's Requirements. If the Contract specifies training which is to be carried out before taking-over, the Works shall not be considered to be completed for the purposes of taking-over under GCC 10.1 [Taking Over of the Works and Section s| until this training has been completed. The Contractor shall prepare, and keep up-todate, a complete set of "as-built" records of the execution of the Works, showing the exact asbuilt locations, sizes and details of the work as executed. These records shall be kept on the Site and shall be used exclusively for the purposes of this GCC. Two copies shall be supplied to the Project Manager prior to the commencement of the Tests on Completion.

#### 5.6 As-Built Documents

In addition, the Contractor shall supply to the Project Manager as-built drawings of the Works, showing all Works as executed, and submit them to the Project Manager for review under GCC 5.2 [Contractor's Documents]. The Contractor shall obtain the consent of the Project Manager as to their size, the referencing system, and other relevant details.

Prior to the issue of any Taking-Over Certificate, the Contractor shall supply to the Project Manager the specified numbers and types of copies of the relevant as-built drawings, in accordance with the Employer's Requirements. The Works shall not be considered to be completed for the purposes of taking-over under GCC 10.1 [Taking Over of the Works and Section s] until the Project Manager has received these documents.

#### 5.7 Operation and Maintenance

Prior to commencement of the Tests on Completion, the Contractor shall supply to the Project Manager provisional operation and

maintenance manuals in sufficient detail for the Employer to operate, maintain, dismantle, reassemble, adjust and repair the Plant.
The Works shall not be considered to be completed for the purposes of taking-over under GCC 10.1 [Taking Over of the Works and Section s] until the Project Manager has received final operation and maintenance manuals in such detail, and any other manuals specified in the Employer's Requirements for these purposes.
If errors, omissions, ambiguities, inconsistencies, inadequacies or other defects are found in the Contractor's Documents, they and the Works shall be corrected at the Contractor's cost, notwithstanding any consent or approval under this Clause
Except as otherwise stated in the Employer's Requirement, the Contractor shall make arrangements for the engagement of all staff and labour, local or otherwise, and for their payment, feeding, transport, and, when appropriate, housing.
The Contractor shall be obliged, to the extent practicable and reasonable, to employ staff and labour in compliance with Laws of Tanzania.

6.2 Rates of Wages and Conditions of Labour	The Contractor shall pay rates of wages, and observe conditions of labour, which are not lower than those established for the trade or industry where the work is carried out. If no established rates or conditions are applicable, the Contractor shall pay rates of wages and observe conditions which are not lower than the general level of wages and conditions observed locally by Employers whose trade or industry is similar to that of the Contractor.
6.3 Persons in the Service of Employer	The Contractor shall not recruit, or attempt to recruit, staff and labour from amongst the Employer's Personnel.
6.4 Labour Laws	The Contractor shall comply with all the relevant labour Laws applicable to the Contractor's Personnel, including Laws relating to their employment, health, safety, welfare, immigration and emigration, and shall allow them all their legal rights.  The Contractor shall require his employees to obey all applicable Laws, including those concerning safety at work.
6.5 Facilities for Staff and Labour	Except as otherwise stated in the Employer's Requirement, the Contractor shall provide and maintain all necessary accommodation and welfare facilities for the Contractor's Personnel. The Contractor shall also provide facilities for the Employer's Personnel as stated in the Employer's Requirement.
	The Contractor shall not permit any of the Contractor's Personnel to maintain any temporary or permanent living quarters within the structures forming part of the Permanent Works.

#### 6.6 Health and Safety

The Contractor shall at all times take all reasonable precautions to maintain the health and safety of the Contractor's Personnel and the Public in accordance with the governing occupational health and safety Laws. In collaboration with local health authorities, the Contractor shall ensure that medical staff, first aid facilities, sick bay and ambulance service are available at all times at the Site and at any accommodation for Contractor's and Employer's Personnel, and that suitable arrangements are made for all necessary welfare and hygiene requirements and for the prevention of epidemics.

The Contractor shall appoint an accident prevention officer at the Site, responsible for maintaining safety and protection against accidents. This person shall be qualified for this responsibility, and shall have the authority to issue instructions and take protective measures to prevent accidents. Throughout the execution of the Works, the Contractor shall provide whatever is required by this person to exercise this responsibility and authority.

The Contractor shall send, to the Project Manager, details of any accident as soon as practicable after its occurrence. The Contractor shall maintain records and make reports concerning health, safety and welfare of persons, and damage to property, as the Project Manager may reasonably require.

The Contractor shall conduct an HIV-AIDS awareness programme via an approved service provider, and shall undertake such other measures as are specified in this Contract to reduce the risk of the transfer of the HIV between and among the Contractor's Personnel and the local community, to promote early diagnosis and to assist affected individuals.

# 6.7 Contractor's Superintendence

Throughout the execution of the Works, and as long thereafter as is necessary to fulfil the Contractor's obligations, the Contractor shall provide all necessary superintendence to plan, arrange, direct, manage, inspect and test the work.

Superintendence shall be given by a sufficient number of persons having adequate knowledge of the language for communications (defined in GCC 1.4 [Law and Language]) and of the operations to be carried out (including the methods and techniques required, the hazards likely to be encountered and methods of preventing accidents), for the satisfactory and safe execution of the Works.

#### 6.8 Contractor's Personnel

The Contractor's Personnel shall be appropriately qualified, skilled and experienced in their respective trades or occupations. The Project Manager may require the Contractor to remove (or cause to be removed) any person employed on the Site or Works, including the Contractor's Representative if applicable, who:

persists in any misconduct or lack of care, carries out duties incompetently or negligently, fails to conform with any provisions of the Contract,

or

persists in any conduct which is prejudicial to safety, health, or the protection of the environment.

If appropriate, the Contractor shall then appoint (or cause to be appointed) a suitable replacement person.

6.9 Records of Contractor's Personnel and Equipment	The Contractor shall submit, to the Project Manager, details showing the number of each class of Contractor's Personnel and of each type of Contractor's Equipment on the Site. Details shall be submitted each calendar month, in a form approved by the Project Manager, until the Contractor has completed all work which is known to be outstanding at the completion date stated in the Taking-Over Certificate for the Works.
6.10 Disorderly Conduct	The Contractor shall at all times take all reasonable precautions to prevent any unlawful, riotous or disorderly conduct by or amongst the Contractor's Personnel, and to preserve peace and protection of persons and property on and near the Site.
6.11 Foreign Personnel	The Contractor may bring in to the country any foreign personnel who are necessary for the execution of the Works to the extent allowed by the applicable Laws. The Contractor shall ensure that these personnel are provided with the required residence visas and work permits. The Employer will, if requested by the Contractor, use his best endeavours in a timely and expeditious manner to assist the Contractor in obtaining any local, state, national, or government permission required for bringing in the Contractor's personnel.
	The Contractor shall be responsible for the return of these personnel to the place where they were recruited or to their domicile. In the event of the death in the Country of any of these personnel or members of their families, the Contractor shall similarly be responsible for making the appropriate arrangements for their return or burial.

6.12 Funeral Arrangements	The Contractor shall be responsible, to the extent required by local regulations, for making any funeral arrangements for any of his local employees who may die while engaged upon the Works.
6.13 Prohibition of Forced or Compulsory Labour	The contractor shall not employ "forced or compulsory labour" in any form. "Forced or compulsory labour" consists of all work or service, not voluntarily performed, that is extracted from an individual under threat of force or penalty.
6.14 Prohibition of Harmful Child Labour	The Contractor shall not employ any child to perform any work that is economically exploitative, or is likely to be hazardous to, or to interfere with, the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral, or social development.
6.15 Employment Records of Workers	The Contractor shall keep complete and accurate records of the employment of labour at the Site. The records shall include the names, ages, genders, hours worked and wages paid to all workers. These records shall be summarized on a monthly basis and submitted to the Project Manager, and these records shall be available for inspection by Auditors during normal working hours. These records shall be included in the details to be submitted by the Contractor under GCC 6.10 [Records of Contractor's Personnel and Equipment].
Plant, Materials and	Workmanship
7.1 Manner of Execution	The Contractor shall carry out the manufacture of Plant, the production and manufacture of Materials, and all other execution of the Works:
	in the manner (if any) specified in the Contract,
	in a proper workmanlike and careful manner, in

	accordance with recognised good practice, and
	with properly equipped facilities and non- hazardous Materials, except as otherwise specified in the Contract.
7.2 Samples	The Contractor shall submit the following samples of Materials, and relevant information, to the Project Manager for consent prior to using the Materials in or for the Works:
	manufacturer's standard samples of Materials and samples specified in the Contract, all at the Contractor's cost, and
	additional samples instructed by the Project Manager as a Variation.
	Each sample shall be labelled as to origin and intended use in the Works.
7.3 Inspection	The Authorized Employer's Personnel shall at all reasonable times:
	have full access to all parts of the Site and to all places from which natural Materials are being obtained, and
	during production, manufacture and construction (at the Site and elsewhere), be entitled to examine, inspect, measure and test the materials and workmanship, and to check the progress of manufacture of Plant and production and manufacture of Materials.
	The Contractor shall give the Employer's Personnel full opportunity to carry out these activities, including providing access, facilities, permissions and safety equipment. No such activity shall relieve the Contractor from any obligation or responsibility.

The Contractor shall give notice to the Project Manager whenever any work is ready and before it is covered up, put out of sight, or packaged for storage or transport. The Project Manager shall then either carry out the examination, inspection, measurement or testing without unreasonable delay, or promptly give notice to the Contractor that the Project Manager does not require to do so. If the Contractor fails to give the notice, he shall, if and when required by the Project Manager, uncover the work and thereafter reinstate and make good, all at the Contractor's cost.

#### 7.4 Testing

This GCC shall apply to all tests specified in the Contract, other than the Tests after Completion (if any).

Except as otherwise specified in the Contract, the Contractor shall provide all apparatus, assistance, documents and other information, electricity, equipment, fuel, consumables, instruments, labour, materials, and suitably qualified and experienced staff, as are necessary to carry out the specified tests efficiently. The Contractor shall agree, with the Project Manager, the time and place for the specified testing of any Plant, Materials and other parts of the Works.

The Project Manager may, under GCC 13 [Variations and Adjustments], vary the location or details of specified tests, or instruct the Contractor to carry out additional tests. If these varied or additional tests show that the tested Plant, Materials or workmanship is not in accordance with the Contract, the cost of carrying out this Variation shall be borne by the Contractor, notwithstanding other provisions of the Contract.

The Project Manager shall give the Contractor not less than 24 hours' notice of the Project Manager's intention to attend the tests. If the Project Manager does not attend at the time and place agreed, the Contractor may proceed with the tests, unless otherwise instructed by the Project Manager, and the tests shall then be deemed to have been made in the Project Manager's presence.

If the Contractor suffers delay and/or incurs Cost from complying with these instructions or as a result of a delay for which the Employer is responsible, the Contractor shall give notice to the Project Manager and shall be entitled subject to GCC 20.1 [Contractor's Claims] to an extension of time and associated costs (if any) for such delay, if completion is or will be delayed, under GCC 8.4 [Extension of Time for Completion].

After receiving this notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine these matters.

The Contractor shall promptly forward to the Project Manager duly certified reports of the tests. When the specified tests have been passed, the Project Manager shall endorse the Contractor's test certificate, or issue a certificate to him, to that effect. If the Project Manager has not attended the tests, he shall be deemed to have accepted the readings as accurate.

#### 7.5 Rejection

If, as a result of an examination, inspection, measurement or testing, any Plant, Materials or workmanship is found to be defective or otherwise not in accordance with the Contract, the Project Manager may reject the Plant, Materials or workmanship by giving notice to the Contractor, with reasons. The Contractor shall then promptly make good the defect and ensure that the rejected item complies with the Contract.

If the Project Manager requires this Plant, Materials or workmanship to be retested, the tests shall be repeated under the same terms and conditions. If the rejection and retesting cause the Employer to incur additional costs, the Contractor shall subject to GCC 2.5 [Employer's Claims] pay these costs to the Employer.

### 7.6 Remedial Work

Notwithstanding any previous test or certification, the Project Manager may instruct the Contractor to:

remove from the Site and replace any Plant or Materials which is not in accordance with the Contract,

remove and re-execute any other work which is not in accordance with the Contract, and

execute any work which is urgently required for the safety of the Works, whether because of an accident, unforeseeable event or otherwise.

The Contractor shall comply with the instruction within a reasonable time, which shall be the time (if any) specified in the instruction, or immediately if urgency is specified under sub-paragraph (c).

If the Contractor fails to comply with the instruction, the Employer shall be entitled to employ and pay other persons to carry out the work. Except to the extent that the Contractor would have been entitled to payment for the work, the Contractor shall subject to GCC 2.5 [Employer's Claims] pay to the Employer all costs arising from this failure.

# 7.7 Ownership of Plant and Materials

Except otherwise specified in the Contract, each item of Plant and Materials shall, to the extent consistent with the Laws of the Country, become the property of the Employer at whichever is the earlier of the following times, free from liens and other encumbrances:

when it is incorporated in the Works;

when the Contractor is paid the corresponding value of the Plant and Materials under GCC 8.10 [Payment for Plant and Materials in Event of Suspension].

#### 7.8 Royalties

Unless otherwise stated in the Employer's Requirements, the Contractor shall pay all royalties, rents and other payments for:

natural Materials obtained from outside the Site, and

the disposal of material from demolitions and excavations and of other surplus material (whether natural or man-made), except to the extent that disposal areas within the Site are specified in the Contract.

#### Commencement, Delays and Suspension

#### 8.1 Commencement of Works

Except otherwise specified in the SCC, the Commencement Date shall be the date at which the following precedent conditions have all been fulfilled and the Project Manager's instruction recording the agreement of both Parties on such fulfillment and instructing to commence the Works is received by the Contractor:

Signing of the Contract by both Parties, and if required, approval of the Contract by relevant authorities in the Country; and

except if otherwise specified in the SCC, possession of the Site given to the Contractor together with such permission(s) under (a) of GCC 1.13 [Compliance with Laws] as required for the commencement of the Works

Where the above conditions have been met and the Project Manager's instruction is received by the Contractor, the Contractor shall commence the execution of the Works as soon as is reasonably practicable after the Commencement Date, and shall then proceed with the Works with due expedition and without delay.

Where the conditions (a) and (b) above have been met and the Project Manager's instruction is not received by the Contractor within 180 days from the date of signing the Contract without any justifiable reasons, the Contractor may terminate the Contract under GCC 16.2 [Termination by Contractor].

8.2 Time for Completion	The Contractor shall complete the whole of the Works, and each Section (if any), within the Time for Completion for the Works or Section (as the case may be), including:
	(a) achieving the passing of the Tests on Completion, and
	(b) completing all work which is stated in the Contract as being required for the Works or Section to be considered to be completed for the purposes of taking-over under GCC 10.1 [Taking Over of the works and sections]
8.3 Programme	The Contractor shall submit a detailed time programme to the Project Manager within 14 working days after receiving the notice under GCC 8.1 [Commencement of Works]. The Contractor shall also submit a revised programme whenever the previous programme is inconsistent with actual progress or with the Contractor's obligations. Each programme shall include:
	(a) the order in which the Contractor intends to carry out the Works, including the anticipated timing of each stage of design, Contractor's Documents, procurement, manufacture, inspection, delivery to Site, construction, erection, testing, commissioning and trial operation,
	(b) the periods for reviews under GCC 5.2 [Contractor's Documents] and for any other submissions, approvals and consents specified in the Employer's Requirements,
	(c) the sequence and timing of inspections and tests specified in the Contract, and
	(d) a supporting report which includes:
	<ul><li>(i) a general description of the methods which the Contractor intends to adopt, and of the major stages, in the execution of the Works, and</li></ul>
	(ii) details showing the Contractor's reasonable estimate of the number of each class of Contractor's Personnel and of each type of

Contractor's Equipment, required on the Site for each major stage.

Unless the Project Manager, within 14 working days after receiving a programme, gives notice to the Contractor stating the extent to which it does not comply with the Contract, the Contractor shall proceed in accordance with the programme, subject to his other obligations under the Contract. The Employer's Personnel shall be entitled to rely upon the programme when planning their activities.

The Contractor shall promptly give notice to the Project Manager of specific probable future events or circumstances which may adversely affect the work, increase the Contract Price or delay the execution of the Works. The Project Manager may require the Contractor to submit an estimate of the anticipated effect of the future event or circumstances, and/or a proposal under GCC 13.3 [Variation Procedure].

If, at any time, the Project Manager gives notice to the Contractor that a programme fails (to the extent stated) to comply with the Contract or to be consistent with actual progress and the Contractor's stated intentions, the Contractor shall submit a revised programme to the Project Manager in accordance with this GCC.

## 8.4 Extension of Time for Completion

The Employer may extend the Intended Completion Date if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work.

The Contractor shall be entitled subject to GCC 20.1 [Contractor's Claims] to an extension of the Time for Completion if and to the extent that completion for the purposes of GCC 10.1 [Taking Over of the Works and Section s] is or will be delayed by any of the following causes:

(a) a Variation (unless an adjustment to the Time for Completion has been agreed under GCC 13.3 [ Variation Procedure]),

- (b) a cause of delay giving an entitlement to extension of time under a GCC of these Conditions,
- (c) exceptionally adverse climatic conditions,
- (d) Unforeseeable shortages in the availability of personnel or Goods caused by epidemic or governmental actions, or
- (e) any delay, impediment or prevention caused by or attributable to the Employer, the Employer's Personnel, or the Employer's other contractors on the Site.

If the Contractor considers himself to be entitled to an extension of the Time for Completion, the Contractor shall give notice to the Project Manager in accordance with GCC 20.1 [Contractor's Claims]. When determining each extension of time under GCC 20.1, the Employer shall review previous determinations and may increase, but shall not decrease, the total extension of time.

The Employer shall, within twenty one (21) days of receipt of application for extension of the Intended Completion Date by the Contractor, decide whether or not to grant the extension. The application by the Contractor shall be granted only when supported by full information of a compensation event(s) or variation.

In the event the Contractor has not issued an early warning notice of a delay or has failed to cooperate in dealing with a delay, such a delay or failure may be a ground for not granting the extension of the Intended Completion Date.

#### 8.5 Rate of Progress

#### If, at any time:

- (a) actual progress is too slow to complete within the Time for Completion, and/or
- (b) progress has fallen (or will fall) behind the current programme under GCC 8.3 [Programme],

other than as a result of a cause listed in GCC 8.4 [Extension of Time for Completion], then the Project Manager may, upon written approval of the Employer, instruct the Contractor to submit, under GCC 8.3 [Programme], a revised programme and supporting report describing the revised methods which the Contractor proposes to adopt in order to expedite progress and complete within the Time for Completion.

Unless the Project Manager notifies otherwise, the Contractor shall adopt these revised methods, which may require increases in the working hours and/or in the numbers of Contractor's Personnel and/or Goods, at the risk and cost of the Contractor. If these revised methods cause the Employer to incur additional costs, the Contractor shall subject to GCC 2.5 [Employer's Claims] pay these costs to the Employer, in addition to delay damages (if any) under GCC 8.7 below

### 8.6 Liquidated Damages

The Contractor shall pay liquidated damages to the Employer at the rate per day stated in the SCC for each day that the Completion Date is later than the Intended Completion Date. The total amount of liquidated damages shall not exceed the maximum amount of performance security stated in the SCC. The Employer may deduct liquidated damages from payments due to the Contractor.

Where the Project Manager, after assessment of work progress, upon satisfaction that the Contractor will not complete the works within the contract period, may issue a notice to the Contractor requiring the payment of liquidated damages pursuant to GCC 51.1

If the Intended Completion Date is extended after liquidated damages have been paid, the Project Manager shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor shall be paid interest on the

	overpayment, calculated from the date of payment to the date of repayment, at the rates specified in GCC 45.1
8.7 Suspension of Work	The Project Manager may at any time instruct the Contractor to suspend progress of part or all of the Works. During such suspension, the Contractor shall protect, store and secure such part or the Works against any deterioration, loss or damage.
	The Project Manager may also notify the cause for the suspension. If and to the extent that the cause is notified and is the responsibility of the Contractor, the following GCCs 8.8, 8.9 and 8.10 shall not apply.
8.8 Consequences of Suspension	If the Contractor suffers delay and/or incurs Cost from complying with the Project Manager's instructions under GCC 8.7 [Suspension of Work] and/or from resuming the work, the Contractor shall give notice to the Project Manager and shall be entitled subject to GCC 20.1 [Contractor's Claims] to an extension of time and associated costs (if any) for such delay, if completion is or will be delayed, under GCC 8.4 [Extension of Time for Completion], and After receiving this notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine these matters.  The Contractor shall not be entitled to an extension of time for, or to payment of the Cost incurred in, making good the consequences of the Contractor's faulty design, workmanship or materials, or of the Contractor's failure to protect, store or secure in accordance with GCC.
8.9 Payment for Plant and Materials in Event of Suspension	8.7 [Suspension of Work].  The Contractor shall be entitled to payment of the value (as at the date of suspension) of Plant and/or Materials which have not been delivered
	to Site if:  (a) the work on Plant or delivery of Plant and/or Materials has been suspended for more than 28 days, and
	(b) the Contractor has marked the Plant and/or

	Materials as the Employer's property in accordance with the Project Manager's instructions.
8.10 Prolonged Suspension	If the suspension under GCC 8.7 [Suspension of Work] has continued for more than 84 days, the Contractor may request the Project Manager's permission to proceed.
	If the Project Manager does not give permission within 28 days after being requested to do so, the Contractor may, by giving notice to the Project Manager, treat the suspension as an omission under GCC 13 [Variations and Adjustments] of the affected part of the Works.
	If the suspension affects the whole of the Works, the Contractor may give notice of termination under GCC 16.2 [Termination by Contractor].
8.11 Resumption of Work	After the permission or instruction to proceed is given, the Contractor and the Project Manager shall jointly examine the Works and the Plant and Materials affected by the suspension. The Contractor shall make good any deterioration or defect in or loss of the Works or Plant or Materials, which has occurred during the suspension.
Tests on Completion	
9.1 Contractor's Obligations	The Contractor shall carry out the Tests on Completion in accordance with this Clause and GCC 7.4 [Testing], after providing the documents in accordance with sub-paragraph (d) of GCC 4.1 [Contractor's General Obligations].
	The Contractor shall give to the Project Manager not less than 21 days notice of the date after which the Contractor will be ready to carry out each of the Tests on Completion. Unless otherwise agreed, Tests on Completion shall be carried out within 14 working days after this date, on such day or days as the Project Manager may instruct.
	Unless otherwise stated in the SCC, the Tests on Completion shall be carried out in the

## following sequence:

- (a) pre-commissioning tests, which shall include the appropriate inspections and ("dry" or "cold") functional tests to demonstrate that each item of Plant can safely undertake the next stage;
- (b) commissioning tests, which shall include the specified operational tests to demonstrate that the Works or Section can be operated safely and as specified, under all available operating conditions; and
- (c) trial operation, which shall demonstrate that the Works or Section perform reliably and in accordance with the Contract.

During trial operation, when the Works are operating under stable conditions, the Contractor shall give notice to the Project Manager that the Works are ready for any other Tests on Completion, including performance tests to demonstrate whether the Works conform with criteria specified in the Employer's Requirements and with the Schedule of Guarantees.

Trial operation shall not constitute a taking-over under GCC 10 [Employer's Taking Over]. Any product produced by the Works during trial operation shall be the property of the Employer.

In considering the results of the Tests on Completion, the Project Manager shall make allowances for the effect of any use of the Works by the Employer on the performance or other characteristics of the Works. As soon as the Works, or a Section, have passed any Tests on Completion, the Contractor shall submit a certified report of the results of these Tests to the Project Manager.

#### 9.2 Delayed Tests

If the Tests on Completion are being unduly delayed by the Employer, GCC 7.4 [Testing] (fifth paragraph) and/or GCC 10.3 [Interference with Tests on Completion] shall be applicable.

If the Tests on Completion are being unduly delayed by the Contractor, the Project Manager may by notice require the Contractor to carry

	out the Tests within 21 days after receiving the notice. The Contractor shall carry out the Tests on such day or days within that period as the Contractor may fix and of which he shall give notice to the Project Manager.
	If the Contractor fails to carry out the Tests on Completion within the period of 21 days, the Employer's Personnel may proceed with the Tests at the risk and cost of the Contractor. The Tests on Completion shall then be deemed to have been carried out in the presence of the Contractor and the results of the Tests shall be accepted as accurate.
9.3 Retesting	If the Works, or a Section, fail to pass the Tests on Completion, GCC 7.5 [Rejection] shall apply, and the Project Manager or the Contractor may require the failed Tests, and Tests on Completion on any related work, to be repeated under the same terms and conditions.
9.4 Failure to Pass Tests on Completion	If the Works, or a Section, fail to pass the Tests on Completion repeated under GCC 9.3 [Retesting], the Project Manager may:
	order further repetition of Tests on Completion under GCC 9.3;
	if the failure deprives the Employer of substantially the whole benefit of the Works or Section, reject the Works or Section (as the case may be), in which event the Employer shall have the same remedies as are provided in subparagraph (c) of GCC 11.4 [Failure to Remedy Defects]; or
	issue a Taking-Over Certificate, if the Employer so requests.
	In the event of sub-paragraph (c), the Contractor shall proceed in accordance with all other obligations under the Contract, and the Contract Price shall be reduced by such amount as shall be appropriate to cover the reduced value to the Employer as a result of this failure.
	Unless the relevant reduction for this failure is

stated (or its method of calculation is defined) in the Contract, the Employer may require the reduction to be:

agreed by both Parties (in full satisfaction of this failure only) and paid before this Taking-Over Certificate is issued, or

(ii) determined and paid under GCC 2.5 [Employer's Claims] and GCC 3.5 [Determinations].

#### **Employer's Taking Over**

10.1 Taking Over of the Works and Sections Except as stated in GCC 9.4 [Failure to Pass Tests on Completion], the Works shall be taken over by the Employer when (i) the Works have been completed in accordance with the Contract, including the matters described in GCC 8.2 [Time for Completion] and except as allowed in sub-paragraph (a) below, and

(ii) a Taking-Over Certificate for the Works has been issued, or is deemed to have been issued in accordance with this GCC.

The Contractor may apply by notice to the Project Manager for a Taking-Over Certificate not earlier than 14 working days before the Works will, in the Contractor's opinion, be complete and ready for taking over. If the Works are divided into Sections, the Contractor may similarly apply for a Taking-Over Certificate for each Section.

The Project Manager shall, within 28 days after receiving the Contractor's application:

issue the Taking-Over Certificate to the Contractor, stating the date on which the Works or Section were completed in accordance with the Contract, except for any minor outstanding work and defects which will not substantially affect the use of the Works or Section for their intended purpose (either until or whilst this work is completed and these defects are remedied); or

reject the application, giving reasons and specifying the work required to be done by the Contractor to enable the Taking-Over Certificate to be issued. The Contractor shall then complete this work before issuing a further notice under this GCC.

If the Project Manager fails either to issue the Taking-Over Certificate or to reject the Contractor's application within the period of 28 days, and if the Works or Section (as the case may be) are substantially in accordance with the Contract, the Taking-Over Certificate shall be deemed to have been issued on the last day of that period.

#### 10.2 Taking Over of Parts of the Works

The Project Manager may, at the sole discretion and written approval of the Employer, issue a Taking-Over Certificate for any part of the Permanent Works.

The Employer shall not use any part of the Works (other than as a temporary measure which is either specified in the Contract or agreed by both Parties) unless and until the Project Manager has issued a Taking-Over Certificate for this part. However, unless otherwise agreed by the Parties, if the Employer does use any part of the Works before the Taking-Over Certificate is issued:

the part which is used shall be deemed to have been taken over as from the date on which it is used,

the Contractor shall cease to be liable for the care of such part as from this date, when responsibility shall pass to the Employer, and

if requested by the Contractor, the Project Manager shall issue a Taking-Over Certificate for this part.

After the Project Manager has issued a Taking-Over Certificate for a part of the Works, the Contractor shall be given the earliest opportunity to take such steps as may be necessary to carry out any outstanding Tests on Completion. The Contractor shall carry out these Tests on Completion as soon as practicable before the expiry date of the relevant Defects Liability Period.

If the Contractor incurs cost as a result of the Employer taking over and/or using a part of the Works, other than such use as is specified in the Contract or agreed by the Contractor, the Contractor shall

give notice to the Project Manager and

be entitled subject to GCC 20.1 [Contractor's Claims] to payment of any such Cost plus profit, which shall be included in the Contract Price. After receiving this notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine the matter.

If a Taking-Over Certificate has been issued for a part of the Works (other than a Section), the Liquidated damages thereafter for completion of the remainder of the Works shall be reduced. Similarly, the Liquidated damages for the remainder of the Section (if any) in which this part is included shall also be reduced. For any period of delay after the date stated in this Taking-Over Certificate, the proportional reduction in these delay damages shall be calculated as the proportion which the value of the part so certified bears to the value of the Works or Section (as the case may be) as a whole. The Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to agree or determine these proportions. The provisions of this paragraph shall only apply to the daily rate of Liquidated damages under GCC 8.7 [Liquidated Damages], and shall not affect the maximum amount of these damages.

# 10.3 Delay of Tests on Completion

If the Contractor is prevented, for more than 14 days, from carrying out the Tests on Completion by a cause for which the Employer is responsible and the suffers a delay, the Contractor shall give notice to the Project Manager and may be entitled subject to GCC

	20.1 [Contractor's Claims], to an extension of time and any associated costs (if any) for such delay, if completion is or will be delayed, under GCC 8.4 [Extension of Time for Completion], and
	After receiving this notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine these matters.
10.4 Surfaces Requiring Reinstatement	Except as otherwise stated in a Taking-Over Certificate, a certificate for a Section or part of the Works shall not be deemed to certify completion of any ground or other surfaces requiring reinstatement.
10.4 Surfaces Requiring Reinstatement	Except as otherwise stated in a Taking-Over Certificate, a certificate for a Section or part of the Works shall not be deemed to certify completion of any ground or other surfaces requiring reinstatement.
Defects Liability	
11.1 Completion of Outstanding Work and Remedying Defects	In order that the Works and Contractor's Documents, and each Section, shall be in the condition required by the Contract (fair wear and tear excepted) by the expiry date of the relevant Defects Liability Period or as soon as practicable thereafter, the Contractor shall: complete any work which is outstanding on the date stated in a Taking-Over Certificate, within such reasonable time as is instructed by the Project Manager, and
	execute all work required to remedy defects or damage, as may be notified by (or on behalf of) the Employer on or before the expiry date of the Defects Liability Period for the Works or Section (as the case may be).
	If a defect appears or damage occurs, the Contractor shall be notified accordingly, by (or on behalf of) the Employer.
11.2 Cost of	All work referred to in sub-paragraph (b) of GCC

Remedying Defects	11.1 [Completion of Outstanding Work and Remedying Defects] shall be executed at the risk and cost of the Contractor, if and to the extent that the work is attributable to:
	any design for which the Contractor is responsible,
	Plant, Materials or workmanship not being in accordance with the Contract, or
	failure by the Contractor to comply with any other obligation.
	If and to the extent that such work is attributable to any other cause, the Contractor shall be notified promptly by (or on behalf of) the Employer and GCC 13.3 [Variation Procedure] shall apply.
11.3 Extension of Defects Liability Period	The Employer shall be entitled subject to GCC 2.5 [Employer's Claims] to an extension of the Defects Liability Period for the Works or a Section if and to the extent that the Works, Section or a major item of Plant (as the case may be, and after taking over) cannot be used for the purposes for which they are intended by reason of a defect or by reason of a damage attributable to the Contractor. However, that extension shall not exceed two years.
	If delivery and/or erection of Plant and/or Materials was suspended under GCC 8.8 [Suspension of Work] or GCC 16.1 [Contractor's Entitlement to Suspend Work], the Contractor's obligations under this Clause shall not apply to any defects or damage occurring more than two years after the Defects Liability Period for the Plant and/or Materials would otherwise have expired.
11.4 Failure to Remedy Defects	If the Contractor fails to remedy any defect or damage within a reasonable time, a date may be fixed by (or on behalf of) the Employer, on or by which the defect or damage is to be remedied. The Contractor shall be given reasonable notice of this date.
	If the Contractor fails to remedy the defect or damage by this notified date and this remedial

work was to be executed at the cost of the Contractor under GCC 11.2 [Cost of Remedying Defects], the Employer may (at his option): carry out the work himself or by others, in a reasonable manner and at the Contractor's cost, but the Contractor shall have no responsibility for this work; and the Contractor shall subject to GCC 2.5 [Employer's Claims] pay to the Employer the costs reasonably incurred by the Employer in remedying the defect or damage; require the Project Manager to determine a reasonable reduction in the Contract Price in accordance with GCC 3.5 [Determinations]; or if the defect or damage deprives the Employer of substantially the whole benefit of the Works or any major part of the Works, terminate the Contract as a whole, or in respect of such major part which cannot be put to the intended use. Without prejudice to any other rights, under the Contract or otherwise, the Employer shall then be entitled to recover all sums paid for the Works or for such part (as the case may be), plus financing costs and the cost of dismantling the same, clearing the Site and returning Plant and Materials to the Contractor. 11.5 Removal of If the defect or damage cannot be remedied Defective Work expeditiously on the Site and the Employer gives written consent, the Contractor may remove from the Site for the purposes of repair such items of Plant as are defective or damaged. This consent may require the Contractor to increase the amount of the Performance Security by the full replacement cost of these items, or to provide other appropriate security. 11.6 Further Tests If the work of remedying of any defect or damage may affect the performance of the Works, the Project Manager may require the repetition of any of the tests described in the Contract. The requirement shall be made by notice within 14 working days after the defect or damage is

remedied.

	These tests shall be carried out in accordance with the terms applicable to the previous tests, except that they shall be carried out at the risk and cost of the Party liable, under GCC 11.2 [Cost of Remedying Defects], for the cost of the remedial work.
11.7 Right of Access	Until the Performance Certificate has been issued, the Contractor shall have the right of access to all parts of the Works and to records of the operation and performance of the Works, except as may be inconsistent with the Employer's security restrictions.
11.8 Contractor to Search	The Contractor shall, if required by the Project Manager, search for the cause of any defect, under the direction of the Project Manager. Unless the defect is to be remedied at the cost of the Contractor under GCC 11.2 [Cost of Remedying Defects], the Cost of the search plus profit shall be agreed or determined by the Project Manager in accordance with GCC 3.5 [Determinations] and shall be included in the Contract Price.
11.9 Performance Certificate	Performance of the Contractor's obligations shall not be considered to have been completed until the Project Manager has issued the Performance Certificate to the Contractor, stating the date on which the Contractor completed his obligations under the Contract.  The Project Manager shall issue the Performance Certificate within 28 days after the latest of the expiry dates of the Defects Liability Periods, or as soon thereafter as the Contractor has supplied all the Contractor's Documents and completed and tested all the Works, including remedying any defects. A copy of the Performance Certificate shall be issued to the Employer.  Only the Performance Certificate shall be deemed to constitute acceptance of the Works.
11.10 Unfulfilled Obligations	After the Performance Certificate has been issued, each Party shall remain liable for the fulfilment of any obligation which remains unperformed at that time. For the purposes of

determining the nature and extent of unperformed obligations, the Contract shall be deemed to remain in force.

### 11.11 Clearance of Site

Upon receiving the Performance Certificate, the Contractor shall remove any remaining Contractor's Equipment, surplus material, wreckage, rubbish and Temporary Works from the Site.

If all these items have not been removed within 28 days after receipt by the Contractor of the Performance Certificate, the Employer may sell or otherwise dispose of any remaining items. The Employer shall be entitled to be paid the costs incurred in connection with, or attributable to, such sale or disposal and restoring the Site.

Any balance of the moneys from the sale shall be paid to the Contractor. If these moneys are less than the Employer's costs, the Contractor shall pay the outstanding balance to the Employer.

## **Tests after Completion**

# 12.1 Procedure for Tests after Completion

If Tests after Completion are specified in the SCC, this Clause shall apply. Unless otherwise stated in the SCC, the Employer shall:

- (a) provide all electricity, equipment, fuel, instruments, labour, materials, and suitably qualified and experienced staff, as are necessary to carry out the Tests after Completion efficiently, and
- (b) carry out the Tests after Completion in accordance with the manuals supplied by the Contractor under GCC 5.7 [Operation and Maintenance Manuals] and such guidance as the Contractor may be required to give during the course of these Tests; and in the presence of such Contractor's Personnel as either Party may reasonably request.

The Tests after Completion shall be carried out as soon as is reasonably practicable after the

	Works or Section have been taken over by the Employer. The Employer shall give to the Contractor 21 days' notice of the date after which the Tests after Completion will be carried out. Unless otherwise agreed, these Tests shall be carried out within 14 working days after this date, on the day or days determined by the Employer.
	If the Contractor does not attend at the time and place agreed, the Employer may proceed with the Tests after Completion, which shall be deemed to have been made in the Contractor's presence, and the Contractor shall accept the readings as accurate.
	The results of the Tests after Completion shall be compiled and evaluated by both Parties. Appropriate account shall be taken of the effect of the Employer's prior use of the Works.
12.2 Delayed Test	If the Contractor incurs Cost as a result of any unreasonable delay by the Employer to the Tests after Completion, the Contractor shall
	give notice to the Project Manager; and
	be entitled subject to GCC 20.1 [Contractor's Claims] to payment of any such Cost plus reasonable profit, which shall be included in the Contract Price.
	After receiving this notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine this Cost and profit.
	If, for reasons not attributable to the Contractor, a Tests after Completion on the Works or any Section cannot be completed during the Defects Liability Period (or any other period agreed upon by both Parties), then the Parties to agree on the final date of completing the test.
12.3 Retesting	If the Works, or a Section, fail to pass the Tests after Completion:
	(a) sub-paragraph (b) of GCC 11.1 [Completion of Outstanding Work and Remedying Defects] shall apply; and

(b) either Party may then require the failed Tests, and the Tests after Completion on any related work, to be repeated under the same terms and conditions.

If and to the extent that this failure and retesting are attributable to any of the matters listed in sub-paragraphs (a) to (d) of GCC 11.2 [Cost of Remedying Defects] and cause the Employer to incur additional costs, the Contractor shall subject to GCC 2.5 [Employer's Claims] pay these costs to the Employer.

# 12.4 Failure to Pass Tests after Completion

If the following conditions apply, namely:

- (a) the Works, or a Section, fail to pass any or all of the Tests after Completion,
- (b) the relevant sum payable as nonperformance damages for this failure is stated (or its method of calculation is defined) in the Contract, and
- (c) the Contractor pays this relevant sum to the Employer during the Defects Liability Period, then the Works or Section shall be deemed to have passed these Tests after Completion.

If the Works, or a Section, fail to pass a Test after Completion and the Contractor proposes to make adjustments or modifications to the Works or such Section, the Contractor may be instructed by (or on behalf of) the Employer that right of access to the Works or Section cannot be given until a time that is convenient to the Employer. The Contractor shall then remain liable to carry out the adjustments or modifications and to satisfy this Test, within a reasonable period of receiving notice by (or on behalf of) the Employer of the time that is convenient to the Employer. However, if the Contractor does not receive this notice during the relevant Defects Liability Period, the Contractor shall be relieved of this obligation.

If the Contractor incurs additional Cost as a result of any unreasonable delay by the Employer in permitting access to the Works or Plant by the Contractor, either to investigate the causes of a failure to pass a Tests after Completion or to carry out any adjustments or modifications, the Contractor may:

give notice to the Project Manager; and

be entitled subject to GCC 20.1 [Contractor's Claims] to payment of any such Cost plus reasonable profit, which shall be included in the Contract Price.

After receiving this notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine the matter.

### Variations and Adjustments

#### 13.1 Right to Vary

Variations may be initiated by the Project Manager at any time prior to issuing the Taking-Over Certificate for the Works, either by an instruction or by a request for the Contractor to submit a proposal.

The Contractor shall execute and be bound by each Variation, unless the Contractor promptly gives notice to the Project Manager stating (with supporting particulars) that (i) the Contractor cannot readily obtain the Goods required for the Variation, or (ii) such Variation triggers a substantial change in the sequence or progress of the Works. Upon receiving this notice, the Project Manager shall cancel, confirm or vary the instruction.

Variation may be in the form of:

 (a) changes to the quantities of any item of work included in the Contract;

changes to the quality and other characteristics of any item of work;

changes to the levels, positions and/or dimensions of any part of the Works;

omission of any Work unless it is to be carried out by others;

any additional Work, Plant, Materials or services necessary for the Permanent Works, including

any associated Tests on Completion, boreholes and other testing and exploratory work; or

changes to the sequence or timing of the execution of the Works.

The Contractor shall not make any alteration and/or modification of the Permanent Works, unless and until the Project Manager, with prior written approval of the Employer, instructs a Variation.

## 13.2 Value Engineering

The Contractor may, at any time, submit to the Project Manager a written proposal which (in the Contractor's opinion) will, if adopted, (i) accelerate completion, (ii) reduce the cost to the Employer of executing, maintaining or operating the Works, (iii) improve the efficiency or value to the Employer of the completed Works, or (iv) otherwise be of benefit to the Employer.

The proposal shall be prepared at the cost of the Contractor and shall include the items listed in GCC 13.3 [Variation Procedure].

If a proposal, which is approved by the Project Manager, includes a change in the design of part of the Permanent Works, then unless otherwise agreed by both Parties:

the Contractor shall design this part,

sub-paragraphs (a) to (d) of GCC 4.1 [Contractor's General Obligations] shall apply, and

if this change results in a reduction in the contract value of this part, the Project Manager shall upon Employer's approval proceed in accordance with GCC 3.5 [Determinations] to determine a fee, which shall be included in the Contract Price. This fee shall be half (50%) of the difference between the following amounts:

such reduction in contract value, resulting from the change, excluding adjustments under GCC 13.7 [Adjustments for Changes in Legislation] and GCC 13.8 [Adjustments for Changes in Cost],and

the reduction (if any) in the value to the

	Employer of the varied works, taking account of any reductions in quality, anticipated life or operational efficiencies.
	However, if amount (i) is less than amount (ii), there shall not be a fee.
13.3 Variation Procedure	If the Project Manager requests a proposal, prior to instructing a Variation, the Contractor shall respond in writing as soon as practicable, either by giving reasons why he cannot comply (if this is the case) or by submitting:
	a description of the proposed work to be performed and a programme for its execution,
	the Contractor's proposal for any necessary modifications to the programme according to GCC 8.3 [Programme] and to the Time for Completion, and
	the Contractor's proposal for evaluation of the Variation.
	The Project Manager shall, as soon as practicable after receiving such proposal (under GCC 13.2 [Value Engineering] or otherwise), respond with approval, disapproval or comments. The Contractor shall not delay any work whilst awaiting a response.
	Each instruction to execute a Variation, with any requirements for the recording of Costs, shall be issued by the Project Manager to the Contractor, who shall acknowledge receipt.
	Upon instructing or approving a Variation, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to agree or determine adjustments to the Contract Price and the Schedule of Payments. These adjustments shall include reasonable profit, and shall take account of the Contractor's submissions under GCC 13.2 [Value Engineering] if applicable.
13.4 Payment in Applicable Currencies	If the Contract provides for payment of the Contract Price in more than one currency, then whenever an adjustment is agreed, approved or determined as stated above, the amount payable

	in each of the applicable currencies shall be specified. For this purpose, reference shall be made to the actual or expected currency proportions of the Cost of the varied work, and to the proportions of various currencies specified for payment of the Contract Price.
13.5 Provisional Sums	Each Provisional Sum shall only be used, in whole or in part, in accordance with the Project Manager's instructions and the Contract Price shall be adjusted accordingly. The total sum paid to the Contractor shall include only such amounts, for the work, supplies or services to which the Provisional Sum relates, as the Project Manager shall have instructed. For each Provisional Sum, the Project Manager may instruct:
	work to be executed [including Plant, Materials or services to be supplied] by the Contractor and valued under GCC 13.3 [Variation Procedure]; and/or
	Plant, Materials or services to be purchased by the Contractor, for which there shall be included in the Contract Price:
	the actual amounts paid (or due to be paid) by the Contractor, and
	a sum for overhead charges and profit, calculated as a percentage of these actual amounts by applying the relevant percentage rate (if any) stated in the appropriate Schedule. If there is no such rate, the percentage rate stated in the Appendix to Tender shall be applied.
	The Contractor shall, when required by the Project Manager, produce quotations, invoices, vouchers and accounts or receipts in substantiation.
13.6 Daywork	For work of a minor or incidental nature, the Project Manager may instruct that such work be executed on a daywork basis. The work shall then be valued in accordance with the Daywork Schedule included in the Contract, and the following procedure shall apply. If a Daywork

Schedule is not included in the Contract, this GCC shall not apply.

Before ordering Goods for the work, the Contractor shall submit quotations to the Project Manager. When applying for payment, the Contractor shall submit invoices, vouchers and accounts or receipts for any Goods.

Except for any items for which the Daywork Schedule specifies that payment is not due, the Contractor shall deliver each day to the Project Manager accurate statements in duplicate which shall include the following details of the resources used in executing the previous day's work:

the names, occupations and time of Contractor's Personnel,

the identification, type and time of Contractor's Equipment and Temporary Works, and

the quantities and types of Plant and Materials used.

One copy of each statement will, if correct, or when agreed, be signed by the Project Manager and returned to the Contractor. The Contractor shall then submit priced statements of these resources to the Project Manager, prior to their inclusion in the next Statement under GCC 14.3 [Application for Interim Payment Certificates].

# 13.7 Adjustments for Changes in Legislation

The Contract Price shall be adjusted to take account of any increase or decrease in Cost resulting from a change in the Laws of Tanzania (including the introduction of new Laws and the repeal or modification of existing Laws) or in the judicial or official governmental interpretation of such Laws, made after the Base Date, which affect the Contractor in the performance of obligations under the Contract.

If the Contractor suffers (or will suffer) delay and/or incurs (or will incur) additional Cost as a result of these changes in the Laws or in such interpretations, made after the Base Date, the Contractor shall give notice to the Project Manager and shall be entitled subject to GCC

20.1 [Contractor's Claims] to an extension of time and associated costs (if any) for such delay, if completion is or will be delayed, under GCC 8.4 [Extension of Time for Completion], and

After receiving this notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine these matters.

Notwithstanding the foregoing, the Contractor shall not be entitled to such an extension of time if the same shall already have been taken into account in determining an extension and such Cost shall not be separately paid if the same shall already have been taken into account in the indexing of any inputs to the table of adjustment data in accordance with the provisions of GCC 13.8.

# 13.8 Adjustments for Changes in Cost

In this GCC, "table of adjustment data" means the completed table of adjustment data for local and foreign currencies included in the Schedules. If there is no such table of adjustment data, this GCC shall not apply.

If this GCC applies, the amounts payable to the Contractor shall be adjusted for rises or falls in the cost of labour, Goods and other inputs to the Works, by the addition or deduction of the amounts determined by the formulae prescribed in this GCC. To the extent that full compensation for any rise or fall in Costs is not covered by the provisions of this or other Clauses, the Accepted Contract Amount shall be deemed to have included amounts to cover the contingency of other rises and falls in costs.

The adjustment to be applied to the amount otherwise payable to the Contractor, as valued in accordance with the appropriate Schedule and certified in Payment Certificates, shall be determined from formulae for each of the currencies in which the Contract Price is payable. No adjustment is to be applied to work valued on the basis of Cost or current prices. The formulae shall be of the following general type:

Pn = a + b Ln / Lo + c En / Eo + d Mn / Mo + .....

where:

"Pn" is the adjustment multiplier to be applied to the estimated contract value in the relevant currency of the work carried out in period "n", this period being a month unless otherwise stated in the SCC;

"a" is a fixed coefficient, stated in the relevant table of adjustment data, representing the nonadjustable portion in contractual payments;

"b", "c", "d", ... are coefficients representing the estimated proportion of each cost element related to the execution of the Works, as stated in the relevant table of adjustment data; such tabulated cost elements may be indicative of resources such as labour, equipment and materials;

"Ln", "En", "Mn", ... are the current cost indices or reference prices for period "n", expressed in the relevant currency of payment, each of which is applicable to the relevant tabulated cost element on the date 49 days prior to the last day of the period (to which the particular Payment Certificate relates); and

"Lo", "Eo", "Mo", ... are the base cost indices or reference prices, expressed in the relevant currency of payment, each of which is applicable to the relevant tabulated cost element on the Base Date.

The cost indices or reference prices stated in the table of adjustment data shall be used. If their source is in doubt, it shall be determined by the Project Manager. For this purpose, reference shall be made to the values of the indices at stated dates (quoted in the fourth and fifth columns respectively of the table) for the purposes of clarification of the source; although these dates (and thus these values) may not correspond to the base cost indices.

In cases where the "currency of index" (stated in the table) is not the relevant currency of payment, each index shall be converted into the relevant currency of payment at the selling rate, established by the central bank of the Country, of this relevant currency on the above date for which the index is required to be applicable.

Until such time as each current cost index is available, the Project Manager shall determine a provisional index for the issue of Interim Payment Certificates. When a current cost index is available, the adjustment shall be recalculated accordingly.

If the Contractor fails to complete the Works within the Time for Completion, adjustment of prices thereafter shall be made using either (i) each index or price applicable on the date 49 days prior to the expiry of the Time for Completion of the Works, or (ii) the current index or price: whichever is more favourable to the Employer.

The weightings (coefficients) for each of the factors of cost stated in the table(s) of adjustment data shall only be adjusted if they have been rendered unreasonable, unbalanced or inapplicable, as a result of Variations.

#### Contract Price and Payment

#### 14.1 The Contract Price

Unless otherwise stated in the SCC:

the Contract Price shall be the lumpsum contract amount agreed or determined under GCC 12.3 [Evaluation] and be subject to adjustments in accordance with the Contract;

the Contractor shall pay all taxes, duties and fees required to be paid by him under the Contract, and the Contract Price shall not be adjusted for any of these costs except as stated in GCC 13.7 [Adjustments for Changes in Legislation];

any quantities which may be set out in the Bill of Quantities or other Schedule are estimated quantities and are not to be taken as the actual and correct quantities:

of the Works which the Contractor is required to execute, or

for the purposes of GCC 12 [Measurement and

Evaluation]; and

the Contractor shall submit to the Project Manager, within 28 days after the Commencement Date, a proposed breakdown of each lump sum price in the Schedules. The Project Manager may take account of the breakdown when preparing Payment Certificates, but shall not be bound by it.

# 14.2 Advance Payment

If stated in the SCC the Employer shall make advance payment to the Contractor of the amounts stated in the SCC by the manner stated in the SCC, against provision by the Contractor of an Unconditional Bank Guarantee in a form and by a bank acceptable to the Employer in amounts and currencies equal to the advance payment. The Guarantee shall remain effective until the advance payment has been repaid, but the amount of the Guarantee shall be progressively reduced by the amounts repaid by the Contractor. Interest will not be charged on the advance payment.

The Contractor shall use the advance payment to pay for mobilization and design expenses required specifically for design and execution of the Contract. The Contractor shall demonstrate that advance payment has been used in this way by supplying copies of invoices or other documents to the Project Manager.

Unless and until the Employer receives this guarantee, or if the total advance payment is not stated in the SCC, this GCC shall not apply.

The Project Manager shall deliver to the Employer and to the Contractor an Interim Payment Certificate for the advance payment or its first instalment after receiving a Statement (under GCC 14.3 [Application for Interim Payment Certificates]) and after the Employer receives

the Performance Security in accordance with GCC 4.2 [Performance Security]; and

a guarantee in amounts and currencies equal to

the advance payment. This guarantee shall be issued by an entity and from within a country (or other jurisdiction) approved by the Employer, and shall be in the form annexed to the SCC or in another form approved by the Employer.

The Contractor shall ensure that the guarantee is valid and enforceable until the advance payment has been repaid, but its amount shall be progressively reduced by the amount repaid by the Contractor as indicated in the Payment Certificates. If the terms of the guarantee specify its expiry date, and the advance payment has not been repaid by the date 28 days prior to the expiry date, the Contractor shall extend the validity of the guarantee until the advance payment has been repaid.

Unless otherwise stated in the SCC, the advance payment shall be repaid through percentage deductions from the interim payments determined by the Project Manager in accordance with GCC 14.6 [Issue of Interim Payment Certificates], as follows:

deductions shall commence in the next interim Payment Certificate following that in which the total of all certified interim payments (excluding the advance payment and deductions and repayments of retention) exceeds 30 percent of the Accepted Contract Amount less Provisional Sums; and

deductions shall be made at the amortisation rate stated in the SCC of the amount of each Interim Payment Certificate (excluding the advance payment and deductions for its repayments as well as deductions for retention money) in the currencies and proportions of the advance payment until such time as the advance payment has been repaid; provided that the advance payment shall be completely repaid prior to the time when eighty per cent (80%) of the Accepted Contract Amount less Provisional Sums has been certified for payment.

If the advance payment has not been repaid prior to the issue of the Taking-Over Certificate for the Works or prior to termination under GCC 15 [Termination by Employer], GCC 16 [Suspension and Termination by Contractor] or GCC 19 [Force Majeure] (as the case may be), the whole of the balance then outstanding shall immediately become due and in case of termination under GCC 15 [Termination by Employer] and GCC 19.6 [Optional Termination, Payment and Release], payable by the Contractor to the Employer.

### 14.3 Application for Interim Payment Certificates

The Contractor shall submit a Statement in six copies to the Project Manager after the end of each month, in a form approved by the Project Manager, showing in detail the amounts to which the Contractor considers himself to be entitled, together with supporting documents which shall include the report on the progress during this month in accordance with GCC 4.21 [Progress Reports].

The Statement shall include the following items, as applicable, which shall be expressed in the various currencies in which the Contract Price is payable, in the sequence listed:

the estimated contract value of the Works executed and the Contractor's Documents produced up to the end of the month (including Variations but excluding items described in sub-paragraphs (b) to (g) below);

any amounts to be added and deducted for changes in legislation and changes in cost, in accordance with GCC 13.7 [Adjustments for Changes in Legislation] and GCC 13.8 [Adjustments for Changes in Cost];

any amount to be deducted for retention, calculated by applying the percentage of retention stated in the SCC to the total of the above amounts, until the amount so retained by the Employer reaches the limit of Retention Money (if any) stated in the SCC;

any amounts to be added for the advance payment and (if more than one instalment) and to be deducted for its repayments in accordance with GCC 14.2 [Advance Payment]; any amounts to be added and deducted for Plant and Materials in accordance with GCC 14.5 [Plant and Materials intended for the Works];

any other additions or deductions which may have become due under the Contract or otherwise, including those under GCC 20 [Claims, Disputes and Arbitration]; and

the deduction of amounts certified in all previous Payment Certificates.

# 14.4 Schedule of Payments

If the Contract includes a schedule of payments specifying the instalments in which the Contract Price will be paid, then unless otherwise stated in this schedule:

the instalments quoted in this schedule of payments shall be the estimated contract values for the purposes of sub-paragraph (a) of GCC 14.3 [Application for Interim Payment Certificates];

GCC 14.5 [Plant and Materials intended for the Works] shall not apply; and

if these instalments are not defined by reference to the actual progress achieved in executing the Works, and if actual progress is found to be less or more than that on which this schedule of payments was based, then the Project Manager may proceed in accordance with GCC 3.5 [Determinations] to agree or determine revised instalments, which shall take account of the extent to which progress is less than that on which the instalments were previously based.

If the Contract does not include a schedule of payments, the Contractor shall submit non-binding estimates of the payments which he expects to become due during each quarterly period. The first estimate shall be submitted within 42 days after the Commencement Date. Revised estimates shall be submitted at quarterly intervals, until the Taking-Over Certificate has been issued for the Works.

# 14.5 Plant and Materials intended for the Works

If this GCC applies, Interim Payment Certificates shall include, under sub-paragraph (e) of GCC 14.3,

an amount for Plant and Materials which have been sent to the Site for incorporation in the Permanent Works, and

a reduction when the contract value of such Plant and Materials is included as part of the Permanent Works under sub-paragraph (a) of GCC 14.3 [Application for Interim Payment Certificates].

If the lists referred to in sub-paragraphs (b)(i) or (c)(i) below are not included in the SCC, this GCC shall not apply.

The Project Manager shall determine and certify each addition if the following conditions are satisfied:

the Contractor has:

kept satisfactory records (including the orders, receipts, Costs and use of Plant and Materials) which are available for inspection, and

submitted a statement of the Cost of acquiring and delivering the Plant and Materials to the Site, supported by satisfactory evidence;

#### and either:

(b) the relevant Plant and Materials:

are those listed in the Schedules for payment when shipped,

have been shipped to the Country, en route to the Site, in accordance with the Contract; and

are described in a clean shipped bill of lading or other evidence of shipment, which has been submitted to the Project Manager together with evidence of payment of freight and insurance, any other documents reasonably required, and a bank guarantee in a form and issued by an entity approved by the Employer in amounts and currencies equal to the amount due under this GCC: this guarantee may be in a similar form to the form referred to in GCC 14.2 [Advance Payment] and shall be valid until the Plant and Materials are properly stored on Site and protected against loss, damage or deterioration;

or

(c) the relevant Plant and Materials:

are those listed in the Schedules for payment when delivered to the Site, and

have been delivered to and are properly stored on the Site, are protected against loss, damage or deterioration, and appear to be in accordance with the Contract.

The additional amount to be certified shall be the equivalent of eighty percent of the Project Manager's determination of the cost of the Plant and Materials (including delivery to Site), taking account of the documents mentioned in this GCC and of the contract value of the Plant and Materials.

The currencies for this additional amount shall be the same as those in which payment will become due when the contract value is included under sub-paragraph (a) of GCC 14.3 [Application for Interim Payment Certificates]. At that time, the Payment Certificate shall include the applicable reduction which shall be equivalent to, and in the same currencies and proportions as, this additional amount for the relevant Plant and Materials.

## 14.6 Issue of Interim Payment Certificates

No amount will be certified or paid until the Employer has received and approved the Performance Security. Thereafter, the Project Manager shall, within 28 days after receiving a Statement and supporting documents, deliver to the Employer and to the Contractor an Interim Payment Certificate which shall state the amount which the Project Manager fairly determines to be due, with all supporting particulars for any reduction or withholding made by the Project Manager on the Statement.

However, prior to issuing the Taking-Over Certificate for the Works, the Project Manager shall not be bound to issue an Interim Payment Certificate in an amount which would (after retention and other deductions) be less than the minimum amount of Interim Payment Certificates (if any) pursuant to GCC 14.2. In this event, the Project Manager shall give notice to the Contractor accordingly.

An Interim Payment Certificate shall not be withheld for any other reason, although:

if any thing supplied or work done by the Contractor is not in accordance with the Contract, the cost of rectification or replacement may be withheld until rectification or replacement has been completed; and/or

if the Contractor was or is failing to perform any work or obligation in accordance with the Contract, and had been so notified by the Project Manager, the value of this work or obligation may be withheld until the work or obligation has been performed.

The Project Manager may in any Payment Certificate make any correction or modification that should properly be made to any previous Payment Certificate. A Payment Certificate shall not be deemed to indicate the Project Manager's acceptance, approval, consent or satisfaction.

# 14.7 Payment and Currency

The Employer shall pay to the Contractor:

the amount certified in each Interim Payment Certificate within 56 days after the Project Manager receives the Statement and supporting documents or, at a time when the funds or credit (from which part of the payments to the Contractor is being made) is suspended, the amount shown on any statement submitted by the Contractor, within 14 days after such statement is submitted. Any discrepancy shall be rectified in the next payment to the Contractor, and

the amount certified in the Final Payment Certificate within 56 days after the Employer receives this Payment Certificate or, at a time when the Government's fund (from which part of the payments to the Contractor is being made)

is suspended, the undisputed amount shown in the Final Statement, within 56 days after the date of notification of the suspension in accordance with GCC 16.2. Payment of the amount due in each currency shall be made into the bank account, nominated by the Contractor, in the payment country (for this currency) specified in the Contract. The currency of payment shall be stated in the SCC. Where payments are to be made in currencies other than the Tanzania Shillings, the exchange rates to be used for calculating such amounts shall be the Bank of Tanzania exchange rate prevailing on the date of signing the Contract. 14.8 Delayed If the Employer makes a late payment the Payment Contractor shall be paid interest on the late payment in the next payment. Interest shall be calculated from the date by which the payment should have been made up to the date when the late payment is made at the prevailing rate of interest issued by the Bank of Tanzania on the date of signing the Contract for each of the currencies in which payments are made. 14.9 Payment of When the Taking-Over Certificate has been Retention Money issued for the Works, the first half of the Retention Money shall be certified by the Project Manager for payment to the Contractor. If a Taking-Over Certificate is issued for a Section or part of the Works, a proportion of the Retention Money shall be certified and paid. This proportion shall be half (50%) of the proportion calculated by dividing the estimated contract value of the Section or part, by the estimated final Contract Price. Promptly after the latest of the expiry dates of the Defects Liability Periods, the outstanding balance of the Retention Money shall be certified by the Project Manager for payment to the Contractor. If a Taking-Over Certificate was issued for a Section, a proportion of the second half of the Retention Money shall be certified and paid promptly after the expiry date of the

Defects Liability Period for the Section. This proportion shall be half (50%) of the proportion calculated by dividing the estimated contract value of the Section by the estimated final Contract Price. However, if any work remains to be executed under GCC 11 [Defects Liability], the Project Manager shall be entitled to withhold certification of the estimated cost of this work until it has been executed. When calculating these proportions, no account shall be taken of any adjustments under GCC 13.7 [Adjustments for Changes in Legislation] and GCC 13.8 [Adjustments for Changes in Cost . 14.10 Statement at Within 84 days after receiving the Taking-Over Completion Certificate for the Works, unless otherwise stated in the SCC, the Contractor shall submit to the Project Manager six copies of a Statement at completion with supporting documents, in accordance with GCC 14.3 [Application for Interim Payment Certificates], showing: the value of all work done in accordance with the Contract up to the date stated in the Taking-Over Certificate for the Works, any further sums which the Contractor considers to be due, and an estimate of any other amounts which the Contractor considers will become due to him under the Contract. Estimated amounts shall be shown separately in this Statement completion. The Project Manager shall then certify in accordance with GCC 14.6 [Issue of Interim Payment Certificates]. 14.11 Application Within 56 days after receiving the Performance for Final Payment Certificate, unless otherwise stated in the SCC, Certificate the Contractor shall submit to the Project Manager, six copies of a final statement with supporting documents showing in detail in a form approved by the Project Manager:

the value of all work done in accordance with the Contract, and

any further sums which the Contractor considers to be due to him under the Contract or otherwise.

If the Project Manager disagrees with or cannot verify any part of the final statement, the Contractor shall submit such further information as the Project Manager may reasonably require within 28 days from receipt of the said draft and shall make such changes in the draft as may be agreed between them. The Contractor shall then prepare and submit to the Project Manager the final statement as agreed. This agreed statement is referred to in these Conditions as the "Final Statement".

However if, following discussions between the Project Manager and the Contractor and any changes to the final statement which are agreed, it becomes evident that a dispute exists, the Project Manager shall deliver to the Employer (with a copy to the Contractor) an Interim Payment Certificate for the agreed parts of the draft final statement. Thereafter, if the dispute is finally resolved under GCC 20.4 [Obtaining Dispute Board's Decision] or GCC 20.5 [Amicable Settlement], the Contractor shall then prepare and submit to the Employer (with a copy to the Project Manager) a Final Statement.

# 14.12 Discharge

When submitting the Final Statement, the Contractor shall submit a discharge which confirms that the total of the Final Statement represents full and final settlement of all moneys due to the Contractor under or in connection with the Contract. This discharge may state that it becomes effective when the Contractor has received the Performance Security and the outstanding balance of this total, in which event the discharge shall be effective on such date.

# 14.13 Issue of Final Payment Certificate

Within 28 days after receiving the Final Statement and a written discharge in accordance with GCC 14.11 [Application for Final Payment Certificate] and GCC 14.12 [Discharge], the Project Manager shall deliver to the Employer and to the Contractor, the Final Payment Certificate which shall state:

the amount which he fairly determines is finally due, and

after giving credit to the Employer for all amounts previously paid by the Employer and for all sums to which the Employer is entitled, the balance (if any) due from the Employer to the Contractor or from the Contractor to the Employer, as the case may be.

If the Contractor has not applied for a Final Payment Certificate in accordance with GCC 14.11 [Application for Final Payment Certificate] and GCC 14.12 [Discharge], the Project Manager shall request the Contractor to do so. If the Contractor fails to submit an application within a period of 28 days, the Project Manager shall issue the Final Payment Certificate for such amount based on his determination of final Statement submitted by the Contractor.

## 14.14 Cessation of Employer's Liability

The Employer shall not be liable to the Contractor for any matter or thing under or in connection with the Contract or execution of the Works, except to the extent that the Contractor shall have included an amount expressly for it:

in the Final Statement and also

(except for matters or things arising after the issue of the Taking-Over Certificate for the Works) in the Statement at completion described in GCC 14.10 [Statement at Completion].

However, this GCC shall not limit the Employer's liability under his indemnification obligations, or the Employer's liability in any case of fraud, deliberate default or reckless misconduct by the Employer.

## Termination by Employer

15.1 Notice to If the Contractor fails to carry out any obligation

Correct	under the Contract, the Project Manager may be notice require the Contractor to make good the failure and to remedy it within a specified reasonable time.
15.2 Termination by Employer	The Employer may terminate the Contract if the Contractor:
	fails to comply with GCC 4.2 [Performance Security] or with a notice under GCC 15.1 [Notice to Correct],
	abandons the Works or otherwise plainly demonstrates the intention not to continue performance of his obligations under the Contract,
	without reasonable excuse fails:
	(i) to proceed with the Works in accordance with GCC 8 [Commencement, Delays and Suspension], or
	<ul><li>(ii) to comply with a notice issued under GCC</li><li>7.5 [Rejection] or GCC 7.6 [Remedial Work], within 28 days after receiving it,</li></ul>
	subcontracts the whole of the Works or assigns the Contract without the required agreement,
	becomes bankrupt or insolvent, goes into liquidation, has a receiving or administration order made against him, compounds with his creditors, or carries on business under a receiver, trustee or manager for the benefit of his creditors, or if any act is done or event occurs which (under applicable Laws) has a similar effect to any of these acts or events, or
	gives or offers to give (directly or indirectly) to any person any bribe, gift, gratuity, commission or other thing of value, as an inducement or reward:
	for doing or forbearing to do any action in

relation to the Contract, or

for showing or for bearing to show favour or disfavour to any person in relation to the Contract,

or if any of the Contractor's Personnel, agents or

Subcontractors gives or offers to give (directly or indirectly) to any person any such inducement or reward as is described in this sub-paragraph (f). However, lawful inducements and rewards to Contractor's Personnel shall not entitle termination.

In any of these events or circumstances, the Employer may, upon giving 14 working days' notice to the Contractor, terminate the Contract and expel the Contractor from the Site. However, in the case of sub-paragraph (e) or (f), the Employer may by notice terminate the Contract immediately.

The Employer's choice to terminate the Contract shall not prejudice any other rights of the Employer, under the Contract or otherwise.

The Contractor shall then leave the Site and deliver any required Goods, all Contractors' Documents, and other design documents made by or for him, to the Project Manager. However, the Contractor shall use his best efforts to comply immediately with any reasonable instructions included in the notice

for the assignment of any subcontract, and for the protection of life or property or for the safety of the Works.

After termination, the Employer may complete the Works and/or arrange for any other entities to do so. The Employer and these entities may then use any Goods, Contractor's Documents and other design documents made by or on behalf of the Contractor.

The Employer shall then give notice that the Contractor's Equipment and Temporary Works will be released to the Contractor at or near the Site. The Contractor shall promptly arrange their removal, at the risk and cost of the Contractor. However, if by this time the Contractor has failed to make a payment due to the Employer, these items may be sold by the Employer in order to recover this payment. Any

	balance of the proceeds shall then be paid to the Contractor.	
15.3 Valuation at Date of Termination	As soon as practicable after a notice of termination under GCC 15.2 [Termination by Employer] has taken effect, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine the value of the Works, Goods and Contractor's Documents, and any other sums due to the Contractor for work executed in accordance with the Contract.	
15.4 Payment after Termination	After a notice of termination under GCC 15.2 [Termination by Employer] has taken effect, the Employer may:	
	proceed in accordance with GCC 2.5 [Employer's Claims],	
	withhold further payments to the Contractor until the costs of execution, completion and remedying of any defects, damages for delay in completion (if any), and all other costs incurred by the Employer, have been established, and/or recover from the Contractor any losses and damages incurred by the Employer and any extra costs of completing the Works, after allowing for any sum due to the Contractor under GCC 15.3 [Valuation at Date of Termination]. After recovering any such losses, damages and extra costs, the Employer shall pay any balance to the Contractor.	
ice m		
Permination for Convenience	The Employer shall be entitled to terminate the Contract, at any time for the Employer's convenience, by giving notice of such termination to the Contractor. The termination shall take effect 28 days after the later of the dates on which the Contractor receives this notice or the Employer returns the Performance Security. The Employer shall not terminate the Contract under this GCC in order to execute the Works himself or to arrange for the Works to be executed by another contractor or to avoid a termination of the Contract by the Contractor under GCC 16.4 [Payment on Termination].	

After this termination, the Contractor shall proceed in accordance with GCC 16.3 [Cessation of Work and Removal of Contractor's Equipment] and shall be paid in accordance with GCC 19.6 [Optional Termination, Payment and Release].

## 15.6 Corrupt or Fraudulent Practices

If the Contractor is determined by Competent Authority that he has engaged in corrupt, fraudulent, collusive or coercive practices, in competing for or in executing the Contract, then the Employer may, after giving 14 days notice to the Contractor, terminate the Contractor's employment under the Contract and expel him from the Site, and the provisions of GCC 15 shall apply as if such expulsion had been made under GCC 15.2 [Contractor's Personnel].

For the purposes of this GCC:

- (i) "corrupt practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;
- (ii) "fraudulent practice" means a misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract;
- (iii) "collusive practices" means a scheme or arrangement between two or more bidders, with or without the knowledge of the Borrower, designed to establish bid prices at artificial, non-competitive levels;
- (iv) "coercive practices" means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract.

# Suspension and Termination by the Contractor

16.1 Contractor's Entitlement to Suspend Work

If the Project Manager fails to certify in accordance with GCC 14.6 [Issue of Interim Payment Certificates] or the Employer fails to comply with GCC 2.4 [Employer's Financial Arrangements] or GCC 14.7 [Payment], the Contractor may, after giving not less than 28 days' notice to the Employer, suspend work (or reduce the rate of work) unless and until the Contractor has received the Payment Certificate, reasonable evidence or payment, as the case may be and as described in the notice.

Notwithstanding the above, if the Government has suspended disbursements, which finances in whole or in part the execution of the Works, and no agreement has been reached by the parties pursuant to GCC 2.8, the Contractor may by notice suspend work or reduce the rate of work at any time, but not less than 14 working days after the Employer having received the suspension notification from the Government.

The Contractor's action shall not prejudice his entitlements to interest under GCC 14.8 [Delayed Payment] and to termination under GCC 16.2 [Termination by Contractor].

If the Contractor subsequently receives such Payment Certificate, evidence or payment (as described in the relevant GCC and in the above notice) before giving a notice of termination, the Contractor shall resume normal working as soon as is reasonably practicable.

If the Contractor suffers delay and/or incurs Cost as a result of suspending work (or reducing the rate of work) in accordance with this GCC, the Contractor shall give notice to the Project Manager and shall be entitled subject to GCC 20.1 [Contractor's Claims] to an extension of time and associated costs (if any) for such delay, if completion is or will be delayed, under GCC 8.4 [Extension of Time for Completion], and

After receiving this notice, the Project Manager

shall proceed in accordance with GCC 3.5 [Determinations] to determine these matters.

## 16.2 Termination by Contractor

The Contractor may terminate the Contract if:

the Contractor does not receive the reasonable evidence within 42 days after giving notice under GCC 16.1 [Contractor's Entitlement to Suspend Work] in respect of a failure to comply with GCC 2.4 [failure to reach agreement upon Government suspension of financing]

the Employer substantially fails to perform his obligations under the Contract in such manner as to materially and adversely affect the execution of the Contract;

the Employer fails to comply with GCC 1.6 [Contract];

a prolonged suspension affects the whole of the Works as described in GCC 8.11 [Prolonged Suspension], or

the Employer becomes bankrupt or insolvent, goes into liquidation, has a receiving or administration order made against him, compounds with his creditors, or carries on business under a receiver, trustee or manager for the benefit of his creditors, or if any act is done or event occurs which (under applicable Laws) has a similar effect to any of these acts or events.

In the event the Government suspends the funds from which part of the payments to the Contractor are being made and the time agreed for future event pursuant to GCC 2.4 has expired.

the Contractor does not receive the Project Manager's instruction recording the agreement of both Parties on the fulfilment of the conditions for the Commencement of Works under GCC 8.1 [Commencement of Works].

In any of these events or circumstances, the Contractor may, upon giving 14 working days notice to the Employer, terminate the Contract. However, in the case of sub-paragraph (g), the

	Contractor may by notice terminate the Contract immediately.
	The Contractor's election to terminate the Contract shall not prejudice any other rights of the Contractor, under the Contract or otherwise.
16.3 Cessation of Work and Removal of Contractor's Equipment	[Employer's Entitlement to Termination for Convenience], GCC 16.2 [Termination by Contractor] or GCC 19.6 [Optional Termination, Payment and Release] has taken effect, the Contractor shall promptly:
	cease all further work, except for such work as may have been instructed by the Project Manager for the protection of life or property or for the safety of the Works,
	hand over Contractor's Documents, Plant, Materials and other work; and
	remove all other Goods which are property of the Contractor from the Site, except as necessary for safety, and leave the Site.
16.4 Payment on Termination	After a notice of termination under GCC 16.2 [Termination by Contractor] has taken effect, the Employer shall promptly:
	pay the Contractor in accordance with GCC 19.6 [Optional Termination, Payment and Release], and
	return the Performance Security to the Contractor provided that all performance obligation of the Contractor have been fulfilled.
Risk and Responsibi	
17.1 Indemnities	The Contractor shall indemnify and hold harmless the Employer, the Employer's Personnel, and their respective agents, against and from all claims, damages, losses and expenses (including legal fees and expenses) in respect of:
	bodily injury, sickness, disease or death, of any person whatsoever arising out of or in the course of or by reason of the Contractor's design (if any), the execution and completion of the

Works and the remedying of any defects, unless attributable to any negligence, wilful act or breach of the Contract by the Employer, the Employer's Personnel, or any of their respective agents, and

damage to or loss of any property, real or personal (including works), to the extent that such damage or loss arises out of or in the course of or by reason of the Contractor's design, the execution and completion of the Works and the remedying of any defects, unless and to the extent that any such damage or loss is attributable to any negligence, Fraud, wilful act or omissions by the Employer, the Employer's Personnel, their respective agents.

The Employer shall indemnify and hold harmless the Contractor, the Contractor's Personnel, and their respective agents, against and from all claims, damages, losses and expenses (including legal fees and expenses) in respect of (1) bodily injury, sickness, disease or death, which is attributable to any negligence, fraud, wilful act or omission by the Employer, the Employer's Personnel, or any of their respective agents, and (2) the matters for which liability may be excluded from insurance cover, as described in sub-paragraphs (d)(i), (ii) and (iii) of GCC 18.3 [Insurance Against Injury to Persons and Damage to Property].

## 17.2 Contractor's Care of the Works

Notwithstanding GCC 11 [Defects Liability], the Contractor shall take full responsibility for the care of the Works and Goods from the Commencement Date until the Taking-Over Certificate is issued (or is deemed to be issued under GCC 10.1 [Taking Over of the Works and Sections]) for the Works, when responsibility for the care of the Works shall pass to the Employer. If a Taking-Over Certificate is issued (or is so deemed to be issued) for any Section or part of the Works, responsibility for the care of the Section or part shall then pass to the Employer.

After responsibility has accordingly passed to the Employer, the Contractor shall take responsibility for the care of any work which is outstanding on the date stated in a Taking-Over Certificate, until this outstanding work has been completed.

If any loss or damage happens to the Works, Goods or Contractor's Documents during the period when the Contractor is responsible for their care, from any cause not listed in GCC 17.3 [Employer's Risks], the Contractor shall rectify the loss or damage at the Contractor's risk and cost, so that the Works, Goods and Contractor's Documents conform with the Contract.

The Contractor shall be liable for any loss or damage caused by any actions performed by the Contractor after a Taking-Over Certificate has been issued. The Contractor shall also be liable for any loss or damage which occurs after a Taking-Over Certificate has been issued and which arose from a previous event for which the Contractor was liable.

## 17.3 Employer's Risks

The risks referred to in GCC 17.4 below, insofar as they directly affect the execution of the Works in the Country, are:

- (a) use or occupation by the Employer of any part of the Permanent Works, except as may be specified and agreed under the Contract,
- (b) design of any part of the Works by the Employer's Personnel or by others for whom the Employer is responsible, and

## 17.4 Consequences of Employer's Risks

If and to the extent that any of the risks listed in GCC 17.3 above results in loss or damage to the Works, Goods or Contractor's Documents, the Contractor shall promptly give notice to the Project Manager and shall rectify this loss or damage to the extent required by the Project Manager.

If the Contractor suffers delay and/or incurs Cost from rectifying this loss or damage, the Contractor shall give a further notice to the Project Manager and shall be entitled subject to GCC 20.1 [Contractor's Claims] to an extension of time and any associated costs (if any) for such delay, if completion is or will be delayed, under GCC 8.4 [Extension of Time for Completion]

In the case of sub-paragraphs (a) and (b) of GCC 17.3 [Employer 's Risks], Cost plus profit shall be payable.

After receiving this further notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine these matters.

## 17.5 Intellectual and Industrial Property Rights

In this GCC, "infringement" means an infringement (or alleged infringement) of any patent, registered design, copyright, trade mark, trade name, trade secret or other intellectual or industrial property right relating to the Works; and "claim" means a claim (or proceedings pursuing a claim) alleging an infringement.

Whenever a Party does not give notice to the other Party of any claim within 90 days of receiving the claim, the first Party shall be deemed to have waived any right to indemnity under this GCC.

The Employer shall indemnify and hold the Contractor harmless against and from any claim alleging an infringement which is or was:

an unavoidable result of the Contractor's compliance with the Contract, or

a result of any Works being used by the Employer:

for a purpose other than that indicated by, or reasonably to be inferred from, the Contract, or

in conjunction with any thing not supplied by the Contractor, unless such use was disclosed to the Contractor prior to the Base Date or is stated in the Contract.

The Contractor shall indemnify and hold the Employer harmless against and from any other claim which arises out of or in relation to (i) the manufacture, use, sale or import of any Goods, or (ii) any design for which the Contractor is responsible.

If a Party is entitled to be indemnified under this GCC, the indemnifying Party may (at its cost) conduct negotiations for the settlement of the claim, and any litigation or arbitration which may arise from it. The other Party shall, at the request and cost of the indemnifying Party, assist in contesting the claim.

## 17.6 Limitation of Liability

Neither Party shall be liable to the other Party for loss of use of any Works, loss of profit, loss of any contract or for any indirect or consequential loss or damage which may be suffered by the other Party in connection with the Contract, other than as specifically provided in GCC 8.7 [Liquidated Damages]; GCC 11.2 Defects]; GCC Remedying Cost of 16.4 Termination]; GCC after [Payment 17.1 GCC Termination]; on Payment [Indemnities]; GCC 17.4 (b) [Consequences of Employer's Risks and GCC 17.5 [Intellectual and Industrial Property Rights].

The total liability of the Contractor to the Employer, under or in connection with the GCC 4.19 other than under Contract 4.20 GCC and Gas], Water Electricity, Free-Issue and Equipment Employer's Material], GCC 17.1 [Indemnities] and GCC 17.5 [Intellectual and Industrial Property Rights], shall not exceed the sum resulting from the application of a multiplier (greater than one) to the Contract Sum, as stated in the SCC, or (if such multiplier or other sum is not so stated), the Contract Sum.

This Clause shall not limit liability in any case of fraud, deliberate default or reckless misconduct by the defaulting Party.

## 17.7 Use of Employer's Accomodation/Facilities

The Contractor shall take full responsibility for the care of the Employer provided accommodation and facilities, if any, as detailed in the Employer's Requirement, from the respective dates of hand-over to the Contractor until cessation of occupation (where hand-over or cessation of occupation may take place after the date stated in the Taking-Over Certificate for the Works).

If any loss or damage happens to any of the above items while the Contractor is responsible for their care arising from any cause whatsoever other than those for which the Employer is liable, the Contractor shall, at his own cost, rectify the loss or damage to the satisfaction of the Employer.

#### Insurance

### 18.1 General Requirements for Insurances

In this Clause, "insuring Party" means, for each type of insurance, the Party responsible for effecting and maintaining the insurance specified in the relevant GCC.

Wherever the Contractor is the insuring Party, each insurance shall be effected with insurers and in terms approved by the Employer. These terms shall be consistent with any terms agreed by both Parties before the date of the Letter of Acceptance. This agreement of terms shall take precedence over the provisions of this Clause.

Wherever the Employer is the insuring Party, each insurance shall be effected with insurers and in terms acceptable to the Contractor. These terms shall be consistent with any terms provided in the tendering documents except as otherwise agreed by both Parties as stipulated in the SCC. This agreement of terms shall take precedence over the provisions of this Clause.

If a policy is required to indemnify joint insured, the cover shall apply separately to each insured as though a separate policy had been issued for each of the joint insured.

Each policy insuring against loss or damage

shall provide for payments to be made in the currencies required to rectify the loss or damage. Payments received from insurers shall be used for the rectification of the loss or damage.

The relevant insuring Party shall, within the respective periods stated in the SCC (calculated from the Commencement Date), submit to the other Party:

evidence that the insurances described in this Clause have been effected, and

copies of the policies for the insurances described in GCC 18.2 [Insurance for Works and Contractor's Equipment] and GCC 18.3 [Insurance against Injury to Persons and Damage to Property].

When each premium is paid, the insuring Party shall submit evidence of payment to the other Party. Whenever evidence or policies are submitted, the insuring Party shall also give notice to the Project Manager.

Each Party shall comply with the conditions stipulated in its respective insurance policy. The insuring Party shall keep the insurers informed of any relevant changes to the execution of the Works and ensure that insurance is maintained in accordance with this Clause.

Neither Party shall make any material alteration to the terms of any insurance without the prior approval of the other Party.

If the insuring Party fails to effect and keep in force any of the insurances it is required to effect and maintain under the Contract, or fails to provide satisfactory evidence and copies of policies in accordance with this GCC, the other Party may (at its option and without prejudice to any other right or remedy) effect insurance for the relevant coverage and pay the premiums due. The insuring Party shall pay the amount of these premiums to the other Party, and the Contract Price shall be adjusted accordingly.

Nothing in this Clause limits the obligations,

liabilities or responsibilities of the Contractor or the Employer, under the other terms of the Contract or otherwise. Any amounts not insured or not recovered from the insurers shall be borne by the Contractor and/or the Employer in accordance with these obligations, liabilities or responsibilities. However, if the insuring Party fails to effect and keep in force an insurance which is available and which it is required to effect and maintain under the Contract, and the other Party neither approves the omission nor effects insurance for the coverage relevant to this default, any moneys which should have been recoverable under this insurance shall be paid by the insuring Party.

Payments by one Party to the other Party shall be subject to GCC 2.5 [Employer's Claims] or GCC 20.1 [Contractor's Claims], as applicable.

The Contractor shall be entitled to place all insurance relating to the Contract (including, but not limited to the insurance referred to GCC 18) with insurers from any eligible source country specified in the SCC.

## 18.2 Insurance for Works and Contractor's Equipment

The Contractor shall insure the Works, Plant, Materials and Contractor's Documents for not less than the full reinstatement cost including the costs of demolition, removal of debris and professional fees and profit. The Contractor shall provide, in the joint names of the Employer and the Contractor, insurance cover from the Commencement Date to the end of the Defects Liability Period.

The Contractor shall maintain this insurance to provide cover until the date of issue of the Performance Certificate, for loss or damage for which the Contractor is liable arising from a cause occurring prior to the issue of the Taking-Over Certificate, and for loss or damage caused by the Contractor in the course of any other operations (including those under GCC 11 [Defects Liability]).

The Contractor shall insure the Contractor's

Equipment for not less than the full replacement value, including delivery to Site. For each item of Contractor's Equipment, the insurance shall be effective while it is being transported to the Site and until it is no longer required as Contractor's Equipment.

Unless otherwise stated in the SCC, insurances under this GCC:

shall be effected and maintained by the Contractor as insuring Party,

shall be in the joint names of the Parties, who shall be jointly entitled to receive payments from the insurers, payments being held or allocated to the Party actually bearing the costs of rectifying the loss or damage;

shall cover all loss and damage from any cause not specifically stated under the contract to be Employer's Risks;

shall also cover, to the extent specifically specified in the SCC, loss or damage to a part of the Works which is attributable to the use or occupation by the Employer of another part of the Works, and loss or damage from the risks listed in GCC 19 [Force Majeure], excluding (in each case) risks which are not insurable at commercially reasonable terms; and

may however exclude loss of, damage to, and reinstatement of:

a part of the Works which is in a defective condition due to a defect in its design, materials or workmanship (but cover shall include any other parts which are lost or damaged as a direct result of this defective condition and not as described in sub-paragraph (ii) below),

a part of the Works which is lost or damaged in order to reinstate any other part of the Works if this other part is in a defective condition due to a defect in its design, materials or workmanship

18.3 Insurance against Injury to Persons and The insuring Party shall insure against each Party's liability for any loss, damage, death or bodily injury which may occur to any physical

## Damage to Property

property (except things insured under GCC 18.2 [Insurance for Works and Contractor's Equipment]) or to any person (except persons insured under GCC 18.4 [Insurance for Contractor's Personnel]), which may arise out of the Contractor's performance of the Contract and occurring before the issue of the Performance Certificate.

Unless otherwise stated in the SCC, the insurances specified in this GCC:

- (a) shall be effected and maintained by the Contractor as insuring Party,
- (b) shall be in the joint names of the Parties,
- (c) shall be extended to cover liability for all loss and damage to the Employer's property (except things insured under GCC 18.2) arising out of the Contractor's performance of the Contract, and
- (d) may however exclude liability to the extent that it arises from:

the Employer's right to have the Permanent Works executed on, over, under, in or through any land, and to occupy this land for the Permanent Works,

damage which is an unavoidable result of the Contractor's obligations to execute the Works and remedy any defects, and

a cause listed in GCC 19 [Force Majeure], except to the extent that cover is available at commercially reasonable terms.

## 18.4 Insurance for Contractor's Personnel

The Contractor shall effect and maintain insurance against liability for claims, damages, losses and expenses (including legal fees and expenses) arising from injury, sickness, disease or death of any person employed by the Contractor or any other of the Contractor's Personnel.

The insurance shall cover the Employer and the Project Manager against liability for claims, damages, losses and expenses (including legal fees and expenses) arising from injury, sickness,

disease or death of any person employed by the Contractor or any other of the Contractor's Personnel, except that this insurance may exclude losses and claims to the extent that they arise from wilful acts and omissions, neglect of the Employer or of the Employer's Personnel.

The insurance shall be maintained and be in effect during the whole time that these personnel are assisting in the execution of the Works. For a Subcontractor's employees, the insurance may be effected by the Subcontractor, but the Contractor shall be responsible for compliance with this Clause.

#### Force Majeure

# 19.1 Definition of Force Majeure

In this Clause, "Force Majeure" means an exceptional event or circumstance:

which is beyond a Party's control;

which such Party could not reasonably have provided against before entering into the Contract;

which, having arisen, such Party could not reasonably have avoided or overcome, and

which is not substantially attributable to the other Party.

Force Majeure may include, but is not limited to, exceptional events or circumstances of the kind listed below, so long as conditions (a) to (d) above are satisfied:

war, hostilities (whether war be declared or not), invasion, act of foreign enemies,

rebellion, by persons other than the Contractor's Personnel, revolution, insurrection, military or usurped power, or civil war,

riot, commotion, disorder, strike or lockout by persons other than the Contractor's Personnel,

munitions of war, explosive materials, ionising radiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such munitions, explosives,

	radiation or radio-activity, and
	natural catastrophes such as earthquake, hurricane, typhoon or volcanic activity.
19.2 Notice of Force Majeure	If a Party is or will be prevented from performing its substantial obligations under the Contract by Force Majeure, then it shall give notice to the other Party of the event or circumstances constituting the Force Majeure and shall specify the obligations, the performance of which is or will be prevented. The notice shall be given within 14 working days after the Party became aware, or should have become aware, of the relevant event or circumstance constituting Force Majeure.
	The Party shall, having given notice, be excused from performance of its obligations for so long as such Force Majeure prevents it from performing them.
	Notwithstanding any other provision of this Clause, Force Majeure shall not apply to obligations of either Party to make payments to the other Party under the Contract.
19.3 Duty to Minimize Delay	Each Party shall at all times use all reasonable endeavours to minimise any delay in the performance of the Contract as a result of Force Majeure.
	A Party shall give notice to the other Party when it ceases to be affected by the Force Majeure.
19.4 Consequences of Force Majeure	If the Contractor is prevented from performing its substantial obligations under the Contract by Force Majeure of which notice has been given under GCC 19.2 [Notice of Force Majeure], and suffers delay and/or incurs Cost by reason of such Force Majeure, the Contractor may be entitled subject to GCC 20.1 [Contractor's Claims] to:
	an extension of time for any such delay, if completion is or will be delayed, under GCC 8.4 [Extension of Time for Completion], and
	if the event or circumstance is of the kind

described in sub-paragraphs (i) to (iv) of GCC 19.1 [Definition of Force Majeure] and, in the case of sub-paragraphs (ii) to (iv), occurs in the Country, payment of any such Cost, including the costs of rectifying or replacing the Works and/or Goods damaged or destructed by Force Majeure, to the extent they are not indemnified through the insurance policy referred to in GCC 18.2 [Insurance for Works and Contractor's Equipment].

After receiving this notice, the Project Manager shall proceed in accordance with GCC 3.5 [Determinations] to determine these matters.

## 19.5 Force Majeure Affecting Subcontractor

If any Subcontractor is entitled under any contract or agreement relating to the Works to relief from force majeure on terms additional to or broader than those specified in this Clause, such additional or broader force majeure events or circumstances shall not excuse the Contractor's non-performance or entitle him to relief under this Clause.

## 19.6 Optional Termination, Payment and Release

If the execution of substantially all the Works in progress is prevented for a continuous period of 84 days by reason of Force Majeure of which notice has been given under GCC 19.2 [Notice of Force Majeure], or for multiple periods which total more than 140 days due to the same notified Force Majeure, then either Party may give to the other Party a notice of termination of the Contract. In this event, the termination shall take effect 14 working days after the notice is given, and the Contractor shall proceed in accordance with GCC 16.3 [Cessation of Work and Removal of Contractor's Equipment].

Upon such termination, the Project Manager upon written approval of the Employer shall, determine the value of the work done and issue a Payment Certificate which shall include:

the amounts payable for any work carried out for which a price is stated in the Contract;

the Cost of Plant and Materials ordered for the Works which have been delivered to the Contractor, or of which the Contractor is liable to accept delivery: this Plant and Materials shall become the property of (and be at the risk of) the Employer when paid for by the Employer, and the Contractor shall place the same at the Employer's disposal;

other Costs or liabilities which in the circumstances were reasonably and necessarily incurred by the Contractor in the expectation of completing the Works;

the Cost of removal of Temporary Works; and

#### 19.7 Release from Performance

Notwithstanding any other provision of this Clause, if any event or circumstance outside the control of the Parties (including, but not limited to, Force Majeure) arises which makes it impossible or unlawful for either or both Parties to fulfil its or their contractual obligations or which, under the law governing the Contract, entitles the Parties to be released from further performance of the Contract, then upon notice by either Party to the other Party of such event or circumstance:

the Parties shall be discharged from further performance, without prejudice to the rights of either Party in respect of any previous breach of the Contract, and

the sum payable by the Employer to the Contractor shall be the same as would have been payable under GCC 19.6 [Optional Termination, Payment and Release] if the Contract had been terminated under GCC 19.6.

#### Claims, Disputes and Arbitration

# 20.1 Contractor's Claims

If the Contractor considers himself to be entitled to any extension of the Time for Completion and/or any additional payment, under any Clause of these Conditions or otherwise in connection with the Contract, the Contractor shall give notice to the Project Manager, describing the event or circumstance giving rise to the claim. The notice shall be given as soon as practicable, and not later than 28 days after the Contractor became aware, or should have become aware, of the event or circumstance.

If the Contractor fails to give notice of a claim within such period of 28 days, the Time for Completion shall not be extended, the Contractor shall not be entitled to additional payment, and the Employer shall be discharged from all liability in connection with the claim. Otherwise, the following provisions of this GCC shall apply.

The Contractor shall also submit any other notices which are required by the Contract, and supporting particulars for the claim, all as relevant to such event or circumstance.

The Contractor shall keep such records as may be necessary to substantiate any claim, either on the Site or at another location acceptable to the Project Manager. Without admitting the Employer's liability, the Project Manager may, after receiving any notice under this Clause, monitor the record-keeping and/or instruct the Contractor to keep further records. The Contractor shall permit the Project Manager to inspect all these records, and shall submit copies to the Project Manager.

Within 14 days after the Contractor submission of Notice, or within such other period as may be approved by the Project Manager, the Contractor shall send to the Project Manager a fully detailed claim which includes full supporting particulars of the basis of the claim and of the extension of time and/or additional payment claimed.

Within 28 days after receiving a claim or any further particulars supporting a claim, the Project Manager shall respond with approval, or with disapproval and detailed comments. He may also request any necessary further particulars, but shall nevertheless give his response on the principles of the claim within the above defined time period.

Within the above defined period of 28 days, the Project Manager upon written approval of the Employer shall proceed in accordance with GCC 3.5 [Determinations] to determine (i) the extension (if any) of the Time for Completion

(before or after its expiry) in accordance with GCC 8.4 [Extension of Time for Completion], and/or (ii) the additional payment (if any) to which the Contractor is entitled under the Contract.

If the Project Manager does not respond within the timeframe defined in this Clause, either Party may consider that the claim is rejected by the Project Manager and any of the Parties may refer it to the other Party for Amicable settlement in accordance with GCC 20.2

The requirements of this Clause are in addition to those of any other Clause which may apply to a claim. If the Contractor fails to comply with this or another Clause in relation to any claim, any extension of time and/or additional payment shall take account of the extent (if any) to which the failure has prevented or prejudiced proper investigation of the claim, unless the claim is excluded under the second paragraph of this Clause.

### 20.2 Amicable Settlement

In the event of any dispute arising out of this contract, either party shall issue a notice of dispute to settle the dispute amicably. The parties hereto shall, within twenty eight (28) days from the notice date, use their best efforts to settle the dispute amicably through mutual consultations and negotiation. Any unsolved dispute may be referred to a Dispute Adjudication Panel (DAP) nominated by the appointing Authority specified in the SCC.

## 20.3 Appointment of the Dispute Adjudication Panel

Disputes shall be referred to a Dispute Adjudication Panel (DAP) for decision in accordance with GCC 20.4 [Obtaining Dispute Adjudication Panel's Decision].

The Appointing Authority of the DAP shall appoint the DAP members when the Dispute arises. The DAP shall comprise, as stated in the SCC, either one or three suitably qualified persons ("the members"), each of whom shall be fluent in the language for communication defined in the Contract and shall be a professional experienced in the type of construction involved in the Works and with the

interpretation of contractual documents. If the number is not so stated in the SCC, the DAP shall comprise three persons, one of whom shall serve as chairman.

The terms of the remuneration of either the sole member or each of the three members, including the remuneration of any expert where Parties mutually approve, whom the DAP consults, shall be in accordance with the rules of the Appointing Authority. Each Party shall be responsible for paying one-half of this remuneration.

If a member declines to act or is unable to act as a result of death, disability, resignation or termination of appointment, a replacement shall be appointed in the same manner as the replaced person was required to have been Appointed, as described in this Sub-Clause.

Unless otherwise agreed by both Parties, the appointment of the DAP (including each member) shall expire when the DAP issues a decision.

## 20.4 Obtaining Dispute Board's Decision

If a dispute (of any kind whatsoever) arises between the Parties in connection with, or arising out of, the Contract or the execution of the Works, including any dispute as to any certificate, determination, instruction, opinion or valuation of the Project Manager, and the Parties have failed to resolve through amicable settlement, either Party may notify in writing the other Party and the Appointing Authority for appointment of the DAP.

Upon Appointment of the DAP by the Appointing Authority, the notifying Party may refer the dispute in writing to the DAP for its decision, with copies to the other Party and the Project Manager. Such reference shall state that it is given under this Sub-Clause.

For a DAP of three persons, the DAP shall be deemed to have received such reference on the date when it is received by the chairman of the DAP.

Both Parties shall promptly make available to

the DAP all such additional information, further access to the Site, and appropriate facilities, as the DAP may require for the purposes of making a decision on such dispute. The DAP shall be deemed to be not acting as arbitrator(s).

Within 60 days after receiving such reference, or within such other period as may be proposed by the DAP and approved by both Parties, the DAP shall give its decision, which shall be reasoned and shall state that it is given under this Sub-Clause. The decision shall be binding on both Parties, who shall promptly give effect to it unless and until it shall be revised in an arbitral award as described below. Unless the Contract has already been abandoned, repudiated or terminated, the Contractor shall continue to proceed with the Works in accordance with the Contract.

If either Party is dissatisfied with the DAP's decision, then the dissatisfied Party may, within 14 working days after receiving the decision, give notice to the other Party of its dissatisfaction and intention to commence arbitration.

If the DAP fails to give its decision within the period of 60 days (or as otherwise approved) after receiving such reference, then either Party may, within 14 working days after this period has expired, give notice to the other Party of its dissatisfaction and intention to commence arbitration.


In either event, this notice of dissatisfaction shall state that it is given under this Sub-Clause, and shall set out the matter in dispute and the reason(s) for dissatisfaction. Except as stated in GCC 20.7 [Failure to Comply with Dispute Adjudication Panel's Decision], neither Party shall commence arbitration of a dispute unless a notice of dissatisfaction to the other Party has been given in accordance with this Sub-Clause.

If the DAP has given its decision as to a matter in dispute to both Parties, and no notice of dissatisfaction has been given by either Party

	within 14 working days after it received the DAP's decision, then the decision shall become final and binding upon both Parties.
20.5 Arbitration	Any dispute not settled amicably and in respect of which the DAP's decision (if any) has not become final and binding shall be finally settled by arbitration. Unless otherwise agreed by both Parties:
	For contracts with foreign contractors:
	(i) international arbitration with proceedings administered by the international arbitration institution stated in the SCC, in accordance with the rules of arbitration of the appointed institution;
	Provided that Parties may agree in the SCC to resolve their dispute in accordance with provisions of paragraph (b) of this GCC.
	(ii) the place of arbitration shall be stated in the SCC or such other place selected in accordance with the applicable arbitration rules; and
	(iii) the arbitration shall be conducted in the language for communications defined in GCC 5.3; and
	For contracts with domestic contractors, arbitration with proceedings conducted in accordance with the laws of Tanzania.
	The arbitrators shall have full power to open up, review and revise any certificate, determination, instruction, opinion or valuation of the Project Manager, and any decision of the DAP, relevant to the dispute. Nothing shall disqualify representatives of the Parties and the Project Manager from being called as a witness and giving evidence before the arbitrators on any matter whatsoever relevant to the dispute.
	Neither Party shall be limited in the proceedings before the arbitrators to the evidence or arguments previously put before the DAP to obtain its decision, or to the reasons for dissatisfaction given in its notice of dissatisfaction. Any decision of the DAP shall be

dissatisfaction. Any decision of the DAP shall be

	admissible in evidence in the arbitration.  Arbitration may be commenced prior to or after completion of the Works. The obligations of the Parties, the Project Manager and the DAP shall not be altered by reason of any arbitration being conducted during the progress of the Works.
20.6 Failure to Comply with Dispute Board's Decision	In the event that a Party fails to comply with a DAP decision which has become final and binding, then the other Party may, without prejudice to any other rights it may have, refer the failure itself to arbitration



# PROPOSED CONSTRUCTION OF ENTRY GATES FOR TANZANIA FOREST SERVICE AGENCY (TFS)

**BILLS OF QUANTITIES** 

DECEMBER 2021

GRAND SUMMARY

	GRAND SI		
TEM	DESCRIPTION	PAGE No.	AMOUNT (TZS)
Α	AMANI - MUHEZA PROJECT	GS/AM/1	207,611,409.49
В	MATOGORO - SONGEA PROJECT	GS/MS/1	233,245,341.67
С	PUGU - KAZIMZUMBWI PROJECT	GS/PGK/1	257,166,037.18
D	HANANG - MANYARA PROJECT	GS/HM/1	133,138,351.29
Е	NILO - KOROGWE PROJECT	GS/NK/1	45,665,187.33
	SUBTOTAL (1)		876,826,326.96
F	Add: Professional Fees (Design fee)		55,364,328.00
	GRAND SUMMARY (VAT INCLUSIVE)		932,190,654.9

Guday.

PROPOSED CONSTRUCTION OF ENTRY GATE
TO BE BUILT AT AMANI NATURE RESERVE - MUHEZA
ON PLOT NO.... BLOCK ....

BILLS OF QUANTITIES (BOQ)

DECEMBER 2021

## **GENERAL SUMMARY**

n	Description	Page	Amount(TZS)
E	BILL No.1 - PRELIMINARIES AND GENERAL MATTERS	Prelims/1	20,150,000.00
E	BILL No.2 - OFFICE BUILDING	VII/3/23	100,973,352.11
E	BILL No.3- AMANI SECURITY OFFICE	VII/4/16	30,287,600.00
E	BILL NO.4 - EXTERNAL WORKS	E-W/1	14,377,400.00
E	BILL NO.5 - GATE	GT/1	8,411,521.60
	SUBTOTAL (1)		174,199,873.71
1	ADD: VAT( 18%)		31,355,977.27
	SUBTOTAL (2)		205,555,850.98
1	Condition of Contract Clause 60 Allow for the cost of providing performance security for 10% of the Contract sum		2,055,558.51
	FIXED TENDER SUM (VAT INCLUSIVE) CARRIED TO FO	ORM OF TENDER	207,611,409.49

Signed	for and on behalf		
ofin the capacity of			
DATED THIS	DAY OF	2021	

PRELIMINARIES AND GENERAL MATTERS	
-----------------------------------	--

Amount

Item no.

BILL No. 01

PRELIMINARY ITEMS

A PARTIES

The Employer is;

THE TANZANIA FOREST SERVICES AGENCY MINISTRY OF NATURAL RESOURCES AND TOURISM P.O.BOX 40832 DAR ES SALAAM

The Archiects Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA

The Quantity Surveyors Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA

The Consulting Engineer shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA

The Services Engineer Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA

Not Priced

Carried To Collection TSH

**Not Priced** 

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Amount

**Not Priced** 

Item no.

# APPROVED, DIRECTED AND SELECTED

A The term "Approved", "Directed" and "Selected" where used in this documents shall mean the approval, direction and selection of or by the Architect.

## DEFINITIONS AND ABBREVIATIONS

B "as described" shall mean:

as described in the Section No.VI (Specifications)

"B.S." shall mean: the current British Standard Specifications published by the British Standards Institution, 2 Park Street, London, W.I, England

"TBS" shall mean: The Tanzania Bureau of Standard specification

"KG" shall mean: Kilogrammes

NO shall mean: Number

M shall mean: Linear Metres

"M2" shall mean: Square Metres

"M3" shall mean: Cubic Metres

"Ditto" shall mean: the whole of the preceding description except as qualified in the section of which it occurs in brackets it shall mean the whole of the preceeding description which is contained within the appropriate brackets.

"M.S." shall mean: Measured separately

B.M.S shall mean: Both sides measured separately

**Not Priced** 

Carried To Collection TSH

Not Priced

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Item no. Amount SCOPE OF CONTRACT AND DESCRIPTION OF THE WORKS A The works under this contract generally comprises the construction and completion of the proposed office building and infrastructures for the Weights and Measures Agency at Medell on Plot No. ... Block The above information is given without warranty and is only meant for the Contractor's guidance The type of construction and materials to be used in executing these works **Not Priced** are clearly shown on the Architect's and Services Engineer's drawings and c set out herein in these Bills of Quantities. The Contractor must obtain the approval from the Architect in regard to the use of any materials or facilities existing or found on site. Not Priced Carried to Collection TSH **Not Priced** BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Item no. Amount LOCATION OF SITE A The site of the proposed works is located at Muhenza \_Tanga The Contractor shall be deemed to have visited the site and satisfied himself a) The nature and position of the site b) The amount of the rubbish or debris to be cleared away before commencement c) The nature, current usage, proximity and size of adjoining property and building d) The availability of land for the erection and positioning of all temporary structures, plant and materials necessary for the execution of the works. The Contractor shall obtain approval from the relevant Local Authority in all matters relating to site access and erection of temporary structures and must ensure adherence to the requirements of these Authorities No claim will be allowed for travelling or other expenses which may be incurred by the Contractor in visiting the site or preparing the tender for the works. AGREEMENT AND CONDITIONS OF CONTRACT **Not Priced** The Contractor will be required to enter into a contract with the Employer B under the terms of Conditions of Contracts issued by the Public Procurement Regulatory Authority (PPRA). The terms "The Contract Agreement" or "The Contract" or "The Form of Not Priced Contract" shall mean the Conditions of Contract, the Special Conditions of C Contract and Form of Contract Agreement given in Sections IV, V and IX in this document respectively issued by the Public Procurement Regulatory Authority (PPRA) latest edition. Not Priced Carried to Collection TSH **Not Priced** BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

no.

THE FACTORIES (BUILDING OPERATIONS AND WORKS OF ENGINEERING CONSTRUCTION) RULES, 1985

The Contractor shall comply in all respects with the povissions of the Factories (Building Operations and Works of Engineering Construction). Rules, 1985 made under Section 55 of The Factories Ordinance, 1950 (CAP. 297)

The full text of the said rules may be inspected with the relevant authorities in addition to extract given here-below.

PART II-DUTIES AND APPLICATION-FACTORY RULES, 1985

Notification of commencement or taking over of operations of work and appointment of safety supervisor

Clause 5. (1) A main contractor shall, within seven days of commencing or undertaking building operations or works of engineering construction, notify the Chief Inspector, in writing of:-

- a) the contractor's name and postal address;
- b) the address or location of the site of the operation or works;
- c) the date of commencement;
- d) the expected date of completion;
- e) whether mechanical power is used or not;
- f) the number of persons expected to be employed.

Clause 6. (1) Every contractor who employs more than twenty persons shall, for every site on which he is the contractor, appoint one or more persons experienced in the operations or works carried on at the site and suitably qualified for the purpose, to:-

- a) advise the contractor as to the observance of the safety, health and walfare requirement under the Ordinance and under these rules, and
- b) suprvise and ensure the observance of the requirements and promote the safe conduct of work generally at the sites.
  - (2) A contractor who employs twenty or fewer persons may appoint either himself or another person to be a safety supervisor in accordance with paragraph (1) above.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

**Not Priced** 

Not Priced Not Priced

В

LABOUR CAMPS

A The contractor will NOT be permitted to house labour on site

# OFFICES FOR THE CONSULTANTS

The Contractor shall construct, complete and maintain throughought the duration of the contract offices for the exclusive use of the Project Consultants and the Clients representatives.

The office building whose construction shall include services installation, water, power, telephone, sanitary facilities, etc shall include a conference room big enough to hold site meetings.

The Contractor shall include for the following and maintaining the same during the duration of the project:-

(i) Office furniture and furnishing

(ii) Providing such office equipment as computers, telephones etc
 (iii) Maintaining and paying for such services as electricity, water supply, telephone

(iv) Staff for cleaning and messenger

(v) Some secretarial staff

The Contractor shall allow for the cost of providing light refreshment for the Consultants at site meetings.

### OFFICES AND SHED

C

The Contractor shall erect and maintain temporary office accommodation for his own use and the use of Nominated Sub-contractors and ample temporary water tight sheds for the proper storage and protection of materials vulnerable to weather and remove when ordered

Carried to Collection TSH

0.00

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

no.

## TEMPORARY STRUCTURES

The Contractor shall allow for providing and clearing away on completion of the Works, such temporary hoarding, rubbish chutes, gates, planked walkways, guard rails etc. as may be necessary for the protection of the workers, the general public and for the proper execution of the Works.

All such temporary structures shall be constructed with the approval of the Architect and to his full satisfaction and in such a manner as to cause minimum inconvenience and disturbance to the pedestrians and road users using the adjacent roads.

All such temporary structures shall comply in all aspects with the national laws, rules, and regulations currently in force and applicable to such structures.

## TEMPORARY STRUCTURES (cont'd)

The Contractor shall further comply in all respects with the following conditions:

All temporary structures shall be erected in a manner so that the unloading of materials causes minimum obstruction to the use of adjacent roads and other facilities

All temporary structures shall be kept properly lighted throughout the periods of darkness and any corners or projections shall be painted white.

D Temporary structures shall not be used or permitted to be used for advertisement purposes except with the consent of the Architect.

All temporary structures shall be maintained at all times in good order and good condition to the satisfaction of the Architect.

F All temporary structures shall be removed when so required by the Architect or at the end of the period for which it is required

The Contractor shall idemnify and shall keep the employer idemnified against any expenses, loss, claims or suits arising out of or in connection with the temporary structures

The Contractor shall pay all local authority or other charges payable in connection with temporary structures

### WATCHING AND LIGHTING

The Contractor shall provide at his own risk and cost all watching as necessary to safeguard the Works, Plants and Materials against damage and theft.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

900,000.00

### TEMPORARY DISPOSAL OF RAIN WATER

The Contractor shall provide and maintain all necessary temporary gutters, down pipes, chutes, drains etc. for conveying rainwater from the buildings.

The Contractor shall allow for temporary drainage plumbing and piping for keeping the premises and site free from accumulation of water.

### SANITATION OF THE WORKS

The Contractor shall make arrangement for the provision of sanitary facilities at site for use by his staff and workmen and shall keep them clean at all times to the satisfaction of the Architect

#### DOWN TAKINGS

All materials arising from demolitions and down takings are deemed to be the property of the employer. No claim will be entertained on account of employer excising this right to retain the materials

All down takings shall be carefully removed, taken down, dismantled and stored on site until instructed by the Architect to remove from the site. Such materials shall only be incorporated in the new works if required by the Architect in which case appropriate adjustments will be made in the final account for the cost of labour, screws etc for fixing such down takings in the new works.

### SUFFICIENCY OF TENDER

The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the D rates and prices stated in the priced Bills of Quantities. Rates and prices quoted shall cover all his obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works

Abbreviations used in the Bills of Quantities shall be interpreted as follows:-

#### SITE LEVELS

Before commencing work the Contractor must arrange for and agree with the Architect and Quantity Surveyor the on the existing site levels and similarly establish and agree on a bench mark.

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

Not Priced

Not Priced

Not Priced 0.00

Carried to Collection TSH

SETTING OUT

The Contractor shall set out the works in accordance with the dimensions and levels shown on the drawings and shall be responsible of the correctness of all dimensions and levels set out by him and he will be required to ammend all errors arising from inaccurate setting out at his own cost and expenses. In the event of any error or discrepancy in the dimensions or levels marked on the drawings being discovered, such errors or discrepencies must be reported by the Contractor to the Architect for his immudiate attention

No work shall be commenced by the Contractor until he has received written instructions from the Architect to adjust such discrepancies which may be proved, upon receipt of such instructions and no claim for extra expenses or relief from the provisions of Clause 7of the Conditions of the Contract, any discrepancy or error in the dimensions or levels shown on the drawings may be made thereafter.

SAMPLES

The Contractor shall furnish at the earliest possible opportunity before work commences and at his own cost any samples of materials or workmanship that may be called for by the Architect for his approval or rejection until such samples are approved to be the minimum standard for the work to which they apply

EXISTING PROPERTY AND SERVICES

The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be B held responsible for all damages hereto arising from the execution of his contract and he shall make good all such damages when directed at his own expense.

Prior to commencement or any work the contractor is to ascertain from the relevant Authorities the exact position, depth and level of all existing electric cables, water pipes and all other services in the area and he shall make whatever provisions may be required by the authorities concerned for the support and protection of such servivses. Any damage or disturbances caused to any service shall be reported immediately to the Architect and the relevant Authority and shall be made good to theirsatisfaction at the Contractor's expense.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

800,000.00

500,000.00

Not Priced

Not Priced

1,300,000.00

no.

# MATERIALS, TOOLS, PLANT AND SCAFFOLDINGS

All materials and workmanship used in the execution of the works shall be of the best quality and description. Any materials for the works condemned by the Architect shall immediately be removed from the site at the Contractor's expense.

The Contractor shall be responsible for the provision of all materials, scaffolding, tools, plant, transport and workmen required for the works except in so far as may be stated otherwise herein and he shall allow for the provision of the foregoing except for such items specifically and only required for the use of Nominated Sub-contractors as described herein

No timber used for scaffolding, formwork or similar purpose shall be used afterwards in the permanent works.

All such plant, tools and scaffolding shall comply with all regulations whether general or local in force throughout the period of the contract and shall be required as may be necessary to comply with any ammendments in or additions to such regulations

# LOCAL REGULATIONS AND BY-I AWS

The Contractor is to comply with all local regulations and by-laws of the Local Authority including serving notices and paying of fees.

#### SUPERVISION

The said works shall be excuted under the direction and to the entire satisfaction of the Architect and Clerk of Works who shall have the Architect's specifically delegated authority and shall at all times have access to the works, to the yards and workshops of the Contractor or other places where goods are being prepared for the building

## TRANSPORT TO AND FROM THE SITE

The Contractor shall include in his prices for the transport of materials, by workmen etc to and from the site of the proposed works at such hours and by such routes as are permitted by the Authorities.

All unit rates for local or imported goods are to include freight, insurance, handling and delivery costs to the project site together with import duties, sale tax, port charges etc and all other charges of whatever nature.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

6,500,000.00

450,000.00

**Not Priced** 

2,500,000.00

3,500,000.00 12,950,000.00

no.

#### FAIR WAGES

The Contractor shall pay rates or wages and observe nours and conditions or labour not less favourable than the minimum conditions of employment applicable in the district in which the work is carried out. The relevant notice must be posted up and kept posted upon the site where it can be conveniently read by the employees concerned in languages they can understand.

The Contractor is to comply with the Regulations of Wages and Conditionds of Employment Act, Building and Construction IndustryWages Council and is to be responsible for compliance of the sub-contractors employed in the execution of the contract. If required he is to notify the Architect of the names and addresses of all such sub-contractors. Any Contractor or Sub-contractors not complying will not be permitted to tender for other work for such a period as the Architect may determine

Should a claim be made to the Architect alleging the Contractor's default in payment of Fair Wages to any workman employed on the contract and if proof thereof satisfactory to the Architect, may failing payment by the Contractor, pay the claim out of any monies due or which may become due to the Contractor under this contract.

The Contractor is to furnish to the Architect, if called upon to do so, such particulars of the rates of wages, hours and conditions of labour referred to above as the Architect may direct

SECURITY OF WORKS AND FENCING

The Contractor shall be entirely responsible for the security of all works, stores, materials, plant, personnel etc both his own and sub-contractors and shall provide adequate watching, lighting and other necessary to ensure this security, the safety and protection.

PUBLIC, PRIVATE ROADS AND PAVEMENTS ETC.

The Contractor will be required to make good at his own expense any C damages he may cause to the present approach road surfaces during the period of the works

POLICE REGULATIONS

The Contractor is to allow for complying with all instructions and regulations of the Police Authorities

AREA TO BE OCCUPIED BY CONTRACTOR

The area of the site which may be occupied by the Contractor for use as storage and for the purpose of erecting workshops etc shall be defined on the site by the Architect

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

Not Priced

**Not Priced** 

0.00

no.

#### PROGRESS SCHEDULE

immediately after signing the contract the contractor is to prepare a nime progress Chart showing the time and order in which he proposes to carry out the works within the total construction time stated in the contract. The chart will show in detail the construction time and order in which each section of the work is to be carried out and be sub-divided into trades and tasks. If the Contractor proposes sectional completion of the project he must plan this in detail including access roads, and services and this shall be reflected on the chart.

Upon the letting of the sub-contractors work the contractor is to incorporate times and details of each separate sub-contractor's work which information is to be agreed by the sub-contractor and thechart will be so designed to accompose this information.

At the end of each week the Contractor is to mark on the chart in a different colour the actual time taken to complete the respective stages and sections of the work. The Contractor shall obtain the Architect's approval on the chart and then shall supply copies to the Architect and Quantity Surveyor

If at any time it should appear to the Architect that the actual progress of the works does not conform to the approved programme progress schedule the Contractor shall produce at the request of the Architect a revised programme showing the modifications and accelerations to the approved programme necessary to ensure completion of the works within the agreed contract period.

The submission of and approval by the Architect of such revisions and accelerations shall not entitle the Contractor to any extra payment or extension of time and shall not relieve the Contractor of any duties or obligations or responsibilities under the contract

#### OVERTIME

The Contractor shall be responsible for any extra costs for overtime working he considers will be necessary in order to complete the works within the contract period or time for completion apart from overtime working which may be authorised by the Architect

If overtime is worked out in accordance with a written instruction issued by the Architect the Contractor will be reimbursed in respect of such overtime to the unproductive time payable over and above the basic hourly rates as laid down by the Regulation of wages and Conditions of Employment Act, Building and Construction Industry Wages Council and excluding any bonuses, profits and overheads.

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

550,000.00

Not Priced

Not Priced

Not Priced

Carried to Collection TSH

Amount

Item no. WATER The Contractor shall provide at his own risk and cost all water for use in connection with the works including the work of Sub-contractors make A arrangements with the local authority for the installation of a seperate meter for all water used by him throughout the contract and pay all costs and fees in connection therewith. He shall also provide temporary storage tanks and 1,500,000.00 tubing etc as he may consider necessary and clear away at completion. All water shall be fresh, clean and pure, free from earthly vegetable or organic matter, acid or alkaline substance in solution or suspension. TELEPHONE Not Priced The Contractor shall provide in the office, from the commencement to the B completion of the works, a telephone to the Exchange and shall pay all fees and rentals for same. LIGHTING AND POWER The Contractor shall provide at his own risk and cost all temporary artificial lighting and power for use on the works including all sub-contractors and specialists requirements and including all temporary connections, wiring, fittings etc and clearing away on completion. The Contractor shall pay all 1,500,000.00 fees and obtain all permits in connection therewith. CONCRETE TEST Note: The Contractor must allow in his rates all costs in connection with the D making of cubes, curing, transport, crushing by an approved testingl Authority and obtaining the test certificate; Set of four 150 x 150 x 150mm concrete test cubes; 3 sets (Provisional @ Tshs.....each set) Not Priced \*Contractor to insert rate and extend 3,000,000.00 Carried to Collection TSH BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

no.

## ACCESS TO SITE AND TEMPORARY ROADS

Means of access to the site shall be agreed with the Architect prior to commencement of the works and the Contractor must allow for building and maintaining any temporary access roads for the transport of materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges or any other means of gaining access.

Upon the completion the works the Contractor shall remove such temporary roads, temporary culverts bridges etc and make good and reinstate all works and services disturbed to the satisfaction of the Architect.

#### TEMPORARY BUILDINGS

The Contractor shall provide sheds for storage, accommodation for all goods and materials liable to suffer damage from exposure to sunlight or inclement weather.

The Contractor shall provide offices, mess rooms and all the buildings required by the contractor for his own use and the use of Nominated Subcontractors as required by the items of attendance only.

The Contractor shall shall provide an office of approximately 15 square meters equipped with a table, a chair and a plan chest for drawers for drawings

The Contractor will not be required to provide a separate office for Consultants but he shall provide a table of sufficient size for meetings, plan chest for drawings and ten chairs.

The Contractor shall allow for the cost of providing light refreshment for the Consultants at site meetings.

The Contractor shall keep on the site and maintain in good condition one dumpy or quickset level, metric leveling staff and one 30 metre steel tape for the use of the Architect, Surveyor and Engineer.

Upon completion all temporary buildings are to be removed and cleared away

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

**Not Priced** 

Not Priced

no.

## SANITATION OF THE WORKS

The sanitation of the works shall be provided, maintained and removed on completion by the Contractor to the satisfaction of the Architects and local Authorities.

The latrines shall be enclosed with framing and corrugated sheets roofs, sides and partitions, with concrete floors steel trowelled smooth to floors to facilitate washing. Their location shall be agreed with the Architects and the works shall not be commenced before the sanitary accommodation has been approved by the above mentioned authorities.

Ine Contractor will be required to pay all conservancy charges and shall ensure clean daily maintenance and disinfecting of the latrines, and not less than once per week, the whole area shall be sprayed with disinfectant and insecticides and any temporary drains shall be removed and all works and surfaces disturbed made good and then the whole area disinfected and left clean and free from pollution to the satisfaction of the Architect and local authorities

#### SIGNBOARD

The Contractor shall provide and erect where directed and maintain during the whole period of the building operation and remove at completion, one approved temporary sign board to the Architect's standard design giving a brief description of the works and showing the names of the employer and the consultants, with sufficient space to append the names of the subcontractors and suppliers when known. The signboard shall conform to the requirement of the Architects and Quantity Surveyors Registration Board (AQRB) in all respects.

Amount

**Not Priced** 

500,000.00

Carried to Collection TSH

500,000.00

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

#### PRIME COST SUMS

Amount

- i) The words "Prime Cost" (or the initials "P.C") appearing in the contract documents shall mean; net costs exclusive of any trade, cash or other discount whatsoever but inclusive of the costs of the packing, carriage and delivery. Such costs shall be the same due to the sub-contract or supplier after adjustments where applicable in respect of measurements of rates.
- ii) Any Increase or decrease in the prime costs sums resulting from the adjustments and properly paid by the contractor shall be added or deducted from the contract sum in the final account. In substantiation the contractor will require to produce to the Quantity Surveyor all quotations, invoices and receipted accounts as shall be necessary to show the details of the sums actually paid.
- (ii) Any sum added by the Contractor in these Billsof Quantities in respect of profits upon any prime costs will be deducted at the final settlement of accounts and the sum will be added to the amount of which will bear the same proportion to the sum added as the net amount properly expended to the original P.C sum.

Not Priced

Carried to Collection TSH

BILL NO. 1
PRELIMINARY ITEMS
ELEMENT NO. 1
PRELIMINARY ITEMS

no.

B

# NOMINATED SUB-CONTRACTORS

The Contractor shall accept responsibility for providing the following services for nominated sub-contractors.

 i) GENERAL ATTENDANCE: The following services are described as "allow for general attendance"

- a) Use for the purpose of the sub-contract works of any scaffoding belonging to or provided by the Contractor while it remains so erected upon site, provided that no warranty or other liabilityon the part of the Contractor or of his other sub-contractors shall be created or implied in regard to the fitness, condition or suitability of the said scaffolding
- b) Provision of water, lighting, watching and attendance for the purpose of the sub-contract works.
- c) Use of sanitary accommodation, mess-rooms and welfare facilities.
- d) Provision of space for erecting of offices or stores or space for storage of plant and materials.

ii) SPECIAL ATTENDACE: The following services are stated under a seperate item and where described under the following headings shall mean:

- a) Taking delivery including the provision of unskilled labour necessary to attend upon the sub-contractors workmen for the purpose of unloading plants and materials when received upon the site and placing in position within the sub-contractor's storage space or store.
- b) Hoisting including the provision of unskilled labour and the use of any Contractors standing scaffoding and plant for the purpose of assisting the sub-contractors workmen in hoisting the sub-contractors plant and materials to the various levels but not placing in its final position.
- c) Providing power including the provision of power during the course of the works and during the periodof commissioning and training

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

Not Priced

**Not Priced** 

### A NOMINATED SUPPLIERS

The Contractor shall take delivery anywhere in Dar es Salaam of all materials or goods supplied by the Nominated suppliers and shall sign a receipt as having received them in good order and condition. He shall ofload, transport to site, unload, hoist, provide safe storage and thereafter be responsible for any loss or damage or replacement of any such lost or damaged articles at his own expense and shall return case if so required.

Provision is made herein following each appropriate P.C sums for the costs of the foregoing services against items reading "take delivery of and fix only"

# B PROTECTION OF THE WORK AND PREVENTION OF NUISANCE

the entire care and control of the Contractor during the whole period of the contract and shall take all possible precautions to prevent any nuisance, inconvenience or injury to the holder or occupiers of the existing or surrounding properties and to the public generally, and shall at all times keep all paths and roads affected by the works in a safe and clear state, and shall use proper precautions to ensure the safety of all wheeled traffic and pedestrians.

## C REMOVAL OF PLANT AND RUBBISH ETC

The Contractor shall upon completion of the works remove and clear away all temporary buildings, plant, rubbish and unused materials, and shall leave the whole of the site of the works in a clean and tidy state to the satisfaction of the Architect. He shall also remove all rubbish and dirt from the site at weekly intervals or as directed by the Architect.

Particular care shall be taken in leaving windows, floors and fittings clean and the removal of all paint and cement stains therefrom.

#### B COPYRIGHT

The copyright of these documents is vested in Cost-Consult Ltd. No part of this document may be reproduced in any form or by any means without their prior permission.

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

Not Priced

Not Priced

1,500,000.00

**Not Priced** 

1,500,000.00

Carried to Collection TSH

n o. Bill No. 1		Amount
Element No. 1		
PRELIMINARY ITEMS	y .	
COLLECTION		Amount
Total Brought Forward	d from Page No.	
	VIII/1/1/1	Not Priced
	VIII/1/1/2	Not Priced
	VIII/1/1/3	Not Priced
	VIII/1/1/4	Not Priced
	VIII/1/1/5	Not Priced
	VIII/1/1/6	0.00
	VIII/1/1/7	900,000.00
	VIII/1/1/8	0.00
	e/1/1IIV	1,300,000.00
	VIII/1/1/10	12,950,000.00
	VIII/1/1/11	0.00
	VIII/1/1/12	Not Priced
	VIII/1/1/13	3,000,000.00
	VII/1/1/14	Not Priced
	VIII/1/1/15	500,000.00
	VIII/1/1/16	Not Priced
	VIII/1/1/17	Not Priced
	VIII/1/1/18	1,500,000.00
	Carried Forward to Summary of Bill No. 1 TSH	20,150,000.00
ILL NO. 1 RELIMINARY ITEMS LEMENT NO. 1 RELIMINARY ITEMS		

	SECTION SUMMARY - PRELIMINARY ITEMS	<u> </u>	r i	ſ
Bill No. 1	PRELIMINARY ITEMS		<b>Page No.</b> VIII/1/1/19	Amount 20,150,000.00
	Allowance for preliminaries	m	1	20,150,000.00 Not Priced
	Carried to Final Summary No. 1 ELIMINARY ITEMS		TSH_	20,150,000.00

Iter	BILL NO. 2: OFFICE BUILDING ELEMENT NO. 1; SUBSTRUCTURE	Unit	Quantity	Rate	Amount(TZS)
	(ALL PROVISIONAL)				
	EXCAVATIONS AND EARTHWORKS				
	Site clearance				
Α	Clear site of all bushes tuffs and small trees not exceeding 600mm girth and burn debris on site (approximate area 65.84 square metres)	m²	66.00	1,000.00	66,000.00
	Excavation in earth				
В	Excavate average 300mm deep to remove top vegetable soil and stock pile on site for later re- use (including disposal of surplus as necessary)	m²	65.84	5,000.00	329,200.00
	Cutting to form levels				
С	Open face excavations of slopping site to form levels	m³	52.672	10,000.00	526,720.00
	Excavation in earth commencing at formation level and not exceeding 1.50 metres deep				
D	Excavate foundation trench	m³	34.5	5,000.00	172,500.00
	Carried to Collection BILL NO. 2:			TSH	1,094,420.00
	OFFICE BUILDING Element No. 1 SUBSTRUCTURE				

lten		Unit	Quantity	Rate	Amount(TZS)
	Risk of collapse of excavations				
	Planking and strutting				
Α	Allow for maintaining and supporting sides of excavations by provision of planking and strutting and for keeping the same free from fallen materials		Item		100,000.00
	Keeping excavations free of water				
В	Allow for keeping excavations free of water (except spring or running water) and mud by pumping, baling or other approved means		Item		100,000.00
	<u>Fillings</u>				
	Earth filling obtained from the excavations (not compacted)				
c	Around foundations	m <sup>3</sup>	17.55	4,500.00	78,975.00
	Imported soil filling including excavating in borrow pits				
D	Well ram and consolidate to make up levels under floors	m³	52,672	30,000.00	1,580,160.00
	Remove surplus				
E	Remove surplus excavated materials to spread on situated nearby from site	m <sup>3</sup>	7.95	5,000.00	39,750.00
	Carried to Collection			TSH	1,898,885.00
	BILL NO. 2: OFFICE BUILDING Element No. 1 SUBSTRUCTURE				

(ten		Unit	Quantity	Rate	Amount(TZS)
	Soil poisoning				
A	Anti- termite treatment Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore	m2	51	4,000.00	204,000.00
В	Ditto, around the building plinth	m	30	1,500.00	45,000.00
	Hardcore				1
С	150mm Bed, levelled and blinded to receive polythene membrane(measured separately)	m <sup>2</sup>	51	9,500.00	484,500.00
D	Sand blinding	m <sup>2</sup>	51	1,000.00	51,000.00
	CONCRETE WORK				
	Plain concrete grade 15				
E	Strip foundations	m <sup>3</sup>	3.45	250,000.00	862,500.00
F	100mm Bed	m <sup>2</sup>	57	20,000.00	1,140,000.00
G	steps	m <sup>3</sup>	1	250,000.00	250,000.00
	Reinforced concrete Insitu concrete grade 20 including vibrating around reinforcement				
Н	Plinth beams	m <sup>3</sup>	3	250,000.00	750,000.00
	Carried to Collection BILL NO. 2: OFFICE BUILDING	n		TSH	3,787,000.00
	Element No. 1 SUBSTRUCTURE				

Iter	n e	Unit	Quantity	Rate	Amount(TZS)
	Reinforcement				
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
Α	8mm Diameter bar	kg	106	4,000.00	424,000.00
В	12mm Diameter bar	kg	178	4,000.00	712,000.00
	Sawn formwork to:-		-		
G	Vertical sides of ground beams	m²	20	18,000.00	360,000.00
Н	Edges of bed, 100mm high	m	32.45	1,800.00	58,410.00
	WALLING Stone wall				
J	300mm Wall, selected stones and bedded jointed with cement and sand mortal 1:4	m <sup>2</sup>	15	40,000.00	600,000.00
	Carried to Collection BILL NO. 2: OFFICE BUILDING Element No. 1 SUBSTRUCTURE			TSH	2,154,410.00

Iten	Damp-proof course	Unit	Quantity	Rate	Amount(TZS)
Α	500 Gauge polythene damp-proof membrane laid over blinded hardcore (measured separately)	m²	51	2,000.00	102,000.00
В	Hessian based bitumen damp-proof course to B.S. 743 type 'A' 230mm wide laid horizontally	m	115.2	1,500.00	172,800.00
	Plinth protection				
С	12mm Cement and sand render to walls (1:4) external rendering to concrete or blockwork	m <sup>2</sup>	69.12	6,000.00	414,720.00
D	Prepare and apply two coats of black bituminous paint on rendered surfaces externally	m²	69.12	5,000.00	345,600.00
	Carried to Collection BILL NO. 2: OFFICE BUILDING Element No. 1	on		TSH	1,035,120.00
	SUBSTRUCTURE				

[tem	Unit	Quantity	Rate	Amount(TZS)
Bill No. 2				
Element No. 1				
SUBSTRUCTURE				
COLLECTION				1
		Page No.		Amount
Total Brought Forward from Page No.		VII/3/1		1,094,420.00
		VII/3/2		1,898,885.00
1		VII/3/3		3,787,000.00
		VII/3/4		2,154,410.00
		VII/3/5		1,035,120.00
Carried Forward to Summary of Bill No. 2 BILL NO. 2: OFFICE BUILDING Element No. 1 SUBSTRUCTURE		тѕн		9,969,835.00

[t	em 	Unit	Quantit	y Rate	Amount(TZS)
	ELEMENT NO. 2; FRAME  CONCRETE WORK  REINFORCED CONCRETE  In situ reinforced concrete grade '20' including				
1	vibrating around reinforcement	m³	2	250,000.00	500,000.00
	REINFORCEMENT  High tensile steel reinforcement to B.S. 4461 in structural concrete work				
В	8mm Diameter bar	kg	116	4,000,00	464,000.00
C	12mm Diameter bar	kg	178	4,000.00	712,000.00
	SAWN FORMWORK TO:-				
D	Sides and soffits of horizontal beams	m <sup>2</sup>	5	18,000.00	90,000.00
	Carried Forward to Summary of Bill No. 2 Bill No. 2 OFFICE BUILDING Element No. 2 FRAME			TSH	1,766,000.00

[te	ELEMENT NO. 3; WALLING	Unit	Quantity	Rate	Amount(TZS)
	BLOCK WALLING Solid brick walling thedded and jointed in cement and sand (1:6) mortar with and inluding				
Α	230mm External Walls	m²	74	28,000.00	2,082,080.00
В	230 Internal Walls	m <sup>2</sup>	134	28,000.00	3,740,800.00
C	Total Brought Forward from Page No. ILL NO. 2: FFICE BUILDING JALLING		TSł	1	5,822,880,00

It	ELEMENT NO. 4; ROOF CONSTRUCTION	Unit	Quantity	Rate	Amount(TZS)
	ROOF COVERINGS				
	Aluminium roofing sheets				
	28 GCT green resincoted (preformed) trough aluminium sheeting (ref. 116) lapped 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres				
А	Roof coverings sloping not exceeding 45 degrees from the horizontal	m²	96.10	39,500.00	3,795,950.00
	ROOF STRUCTURE				
	Sawn soft wood; Impregnated with Preservatives				
В	50 x 150mm king post	m	17	6,000.00	104,400.00
C	50X150mm Tie beam	m	49	8,000.00	388,800.00
D	50X150mm Rafters	m	121	8,000.00	969,600.00
E	50X100mm Struts	m	80	7,000.00	559,692.00
F	50X150mm Wall Plate	m	31	8,000.00	248,000.00
G	50X75mm Purlins	m	142.22	5,000.00	711,111.11
н	25 x 250mm Fascia and barge board, painted	m	34	9,500.00	326,800.00
i E	Carried Forward to Summary of Bill No. 2  BILL NO. 2:  DFFICE BUILDING Element No.4  ROOF CONSTRUCTION			тѕн	7,104,353.11

[t	em	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 5; DOORS				
	TIMBER DOORS				
	Prime quality 'mninga' or other equal and approved hardwood				
	Pannelled doors				
	45mm Thick solid panelled door, comprising of 40x250mm stiles, top, middle and bottom rails; both divided into two panels, filled in with and including hardwood panel; all veneer finished or both sides and polyurethane matt polished	- 1			
Α	900 x 2700mm wide	No	4	510,300.00	2,041,200.00
В	800 x 2700mm wide	No	2	453,600.00	907,200.00
	GLAZING				307,200.00
	5mm Thick clear sheet glass and glazing to timber with beads (m/s) in panes				
C	In panes over 0.5 square meters not exceeding 1 square meters	sm	3	29,000.00	87,000.00
	IRONMONGERY				
	Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized finish; to softwood, hardwood or the like; fixing with screw				
D	Three lever mortice lockset with furniture	No	3	110,000.00	330,000.00
E	Two lever mortice lockset with furniture, key less	No	2	75,000.00	150,000.00
F	Rubber door stop plugged to concrete	No	3	5,000.00	15,000.00
G	150mm stainless steel butt hinges heavy duty ASSA ABLOY or equivalet	Prs	7.5	10,000.00	75,000.00
	Carried to Collection BILL NO. 2: OFFICE BUILDING Element No. 5 DOORS			TSH	3,605,400.00

[tem	Unit	Quantity	Rate	Amount(TZS)
Frames and finishings				
J 45x145mm Frames, rebated plugged to wall	m	31.5	30,000.00	945,000.00
K 45x145mm Transome	m	4.5	30,000.00	
L 15x40mm Architrave, splayed	m	31.5	3,200.00	
M 15x25mm Glazing beads	m	13	2,100.00	
Carried to Collection BILL NO. 2: OFFICE BUILDING Element No. 5 DOORS			TSH	1,208,100.00
Bill No. 2 Element No. 5				
DOORS				
COLLECTION			1	
Total Brought Forward from Page No.			Page No VII/3/10 VII/3/11	3,605,400.00 1,208,100.00
Carried Forward to Summary of Bill No. 2  BILL NO. 2: OFFICE BUILDING Element No. 5 DOORS		व	rsh	4,813,500.00

ľ	tem	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 6; WINDOWS				
	ALUMINIUM WINDOWS				
	Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.				
E	1500 ×1500mm high 1200× 1500mm high 900 × 800mm high	No No No	5 1 2	405,000.00 324,000.00 129,600.00	2,025,000.00 324,000.00 259,200.00
DEF	DECORATIVE SECURITY GRILLS  Decorative Security Grilles in galvanised m. s;  welded fabrication, welds ground smooth;  20mm mild steel solid bars in main frame with  20mm mild steel burglar bars laid vertically at  100mm centres; fixing with expansion bolts with  12mm loose bolts and spacer tubes and  washers to masonry; including drilling; red  oxide primer before fixing  1500 x1500mm high  1200x 1500mm high  900 x 800mm high	No No No	5 1 2	270,000.00 216,000.00 43,200.00	1,350,000.00 216,000.00 86,400.00
	Carried Forward to Summary of Bill No. 2 BILL NO. 2; OFFICE BUILDING Element No. 6 WINDOWS		Т	SH	4,260,600.00

[te		Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 7; FINISHINGS			<b>I</b>	
	In-situ finishings				
	Beds and backings; Cement and sand (1:4)				
Α	32mm Beds to receive Porcelain floor tiles	m²	57	10,000.00	570,000.00
	Internal plastering in two coats steel trowelled to a smooth finish				
В	15mm To walls	m²	133.6	7,000.00	935,200.00
С	15mm To slopping and sides of ramps	m²	0	7,000.00	97
	External cement and sand (1:4) pointing to bricks, fair finish				
D	Pointing to 230mm Thick	m²	134	2,500.00	334,000.00
0	Carried to Collection ILL NO. 2: FFICE BUILDING ernent No. 7 NISHINGS			TSH	1,839,200.00

te	Ï	Unit	Quantit	Rate	Amount(TZS)
	Floor Tiles				
	Non-glazed (Polished) full body approved porcelain tiles; or equal and approved non-slip floor tiles laid at 45 degree with 10mm tile skirting to blockwork; bedding and jointing in cement mortar (1:3) grouting joints with matching				
	400 x 400x9mm thick tiles; butt jointed to floors	m²	57	48,000.00	2,736,000.0
	150mm high skirting	m	75.72	7,200.00	
1	Plain sheet finishings 9mm gypsum ceiling fixed to 50x50mm brandering;	m²	57	12,500.00	712,500.00
	50x50mm treated softwood brandering	lm	228	4,000.00	912,000,00
E	Carried to Collection  BILL NO. 2: DEFICE BUILDING Element No. 7 TINISHINGS			TSH	4,905,684.00
E	INISHINGS				
0	OLLECTION			Page	Amount
T	otal Brought Forward from Page No.		200	No VII/3/13 VII/3/14	1,839,200.00 4,905,684.00
BI OF Ele	erried Forward to Summary of Bill No. 2 LL NO. 2: FFICE BUILDING ement No. 7 NISHINGS			TSH	6,744,884.00

[te	n 	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 8; DECORATIONS				
	Internal work Prepare and apply one thinned coat and two full coats of vinyl silk paint				
A	Plastered walls	m²	133.6	8,000.00	1,068,800.00
	Prepare and apply three coats of 'polyurethane matt polish' or other equal and approved polish on wood surfaces				
В	Frames over 200mm not exceeding 300mm girth	m	32	1,500.00	48,000.00
С	General surfaces to hardwood shutter	m <sup>2</sup>	18.9	6,000.00	113,400.00
	Carried Forward to Summary of Bill No. 2			тѕн	1,230,200.00
100					

tem 	Unit	Quantity	Rate	Amount
ELEMENT NO. 9				Amount(TZS)
ELECTRICAL AND ENGINEERING INSTALLATI	ON			
DISTRIBUTION SYSTEM			1	
Single phase and neutral distribution body (DR) 4			1	
INATS A MCBs(10A, 16A, 25A, 25A.) c/w Single phase		1	1	
Undult breaker 63A/100mA as ABB make OR as	1 1		- 1	
approved equivalent	No	2		
			224,000	448,000
POWER POINTS	1 1		- 1	
2 X 13A switch socket With multipurpose ports for	1 1	1		•
plugging c/w sfeel box as TRONIC make OR as	1 1		1	
approved equivalent	No	16	24,500	202.224
25A switch Double Pole (DP) switch o'w steel box as			24,000	392,000
TRONIC make OR as approved equivalen	No	3	17,500	52,500
LIGHT FITTING AND FANS	1 1			32,300
	1 1		- 1	4
ESTIA round opple Energy saver(LED) 18 W complete for			1	77
tollet as Tronic make OR as approved equivalent			1	
	No	2	42,000	84,000
ESTIA round opple Energy saver(LED) 24 W complete fo				
toilet as Tronic make OR as approved equivalent	No	45	SHOROGONA	
	200	15	56,000	840,000
Wall Mounted Security light complete with its energy save		1		
LED 40 W/SUW as PIEZO OR approved equivalent	No	В	442.000	
Solar street light IP66 100 W complete with solar battery	997	*	112,000	896,000
and solar panel and 12 mts steel pole	No	4	4,200,000	**********
Gate Mounted light complete with its energy saver LED	1 10000		4,200,000	16,800,000
40W as PIEZO OR approved equivalent	No	3	70,000	040.000
Ceiling fan complete with its regulator 59" as Panasonic	1		70,000	210,000
nake OR as approved equivalent	No	6	350,000	2,100,000
SWITHES	1 1			2,100,000
OA 1 gang 1 way flush light switch c/w steel box			- 1	37
ISTRONIC make OR as approved equivalent			- 1	
0A 2 gang 1 way flush light switch c/w steel box	No	1	5,600	5,600
sTRONIC make OR as approved equivalent	No	200		
UA 1 gang 2 way flush light switch, c/w steel how as	NO	7	7,700	53,900
KUNIC make OR as approved equivalent	No	1		
VA 2 gang 2 way flush light switch, c/w steel box		. 1	9,100	9,100
STRONIC make OR as approved equivalent	No	2	10,500	
0A 3 gang 2 way flush light switch c/w steel box as		-	19,500	21,000
RONIC make OR as approved equivalent	No	0	11,200	
DA Intermediate light switch c/w steel box asTRONIC	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1,1,200	•
ake OR as approved equivalent	No	0	11,200	7727
A photocell as TRONIC make OR as approved equiva	No	2	63,000	126,000
ABLES		1	**	120,000
0 x 1.5mm sq PVC copper cable as Euro make OR as			N/O	
oproved equivalent				
(i)Red/Brown	7242	400		
(ii) Black/Blue	mts	400	1,330	532,000
(ii)Yellow/Green	mts mts	300	1,330	399,000
į.	HIRS	300	1,330	399,000

1 1Cx 2 5mm on BVC common V	Unit	Quantity	Rate	Ama
1C x 2.5mm sq PVC copper cable as Euro make OR as approved equivalent			Nace	Amount(TZS)
(i)Red/Brown	1	Constant of		
(ii) Black/Blue	525555000	200	1,470	294,00
	577355			294,00
2C x 10 mm sq PVC copper cable as Euro males OR	mts	200		294,00
approved equivalent	1 . 1	1		237,00
		300	21,000	6,300,00
1C x 2.5mm sq PVC copper cable Yellow/Green (carthiaux				-10-4-10-0
as Euro make OR as approved equivalent				
MINISTER STATE OF THE STATE OF	mts	50	950	47,50
EXED ENCLOUSERS FOR CABLE RUNS				
USE 3/4 Inch PVC conduit class B AFRICAR for full		4		
BROUIT WINING System c/w all accessories OP as	1	1	1	
pproved equivalent	P-		255	
VC water pipe 2" class B c/w all accessories DLASCON	PC	80	7,000	560,000
OR as approved equivalent			20-01	1.000
	PC	50	35,000	1,750,000
ARTHING SYSTEM AND PROTECTION				- :: Acc ののまででき
oil treatment and interconnection to general earthing of		- 1		*
I House sets to meet requirements of IEE		- 1		
gulations.complete two earth pits with adornate number	ITEM			
conti rous linked together with the earthing cables filled	II ICINI	1	700,000	700,000
ith wet charcoal/salt or bentonite powder	1		- 1	
	- 1		- 1	
	- 1			
	- 1	- 1		
	1	1		
30				
1	- 1	1	1	
			- 1	
		1	- 1	
1		- 1	1	
1				
1	- 1			
	- 1		- 1	
-	- 1	- 1	1	
	- 1			
	- 1	- 1	1	
			1	
	- 1	1	1	
	1		- 1	
1	1	1		
T		1		
			N.	
arried Forward to Summer	1			
arrica i orward to Summary of Bill No. 2		TS	H	33,607,600.00
	1	1		00.000,000,000
No. 2			4	
No. 2				
ANI NATURE RESERVE		1	- 1	
nent No. 9				
ment No. 9 CTRICAL INSTALLATION				
	(i)Red/Brown (ii) Black/Blue (ii)Yellow/Green 2C x 10 mm sq PVC copper cable as Euro make OR as approved equivalent 1C x 2.5mm sq PVC copper cable Yellow/Green (earthing) as Euro make OR as approved equivalent FIXED ENCLOUSERS FOR CABLE RUNS Use 3/4 inch PVC conduit class B AFRICAB for full conduit wining system c/w all accessories OR as approved equivalent PVC water pipe 2" class B c/w all accessories PLASCON OR as approved equivalent EARTHING SYSTEM AND PROTECTION (ii) treatment and interconnection to general earthing of the house sets to meet requirements of IEE agulations.complete two earth pits with adequate number of earth rods linked together with the earthing cables, filled ith wet charcoal/salt or bentonite powder	(i) Black/Blue (ii) Black/Blue (iii) Black/Blue (iiii) Black/Blue (iiii) Black/Blue (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	approved equivalent (i)Red/Brown (ii) Black/Blue (ii)Yellow/Green 2Cx 10 mm sq PVC copper cable as Euro make OR as approved equivalent 1C x 2.5mm sq PVC copper cable Yellow/Green (earthing) as Euro make OR as approved equivalent  Tick Dencious Error Cable Runs Use 3/4 inch PVC conduit class B AFRICAB for full conduit wining system of wall accessories OR as approved equivalent PVC water pipe 2" class B c/w all accessories PLASCON OR as approved equivalent  ARTHING SYSTEM AND PROTECTION oil treatment and interconnection to general earthing of the house sets to meet requirements of IEE guidations.complete two earth pits with adequate number it earth rods linked together with the earthing cables, filled the vertical conduits and interconnection to general earth rods linked together with the earthing cables, filled with wet charcoal/salt or bentonite powder  TEM  1 stricted Forward to Summary of Bill No. 2	is proved equivalent (ii) Black/Blue (iii) Black/Blue (iiii) Black/Blue (iiii) Black/Blue (iiiii) Black/Blue (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii

Item		Unit	Quantity	Rate	Amount(TZS)
ELEMENT NO. 1	D- ICT		0.00030		(123)
STRUCTURED CAR SYSTEM INSTALLA	SLING OF VOICE & DATA				
1CT INSTALLATI					
per drawings and s	nect, test and commision as pecifications icluding all ents to the satisfaction of	5			
A D - Link switch 24	ports	PC	1	400,000,00	
B Dell Desktop comp	uter, Dual core 3.0GHz, 2GE	PC	1	400,000.00 1,500,000.00	400,000
Ram, 500 HDD C Wireless Access Po	the state of			1,500,000.00	1,500,000
(cenning - Indoor) F	oint as of Ubiquiti Unifi Ap-A OE, Wireless Access Point of the connecting Accessories		1	600,000.00	600,000
D Cat 6 Factory Term 3.0 Meter each	nated Computer Drops	PC	10	18,000.00	180,000
E IP Phone as of Yeal	nk SIP-T21(P) F2			57.02 Sept. 20.00 (Sept. 10.00)	
(Tronic)	Box - Single for data	PC	6	300,000.00 2,500.00	300,000 15,000
G PVC Conduit pipe 3	/4", class B (Tronic)	PC	100	3,000.00	200 000
field, c/w mounting accessories (DINTER	, cat 6 for data/voice (dual ded shutter and labelling boxes and other necessary	PC	6	24,000.00	300,000 144,000
	ector (Coupler) 3/4" (Tronic)	PC	25	1,000,00	25,000
K Conduit connector (CL Round box (Tropic)	Coupler) 3/4" (Tronic)	PC	25	1,000.00	SE oon
L [Kound box (Tronic)		PC	33	2,500.00	<b>25,0</b> 00 82,500
M Category 6 UTP 1m I N Category 6 UTP 3M I	atch Cord	PC	10	13,000.00	130,000
P Category 6 UTP 5m F	Patch Cord	PC	10	15,000.00	150,000
O TTCL Connection for	Data and voice (Optic	PC	10	18,000.00	180,000
Fibre/Radio)	Data and voice (Optic	PC	1	6,000,000.00	6,000,000
R Cat 6e Horizontal Cat conduit (Class 'B')	ole UTP 305M enclosed in a	Roll	2	500,000.00	1,000,000
Carried Forward t	o Summary of Bill No. 2		i	гѕн	11,031,500.00
Bill No. 2 AMANI NATURE RESE Element No. 10 ICT INSTALLATION	RVE				

Et	ELEMENT NO. 11: PLUMBING AND ENGINEERING INSTALLATION	Unit	Quantity	Rate	Amount(TZS)
	Supply and fix/install the following sanitary appliances including all connections and fixing to FLOORS or WALLS as necessary or approve by services Engineers.	d			
Α	Asian (Squarting) type WC pans with built in S- trap complete with all necessary accessories "Casterware" type or equal approved by Consultant	No.	2	202,000.00	404,000.00
В	Flushing Cistern tank complete with flushing pipe and all other necessary accessories - KARIBA type or equal approved by Consultant	No.	2	110,000.00	220,000.00
C	Finned and plain plastic W.C outlet connector	No.	2	15,000.00	30,000.00
D	Chrome Shurtuff ( Dotche spray) 13mm diameter X 2000mm long flexible hose	No.	2	60,000.00	120,000.00
	Complete hand wash basin (HWB), size 550x450x200mm complete with self closing; semi pedestal and chain stay hole; fairline ½im pillar taps with clear acrylic handles; 1¼in bead chain waste and plug; 80cm slotted tail bolt stay; isovalve servicing valves, rubber plug with slotted tail; 32mm plastic bottle trap with 75mm seal - Castleware type or equal approved by Consultant	No.	2	420,000.00	840,000.00
G	600 x 600 x 6 mm thick Frameless Mirror Pilkington or equally approved with alkali resistant coating one side, fixed with domex screws to blockwork requiring plugging	No.	5	95,000.00	475,000.00
H	Toilet paper holder; chrome as to RAK 21015 or the like fixing with brass screws to backgrounds plugging	No.	5	55,000.00	275,000.00
B A	Carried to Collection  Sill No. 2  MANI NATURE RESERVE  Ilement No. 11  LUMBING INSTALLATION		T	SH	1,614,000.00

Ite	7	Unit	Quantity	Rate	Amount(TZS)
	WATER SUPPLY  Ancillaries: Draw off taps; stop valves; copper alloy to BS 5154 or BS 1010:				
Α	792550 Star Bib Tap Plain 15mm (1/2" Dia.)	pcs	2	60,000.00	120,000.00
В	Flexible pipes to all sanitaries including HWB and WC,	No.	4	10,000.00	40,000.00
	Supply and install the following HDPE pipe Class C including excavation, install and including its fittings:			35,005.00	40,000.00
С	OD 25mm (3/4") HDPE pipe class C	m	200	4,500.00	900,000.00
	Carried to Collection <u>Supply and install the following PPR</u> <u>plpes including its to install Complete</u> with all fittings and accessories:			TSH	1,060,000.00
D	PPR pipe PN10 3/4"	м	3	5,000.00	17.000.00
Е	PPR pipe PN10 1/2"	м	10	4,500.00	15,000.00 45,000.00
	Carried to Collection			TSH _	60,000.00

Ite	em 	Unit	Quantity	Rate	Amount(TZS)
A B C	OD50mm (1 1/2") uPVC pipe PN6 (Class B) OD110mm (4") uPVC pipe PN6 (Class B)	М М М	10 6 20	6,000.00 8,000.00 12,000.00	60,000.00 48,000.00 240,000.00
D	Excavate trench to receive pipes of 160mm or 110mm uPVC pipes; commencing at ground level not more than 1200mm deep; including grading bottom; backfilling and compacting and removal of surplus excavated material.	m	20	5,000.00	120,000.00
E	GULLY TRAP  Construct a standard gully trap 400 x 400mm internal dimensions deep; in thick concrete block walls complete with benching and all fittings and gully trap cover	No.	2	150,000.00	300,000.00
F	MANHOLE:  Construct standard manhole size 600 x 600mm average depth 1000mm deep; in 150mm, thick solid concrete blocks walls; 150mm, thick plain in-situ concrete grade '15' bed; complete with benching and all necessary pipe fittings; 1No. cast iron manholes covers and frames; finished to wall sides and top of slab with water proof cement and sand render; including excavation back filling and removal of surplus material; all as per and shown in the drawings.	No.	4	250,000.00	1,000,000.00
G	Construct of Septic Tank with size: Width (W) = 1.0 meter, Depth = 1.2 meter and Leght (L) = 1.8 meters	No.	1	4,500,000.00	4,500,000.00
1	Construct of Soak Away pit with: Depth/Height (H) = 2.5meters and Diameter (D) = 1.8 Meters Carried to Collection	No.	1	4,500,000.00 TSH	4,500,000.00 10,768,000.00

[te	m I	Unit	Quantity	Rate	Amount(TZS)
	FIRE FIGHTING INSTALLATIONS: PORTABLE FIRE EXTINGUISHERS INSTALLATION:				, , , , , , , , , , , , , , , , , , ,
Α	Supply and install 9Kg, dry powder type - 'NAFFCO' Brand or any other equal and approved fire extinguishers, fixed to wall with and including brackets plugged on block work.	No.	2	250,000.00	500,000.00
В	Supply and install 5Kg, Carbondioxide (CO2) type - 'NAFFCO' Brand or any other equal and approved fire extinguishers, fixed to wall with and including brackets plugged on block work.	No.	1	300,000.00	300,000.00
С	Supply and Install Standard Photoluminiscent Fire Signage for Portable Fire Extinguishers	No.	4	80,000.00	320,000.00
	Carried to Collection COLLECTION			тѕн	1,120,000.00
	VII/3/19 VII/3/19 VII/3/20 VII/3/21 VII/3/22				1,614,000.00 1,060,000.00 60,000.00 10,768,000.00 1,120,000.00
	Carried Forward to Summary of Bill No. 2	- 1			14,622,000.00

Ite	em 	Unit	Quantity	Rate	Amount(TZS)
	SECTION SUMMARY OFFICE BUILDING				
A B C D E F G H J K L	SUBSTRUCTURE FRAME	- 1	VII/3/6 VII/3/7 VII/3/8 VII/3/9 VII/3/11 VII/3/12 VII/3/14 VII/3/15 VII/3/16 VII/3/18 VII/3/22		9,969,835.00 1,766,000.00 5,822,880.00 7,104,353.11 4,813,500.00 4,260,600.00 6,744,884.00 1,230,200.00 33,607,600.00 11,031,500.00 14,622,000.00
	Carried to Final Summary ILL NO. 2 UMMARY OF MEASURED WORKS		тѕн		100,973,352.11

It	BILL NO. 2: AMANI NATURE RESERVE ELEMENT NO. 1; SUBSTRUCTURE	Unit	Quantity	Rate	Amount(TZS)
	(ALL PROVISIONAL)				
	EXCAVATIONS AND EARTHWORKS				
	Site clearance				
Α	Clear site of all bushes tuffs and small trees not exceeding 600mm girth and burn debris on site (approximate area 53.51 square metres)		Item		75,000.00
	Excavation in earth				
В	Excavate average 150mm deep to remove top vegetable soil and stock pile on site for later re- use (including disposal of surplus as necessary)	m²	75	1,000.00	75,000.00
	Cutting to form levels		1		
C	Open face excavations of slopping site to form levels	m³	11	5,000.00	55,000.00
	Excavation in earth commencing at formation level and not exceeding 1.50 metres deep				
D	Excavate foundation trench	m <sup>3</sup>	31	5,000.00	155,000.00
	Risk of collapse of excavations				The State of
	Planking and strutting				
E	Allow for maintaining and supporting sides of excavations by provision of planking and strutting and for keeping the same free from fallen materials		Item		200,000.00
	Keeping excavations free of water			4	
F	Allow for keeping excavations free of water (except spring or running water) and mud by pumping, baling or other approved means		Item		200,000.00
	Carried to Collection			TSH	760,000.00
	BILL NO. 2: AMANI NATURE RESERVE Element No. 1 SUBSTRUCTURE				

LLE	em	Unit	Quantity	Rate	Amount(TZS)
	Fillings	11			
	Earth filling obtained from the excavations (no compacted)	<u>t</u>			
A	Around foundations	m³	6	4,500.00	27,000.0
	Imported soil filling including excavating in borrow pits				
В	Well ram and consolidate to make up levels under floors	m <sup>3</sup>	16	15,000.00	240,000.00
	Import materials				
С	Import surplus material to excavations and/or stock piles on site from pit situated nearby from site	n m³	13	25,000.00	325,000.00
	Soil poisoning				
В	Anti- termite treatment Chemical anti termite treatment executed complete by an approved specialist under a ten				
5	(10) year guarantee to surfaces of blinded hardcore	m2	51	4,000.00	204,000.00
	Ditto, around the building plinth	m	112	1,500.00	168,000.00
	Hardcore				
)	200mm Bed, levelled and blinded to receive polythene membrane(measured separately)	m²	51	9,500.00	484,500.00
	Sand blinding	m²	51	1,000.00	51,000.00
	Carried to Collection			rsh	1,499,500.00
A	ILL NO. 2: MANI NATURE RESERVE lement No. 1 UBSTRUCTURE				

Ite	em	Unit	Quantity	Rate	Amount(TZS)
	CONCRETE WORK				
	Plain concrete grade 15				
A	50mm Thick surface blinding under strip foundation	m²	8	10,000.00	80,000.00
В	100mm Bed	m <sup>2</sup>	57	20,000.00	1,140,000.00
	Reinforced concrete Insitu concrete grade 20 including vibrating around reinforcement				1,110,000.00
C	Plinth beams	m <sup>3</sup>	1	250,000.00	250,000.00
	Reinforcement				250,000.00
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
D	8mm Diameter bar	kg	128	3,100.00	396,800.00
Ε	12mm Diameter bar	kg	217	3,100.00	672,700.00
	Sawn formwork to:-				
F	Vertical sides of ground beams	m <sup>2</sup>	17	18,000.00	306,000.00
G	Edges of bed, 100mm high	m	33	2,700.00	89,100.00
	WALLING Stone wall				
Н	300mm Wall, selected stones and bedded jointed with cement and sand mortat 1:4	m <sup>2</sup>	28	35,000.00	980,000.00
	Carried to Collection BILL NO. 2: AMANI NATURE RESERVE Element No. 1 SUBSTRUCTURE			TSH	3,914,600.00

Ite	m I	Unit	Quantity	Rate	Amount(TZS)
	Damp-proof course				Amount(123)
A	500 Gauge polythene damp-proof membrane laid over blinded hardcore (measured separately)	m <sup>2</sup>	51	2,000.00	102,000.00
В	Hessian based bitumen damp-proof course to B.S. 743 type 'A' 230mm wide laid horizontally	m	28	1,500.00	42,000.00
	Plinth protection				
С	12mm Cement and sand render to walls (1:4) external rendering to concrete or blockwork	m²	8	6,000.00	48,000,00
D	Prepare and apply two coats of black bituminous paint on rendered surfaces externally	m²	8	5,000.00	40,000.00
A	Carried to Collection ILL NO. 2: MANI NATURE RESERVE lement No. 1 UBSTRUCTURE			тѕн	232,000,00

[tem	Unit	Quantity	Rate	Amount(TZS)
Bill No. 2				
Element No. 1				
SUBSTRUCTURE				
COLLECTION				
		Page No.		Amount
Total Brought Forward from Page No.		VII/4/1		760,000.00
		VII/4/2		1,499,500.00
		VII/2/3		3,914,600.00
		VII/2/4		232,000.00
		1		
		1		
	1.1			
		- 1		
			1	
Carried Forward to Summary of Bill No. 2 BILL NO. 2: AMANI NATURE RESERVE Element No. 1 SUBSTRUCTURE		TSI	4	6,406,100.00
(d)	1 1	4	1	

Ite	ELEMENT NO. 2; FRAME  CONCRETE WORK  REINFORCED CONCRETE  In situ reinforced concrete grade '20' including vibrating around reinforcement	Unit	Quantity	Rate	Amount(TZS)
Α	Lintels/ beams	m <sup>3</sup>	1	250,000.00	250,000.00
	REINFORCEMENT  High tensile steel reinforcement to B.S. 4461 in structural concrete work				
E	8mm Diameter bar	kg	90	3,100.00	279,000.00
F	12mm Diameter bar	kg	136	3,100.00	421,600.00
М	SAWN FORMWORK TO:- Sides and soffits of horizontal beams	m²	4	18,000.00	
É	Carried Forward to Summary of Bill No. 2 Bill No. 2 MANI NATURE RESERVE Element No. 2 RAME			TSH	1,022,600.00

Ite	m 1	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 3; WALLING				Amount(123)
	BRICKS WALLING Bricks bedded and jointed in cement and sand (1:4) mortar with and inluding 2No. 6mm high tensile bars set horizontally after every two courses				
A	230mm External Walls	m <sup>2</sup>	69	28,000.00	1,932,000.00
В	230 Internal Walls	m²	32	28,000.00	W. W. S.
E	Total Brought Forward from Page No. BILL NO. 2: AMANI NATURE RESERVE Element No. 3 VALLING			TSH	2,828,000.00

Ite	ELEMENT NO. 4; ROOF CONSTRUCTION	Unit	Quantity	Rate	Amount(TZS)
	ROOF COVERINGS				
	Aluminium roofing sheets				
	Corrugated Iron Sheet (CIS) 28 Gauge Tapped 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres				
A	Roof coverings sloping not exceeding 45 degrees from the horizontal	m²	85	39,500.00	3,357,500.00
В	Ridge/ Valley	m	25	12,000.00	300,000.00
	ROOF STRUCTURE				
	Sawn soft wood; Impregnated with Preservatives				
C	$50 \times 150$ mm king post	m	25	6,000.00	150,000.00
D	50X150mm Tie beam	m	67	8,000.00	536,000.00
Ε	50X150mm Rafters	m	39	8,000.00	312,000.00
F	50X100mm Struts	m	38	7,000.00	266,000.00
G	50X150mm Wall Plate	m	28	8,000.00	224,000.00
н	50X75mm Purlins	m	108	5,000.00	540,000.00
J	25 x 250mm Fascia and barge board, painted	m	38	9,500.00	361,000.00
	Carried Forward to Summary of Bill No. 2  BILL NO. 2:  AMANI NATURE RESERVE Element No. 4			TSH	6,046,500.00
- 1	ROOF CONSTRUCTION				

Item	ELEMENT NO. 5; DOORS	Unit	Quantity	Rate	Amount(TZS)
	TIMBER DOORS				
	Prime quality 'mninga' or other equal and approved hardwood				
	Pannelled doors				
	45mm Thick solid panelled door, comprising of 40x250mm stiles, top, middle and bottom rails; both divided into two panels, filled in with and including hardwood panel; all veneer finished on both sides and polyurethane matt polished				
А	900 x 2700mm wide	No	3	510,300.00	1,530,900.00
	GLAZING			A	
	5mm Thick clear sheet glass and glazing to timber with beads (m/s) in panes				
В	In panes over 0.5 square meters not exceeding 1 square meters	sm	9	29,000.00	261,000.00
	IRONMONGERY	1			
	Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anotized finish; to softwood, hardwood or the like; fixing with screw	i			
C	Three lever mortice lockset with furniture	No	3	120,000.00	360,000.00
D	Rubber door stop plugged to concrete	No	3	5,000.00	15,000.00
Ε	150mm stainless steel butt hinges heavy duty ASSA ABLOY or equivalet	Prs	4.5	10,000.00	45,000.00
					2,211,900.00
	Carried to Collection BILL NO. 2: AMANI NATURE RESERVE Element No. 5 DOORS	on		TSH	2,211,200.00

Item	i	Unit	Quantity	Rate	Amount(TZS)
	Frames and finishings				
Α	45x145mm Frames, rebated plugged to wall	m	19	30,000.00	570,000.00
В	45x145mm Transome	m	3	30,000.00	90,000.00
С	15x40mm Architrave, splayed	m	19	3,200.00	60,800.00
D	15x25mm Glazing beads	m	9	2,100.00	18,900.00
	Carried to Collecti BILL NO. 2: AMANI NATURE RESERVE Element No. 5 DOORS	on		TSH	739,700.00
	Bill No. 2 Element No. 5				
	DOORS				
	COLLECTION			Page No	Amount
	Total Brought Forward from Page No.			MB/2/6/17 MB/2/6/18	2,211,900.00 739,700.00
	Carried Forward to Summary of Bill N BILL NO. 2: AMANI NATURE RESERVE Element No. 5 DOORS	No. 2		TSH	2,951,600.00
		1			

1	Unit	Quantity	Rate	Amount(TZS)
ELEMENT NO. 6; WINDOWS				
ALUMINIUM WINDOWS				1
Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.				
1500 x1500mm high 1200x 1500mm high	No No	4	405,000.00 324,000.00	1,620,000.00 324,000.00
DECORATIVE SECURITY GRILLS  Decorative Security Grilles in galvanised m. s; welded fabrication, welds ground smooth; 20mm mild steel solid bars in main frame with 20mm mild steel burglar bars laid vertically at 100mm centres; fixing with expansion bolts with 12mm loose bolts and spacer tubes and washers to masonry; including drilling; red oxide primer before fixing				
1500 x1500mm high 1200x 1500mm high	No No	1	180,000.00 144,000.00	720,000.00 144,000.00
Carried Forward to Summary of Bill No. 2 BILL NO. 2: AMANI NATURE RESERVE Element No. 6 WINDOWS			TSH	2,808,000.00
	ELEMENT NO. 6; WINDOWS  ALUMINIUM WINDOWS  Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.  1500 x1500mm high  DECORATIVE SECURITY GRILLS  Decorative Security Grilles in galvanised m. s; welded fabrication, welds ground smooth; 20mm mild steel solid bars in main frame with 20mm mild steel burglar bars laid vertically at 100mm centres; fixing with expansion bolts with 12mm loose bolts and spacer tubes and washers to masonry; including drilling; red oxide primer before fixing 1500 x1500mm high 1200x 1500mm high  Carried Forward to Summary of Bill No. 2  BILL NO. 2:  AMANI NATURE RESERVE Element No. 6	ELEMENT NO. 6; WINDOWS  ALUMINIUM WINDOWS  Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.  1500 x1500mm high  No  DECORATIVE SECURITY GRILLS  Decorative Security Grilles in galvanised m. s; welded fabrication, welds ground smooth;  20mm mild steel solid bars in main frame with  20mm mild steel burglar bars laid vertically at  100mm centres; fixing with expansion bolts with  12mm loose bolts and spacer tubes and washers to masonry; including drilling; red oxide primer before fixing  1500 x1500mm high  No  No  Carried Forward to Summary of Bill No. 2  BILL NO. 2:  AMANI NATURE RESERVE  Element No. 6	ELEMENT NO. 6; WINDOWS  ALUMINIUM WINDOWS  Supply and fix Powder coated aluminium windows comprising 45 x 80x12mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.  1500 x1500mm high No 1  DECORATIVE SECURITY GRILLS  Decorative Security Grilles in galvanised m. s; welded fabrication, welds ground smooth; 20mm mild steel solid bars in main frame with 20mm mild steel solid bars in main frame with 20mm centres; fixing with expansion bolts with 12mm loose bolts and spacer tubes and washers to masonry; including drilling; red oxide primer before fixing 1500 x1500mm high No 4  No 4  No 5  Carried Forward to Summary of Bill No. 2  BILL NO. 2:  AMANI NATURE RESERVE Element No. 6	ELEMENT NO. 6; WINDOWS  ALUMINIUM WINDOWS  Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.  1500 x1500mm high No 1 4405,000.00  DECORATIVE SECURITY GRILLS  Decorative Security Grilles in galvanised m. s; welded fabrication, welds ground smooth; 20mm mild steel burgler bars laid vertically at. 100mm centres; fixing with expansion bolts with 12mm loose bolts and spacer tubes and washers to masonry; including drilling; red oxide primer before fixing 1500 x1500mm high No 1 180,000.00  Carried Forward to Summary of Bill No. 2  ELEMENT NO. 2:  AMANI NATURE RESERVE Element No. 6

Item		Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 7; FINISHINGS				
	<u>In-situ finishings</u>				
	Beds and backings; Cement and sand (1:4)				
Α	32mm Beds to receive Porcelain floor tiles	m²	51	10,000.00	510,000.00
	Internal plastering in two coats steel trowelled to a smooth finish				
В	15mm To walls	m²	133	7,000.00	931,000.00
	External cement and sand (1:4) rendering with approved plasticiser in two coats steel trowelled to a smooth finish	- <u>-</u>			
С	15mm To walls	m <sup>2</sup>	69	7,000.00	483,000.00
	Carried to Collection BILL NO. 2: AMANI NATURE RESERVE Element No. 7 FINISHINGS	on		TSH	1,924,000.00

m Floor Tiles	Unit	Quantity	Rate	Amount(TZS)
Non-glazed (Polished) full body approved porcelain tiles; or equal and approved non-slip floor tiles laid at 45 degree with 10mm tile skirting to blockwork; bedding and jointing in cement mortar (1:3) grouting joints with matching				
600 x 600x9mm thick tiles; butt jointed to floors	m²	51	48,000.00	2,448,000.00
150mm high skirting	m	47	7,200.00	338,400.00
STRUCTURAL TIMBER				
Pine or Cypress; grade 2; pressure impreginated; treated with timber preservative				
50 x 50mm brandering	lm	230	3,000.00	690,000.00
PLAIN SHEET FINISHINGS				
Gypsum Board; to approval of project manager				
9mm; scrim coat filler to tapped joints set to pattern to timber base generally to an angle not exceeding 45 degree from horizontal				
ceiling	m²	51	12,000.00	612,000.00
Cornices; approved shape				
50 x 50mm	lm	47	6,000.00	282,000.00
AMANI NATURE RESERVE Element No. 7			TSH	4,370,400.00
	Non-glazed (Polished) full body approved porcelain tiles; or equal and approved non-slip floor tiles laid at 45 degree with 10mm tile skirting to blockwork; bedding and jointing in cement mortar (1:3) grouting joints with matching  600 x 600x9mm thick tiles; butt jointed to floors  150mm high skirting  STRUCTURAL TIMBER  Pine or Cypress; grade 2; pressure impreginated; treated with timber preservative  50 x 50mm brandering  PLAIN SHEET FINISHINGS  Gypsum Board; to approval of project manager  9mm; scrim coat filler to tapped joints set to pattern to timber base generally to an angle not exceeding 45 degree from horizontal ceiling  Comices; approved shape  50 x 50mm	Non-glazed (Polished) full body approved porcelain tiles; or equal and approved non-slip floor tiles laid at 45 degree with 10mm tile skirting to blockwork; bedding and jointing in cement mortar (1:3) grouting joints with matchinn  600 x 600x9mm thick tiles; butt jointed to floors m²  150mm high skirting m  STRUCTURAL TIMBER  Pine or Cypress; grade 2; pressure impreginated; treated with timber preservative  50 x 50mm brandering lm  PLAIN SHEET FINISHINGS  Gypsum Board; to approval of project manager  9mm; scrim coat filler to tapped joints set to pattern to timber base generally to an angle not exceeding 45 degree from horizontal ceiling  Cornices; approved shape  50 x 50mm lm  Carried to Collection  BILL NO. 2:  AMANI NATURE RESERVE Element No. 7	Floor Tiles  Non-glazed (Polished) full body approved porcelain tiles; or equal and approved non-slip floor tiles laid at 45 degree with 10mm tile skirting to blockwork; bedding and jointing in cement mortar (1:3) grouting joints with matching  600 x 600x9mm thick tiles; butt jointed to floors m² 51  150mm high skirting m 47  STRUCTURAL TIMBER  Pine or Cypress; grade 2; pressure impreginated; treated with timber preservative  50 x 50mm brandering lm 230  PLAIN SHEET FINISHINGS  Gypsum Board; to approval of project manager  9mm; scrim coat filler to tapped joints set to pattern to timber base generally to an angle not exceeding 45 degree from horizontal ceiling m² 51  Cornices; approved shape  50 x 50mm lm 47	Non-glazed (Polished) full body approved porcelain tiles; or equal and approved non-slip floor tiles laid at 45 degree with 10mm tile skirting to blockwork; bedding and jointing in cement mortar (1:3) grouting joints with matrhinn

Item	Unit	Quantity	Rate	Amount(TZS)
FINISHINGS				//////////////////////////////////////
COLLECTION			Page	Amount
Total Brought Forward from Page No.			No	
areas areas areas non rage No.			VII/4/12	1,924,000.00
			VII/4/13	4,370,400.00
Carried Forward to Summary of Bill No. 2 BILL NO. 2: AMANI NATURE RESERVE Element No. 7 FINISHINGS			TSH	6,294,400.00

Ite	m 	Unit	Quantity	Rate	Amount(TZS)
	<b>ELEMENT NO, 8; DECORATIONS</b>				
	Internal work Prepare and apply one thinned coat and two ful coats of vinvl silk paint	1			
А	Plastered walls	m²	133	8,000.00	1,064,000.00
	Prepare and apply three coats of 'polyurethane matt polish' or other equal and approved polish on wood surfaces				
В	Frames over 200mm not exceeding 300mm girth	m	19	1,500.00	28,500.00
С	General surfaces to hardwood shutter	m²	3	4,800.00	14,400.00
	External work  Prepare and apply one thinned coat and two full coats of weather quard paint to				
D	Rendered walls	m <sup>2</sup>	69	5,000.00	345,000.00
	ONE UNDERCOAT; TWO FINISHING COATS OF EMULSION PAINT				
	To gypsum surfaces				
D	ceiling	sm	51	8,000.00	408,000.00
E	comice	lm	47	1,500.00	70,500.00
	Carried Forward to Summary of Bill No. 2 Bill No. 2 AMANI NATURE RESERVE			TSH	1,930,400.00
	Element No. 8 DECORATIONS				

Item		Unit	Quantity	Rate	Amount(TZS)
	SECTION SUMMARY AMANI NATURE RESERVE				
A B C D	SUBSTRUCTURE FRAME WALLING ROOF CONSTRUCTION DOORS		VII/4/5 VII/4/6 VII/4/7 VII/4/8 VII/4/11 VII/4/13		5,406,100.00 1,022,600.00 2,828,000.00 6,046,500.00 2,951,600.00 2,808,000.00
F G H			VII/4/14 VII/4/15		6,294,400.00 1,930,400.00
	Carried to Final Su BILL NO. 2 SUMMARY OF MEASURED WORKS	ımmary		TSH	30,287,600.00

23.01 (a)	ELEMENT NO. 11 EXTERNAL WORKS  SERIES 1000: PRELIMINARIES AND GENERAL COST  23.01 Concrete Kerbing Class 25/19 Concrete Kerbing Class 25/19 raised kerbs (150mm x 500mm) placed in concrete Class 15/19  Sub - Total: Carried Forward TOTAL FOR SERIES 2000: DRAINAGE (Carried Forward to Grand Summary) SERIES 3000: EARTHWORKS AND PAVEMENT LAYERS OF GRAVEL OR	m	45	35,000	1,575,000 1,575,000 1,575,000
	Section 3100: Clearing, Grubbing and Removal of Topsoil				
	Clearing, grubbing and removal of topsoil:				
31.01(a)	Clearing and grubbing including small	sq.m	216	1,500	324,000
31.01 (b)	trees not more than 1m girth Removal of topsoil	cu.m	65	8,500	550,800
36.02 (a)	Section 3400: Borrow Pit and Quarry Acquisition and Exploitation 36.02 Fill and improved subgrade layers: Improved subgrade layer as specified in the Drawings to require G15 quality material as minimum	cu.m	43	18,000	777,600
	Sub - Total: Carried Forward SERIES 5000: ANCILLARY ROADWORKS Section 5400: Road Signs 54.01 Road sign				1,652,400
54.01	Road sign on single post (sign sizes less than 0.5 sq.m) PAVEMENT WORKS	no	1	350,000	350,000
55.11	Paving blocks for bus terminal 200x100x100mm Thick including compacted sand layers at 150mm Thick	sq.m	215	50,000.00	10,800,000
	Sub - Total: Carried Forward				11,150,000
1	Total for SERIES 3000				1,575,000
2	Total for SERIES 3000 Total for SERIES 5000				1,652,400 11,150,000
	TOTAL CARRIED TO FORM OF TENDER (VAT Exclusive)				14,377,400

Iten	BILL NO. 2: GATE STRUCTURE	Uni	t Quantity	Rate	Amount(TZS)
	Excavation in earth commencing at formation level and not exceeding 1.50 metres deep				
A	Column pits	m <sup>3</sup>	5.76	5,000.00	28,800.00
	Fillings				
	Earth filling obtained from the excavations (not compacted)				
В	Around foundations	m <sup>3</sup>	3	4,500.00	13,500.00
	Remove surplus				. Sell Physics Co. Co.
С	Spread surplus excavated materials to spread on situated nearby from site	m³	2	3,500.00	7,000.00
	Reinforced concrete Insitu concrete grade 20 including vibrating around reinforcement				
	Column bases	m³	1.728	250,000.00	432,000.00
	Reinforcement				
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
D	8mm Diameter bar	kg	141.568	4,000.00	566,272.00
Е	12mm Diameter bar	kg	241.4472	4,000.00	965,788.80
	Sawn formwork to:-				
F	Vertical sides of columns, beams	m²	53.8	20,000.00	1,076,000.00
	Carried to Collection				3,089,360.80

Ite	em	Unit	Quantity	Rate	Amount(TZS)
A	METAL GATE  Steel gate openable size 4000mm wide x 1500mm high comprising of single openable leaf, fabricated from 100x50mm RHS Frame associated by 40 x 25mm RHS and 150 x complete with all iron mongery and locking devices: including one coat of primer and two coats of approved paint 4000x1500mm High	No	1	750,000.00	750,000.00
В	External painting to columns	No	4	25,000.00	100,000.00
C	Signage writting		***	Item	
D	External plastering in two coats steel trowelled to a smooth finish 15mm To columns  ROOF COVERINGS Aluminium roofing sheets	No	4	25,000.00	250,000.00 100,000.00
Е	28 GCI green resincoted (preformed) trough aluminium sheeting (ref. 116) lapped 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres  Roof coverings sloping not exceeding 45 degrees from the horizontal  ROOF STRUCTURE Sawn soft wood; Impregnated with Preservatives, wrought and polished	m <sup>2</sup>	14.49	39,500.00	568,800.00
F	50 x 150mm king post,	m	6	10,000.00	56,000.00
G	50X150mm Tie beam	m	14	10,000.00	136,000.00
Н	50X150mm Rafters	m	10	10,000.00	96,000.00
J	50X150mm Struts	m	18	10,000.00	176,000.00
K	50X150mm Wall Plate	m	11	10,000.00	110,000.00
L	50X75mm Purlins	m	32.40	5,000.00	152,000.00
M	25 x 250mm Fascia and barge board, painted	m	24.6	9,500.00	233,700.00
	Carried to Summary BILL NO. 2: GATE STRUCTURE			тѕн	8,411,521.60
	1				

PROPOSED CONSTRUCTION OF ENTRY GATE TO BE BUILT AT MATOGORO - SONGEA ON PLOT NO.... BLOCK ....

BILLS OF QUANTITIES (BOQ)

DECEMBER 2021

# **GENERAL SUMMARY**

Description	Page No	. Amount(TZS)
BILL No.1 - PRELIMINARIES AND GE	NERAL MATTERS Prelims/1	18,600,000.00
BILL No.2 - OFFICE BUILDING	VIII/5/17	7 58,922,309.35
BILL NO.3 - GUARD HOUSE	VIII/6/20	50,647,628.25
BILL NO. 4 - ELECTRICAL INSTALLAT	TION VIII/7/2	11,095,700.00
BILL NO. 5 - ICT INSTALLATION	MB/5/1	10,505,000.00
BILL NO. 6 - EXTERNAL WORKS	E-W/1	37,526,300.00
BILL NO. 7 - GATE	E-W/1	8,411,521.60
SUBTOTAL (1)		195,708,459.20
ADD: VAT( 18%)		35,227,522.66
SUBTOTAL (2)		230,935,981.86
Condition of Contract Clause 60		
Allow for the cost of providing perform 10% of the Contract sum	mance security for	2,309,359.82
SUBTOTAL (3)		233,245,341.67

FIXED TENDER SUM (VAT INCLUSIVE)CARRIED TO FORM OF TENDER	233,245,341.67
Signed	
ofin the capacity of	************
DATED THIS DAY OF	2021

|--|

TOILET	

Item no. BILL No. 01 PRELIMINARY ITEMS A PARTIES The Employer is; THE UNITED REPUBLIC OF TANZANIA MINISTRY OF NATURAL RESOURCES AND TOURISM P.O.BOX 40832 DAR ES SALAAM The Archiects Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA The Quantity Surveyors Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, **MBEYA** The Consulting Engineer shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA The Services Engineer Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA

Amount

Not Priced

Carried To Collection TSH

**Not Priced** 

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Item Amount no. APPROVED, DIRECTED AND SELECTED The term "Approved", "Directed" and "Selected" where used in this documents shall mean the approval, direction and selection of or by the Architect. **Not Priced** DEFINITIONS AND ABBREVIATIONS "as described" shall mean: B as described in the Section No.VI (Specifications) "B.S." shall mean: the current British Standard Specifications published by the British Standards Institution, 2 Park Street, London, W.I, England "TBS" shall mean: The Tanzania Bureau of Standard specification "KG" shall mean: Kilogrammes NO shall mean: Number M shall mean: Linear Metres "M2" shall mean: Square Metres "M3" shall mean: Cubic Metres "Ditto" shall mean: the whole of the preceding description except as qualified in the section of which it occurs in brackets it shall mean the whole of the preceeding description which is contained within the appropriate brackets. "M.S." shall mean: Measured separately B.M.S shall mean: Both sides measured separately **Not Priced** Carried To Collection TSH **Not Priced** BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Amount no. SCOPE OF CONTRACT AND DESCRIPTION OF THE WORKS The works under this contract generally comprises the construction and completion of the proposed office building and infrastructures for the Weights and Measures Agency at Medeli on Plot No. ... Block The above information is given without warranty and is only meant for the Contractor's guidance **Not Priced** В The type of construction and materials to be used in executing these works are clearly shown on the Architect's and Services Engineer's drawings and set out herein in these Bills of Quantities. The Contractor must obtain the approval from the Architect in regard to the use of any materials or facilities existing or found on site. **Not Priced** C **Not Priced** Carried to Collection TSH BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Item

no.		Amount
A	LOCATION OF SITE The site of the proposed works is located at Matogoro Songea	
	The Contractor shall be deemed to have visited the site and satisfied himself as to:-	
	a) The nature and position of the site	
	b) The amount of the rubbish or debris to be cleared away before commencement	
	c) The nature, current usage, proximity and size of adjoining property and building	
	d) The availability of land for the erection and positioning of all temporary structures, plant and materials necessary for the execution of the works. The Contractor shall obtain approval from the relevant Local Authority in all matters relating to site access and erection of temporary structures and must ensure adherence to the requirements of these Authorities	
	No claim will be allowed for travelling or other expenses which may be incurred by the Contractor in visiting the site or preparing the tender for the works.	Not Priced
	AGREEMENT AND CONDITIONS OF CONTRACT	
В	The Contractor will be required to enter into a contract with the Employer under the terms of Conditions of Contracts issued by the Public Procurement Regulatory Authority (PPRA).	
С	The terms "The Contract Agreement" or "The Contract" or "The Form of Contract" shall mean the Conditions of Contract, the Special Conditions of Contract and Form of Contract Agreement given in Sections IV, V and IX in this document respectively issued by the Public Procurement Regulatory	Not Priced
	Authority (PPRA) latest edition.	Not Priced
	Carried to Collection TSH	Not Priced
	BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS	

Item no.

THE FACTORIES (BUILDING OPERATIONS AND WORKS OF ENGINEERING CONSTRUCTION) RULES, 1985

The Contractor shall comply in all respects with the povissions of the Factories (Building Operations and Works of Engineering Construction) Rules, 1985 made under Section 55 of The Factories Ordinance, 1950 (CAP. 297)

The full text of the said rules may be inspected with the relevant authorities in addition to extract given here-below.

# PART II-DUTIES AND APPLICATION-FACTORY RULES, 1985

Notification of commencement or taking over of operations of work and appointment of safety supervisor

Clause 5. (1) A main contractor shall, within seven days of commencing or undertaking building operations or works of engineering construction, notify the Chief Inspector, in writing of:-

- a) the contractor's name and postal address;
- b) the address or location of the site of the operation or works;
- c) the date of commencement;
- d) the expected date of completion;
- e) whether mechanical power is used or not;
- f) the number of persons expected to be employed.

Clause 6. (1) Every contractor who employs more than twenty persons shall, for every site on which he is the contractor, appoint one or more persons experienced in the operations or works carried on at the site and suitably qualified for the purpose, to:-

- a) advise the contractor as to the observance of the safety, health and walfare requirement under the Ordinance and under these rules, and
- b) suprvise and ensure the observance of the requirements and promote the safe conduct of work generally at the sites.
  - (2) A contractor who employs twenty or fewer persons may appoint either himself or another person to be a safety supervisor in accordance with paragraph (1) above.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

Not Priced

**Not Priced** 

**Not Priced** 

Amount no. LABOUR CAMPS The contractor will NOT be permitted to house labour on site Not Priced OFFICES FOR THE CONSULTANTS The Contractor shall construct, complete and maintain throughought the duration of the contract offices for the exclusive use of the Project Consultants and the Clients representatives. The office building whose construction shall include services installation, water, power, telephone, sanitary facilities, etc shall include a conference room big enough to hold site meetings. The Contractor shall include for the following and maintaining the same during the duration of the project:-(i) Office furniture and furnishing (ii) Providing such office equipment as computers, telephones etc (iii) Maintaining and paying for such services as electricity, water supply, telephone (iv) Staff for cleaning and messenger (v) Some secretarial staff The Contractor shall allow for the cost of providing light refreshment for the Consultants at site meetings. SHED The Contractor shall erect and maintain temporary accommodation for his own use and the use of Nominated Sub-contractors and ample temporary water tight sheds for the proper storage and protection of materials vulnerable to weather and remove when ordered 5,000,000.00 Carried to Collection TSH 5,000,000.00 BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Item

no. TEMPORARY STRUCTURES The Contractor shall allow for providing and clearing away on completion of the Works, such temporary hoarding, rubbish chutes, gates, planked A walkways, guard rails etc. as may be necessary for the protection of the workers, the general public and for the proper execution of the Works. All such temporary structures shall be constructed with the approval of the Architect and to his full satisfaction and in such a manner as to cause minimum inconvenience and disturbance to the pedestrians and road users using the adjacent roads. All such temporary structures shall comply in all aspects with the national laws, rules, and regulations currently in force and applicable to such structures. TEMPORARY STRUCTURES (cont'd) The Contractor shall further comply in all respects with the following B All temporary structures shall be erected in a manner so that the unloading of materials causes minimum obstruction to the use of adjacent roads and C other facilities All temporary structures shall be kept properly lighted throughout the D periods of darkness and any corners or projections shall be painted white. Temporary structures shall not be used or permitted to be used for E advertisement purposes except with the consent of the Architect. All temporary structures shall be maintained at all times in good order and F good condition to the satisfaction of the Architect. All temporary structures shall be removed when so required by the Architect G or at the end of the period for which it is required The Contractor shall idemnify and shall keep the employer idemnified against any expenses, loss, claims or suits arising out of or in connection H with the temporary structures The Contractor shall pay all local authority or other charges payable in connection with temporary structures WATCHING AND LIGHTING The Contractor shall provide at his own risk and cost all watching as necessary to safeguard the Works, Plants and Materials against damage and theft. Carried to Collection TSH BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1

Item

1

PRELIMINARY ITEMS

Amount

1,200,000.00 1,200,000.00

Amount no. TEMPORARY DISPOSAL OF RAIN WATER The Contractor shall provide and maintain all necessary temporary gutters, down pipes, chutes, drains etc. for conveying rainwater from the buildings. The Contractor shall allow for temporary drainage plumbing and piping for keeping the premises and site free from accumulation of water. SANITATION OF THE WORKS The Contractor shall make arrangement for the provision of sanitary facilities at site for use by his staff and workmen and shall keep them clean at all times to the satisfaction of the Architect DOWN TAKINGS All materials arising from demolitions and down takings are deemed to be the property of the employer. No claim will be entertained on account of C employer excising this right to retain the materials **Not Priced** All down takings shall be carefully removed, taken down, dismantied and stored on site until instructed by the Architect to remove from the site. Such materials shall only be incorporated in the new works if required by the Architect in which case appropriate adjustments will be made in the final account for the cost of labour, screws etc for fixing such down takings in the new works SUFFICIENCY OF TENDER The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices stated in the priced Bills of Quantities. Rates and prices quoted shall cover all his obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works Not Priced Abbreviations used in the Bills of Quantities shall be interpreted as follows:-SITE LEVELS Before commencing work the Contractor must arrange for and agree with the Architect and Quantity Surveyor the on the existing site levels and similarly establish and agree on a bench mark. Not Priced Carried to Collection TSH 0.00 BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Item

Item no.

#### Amount

## SETTING OUT

The Contractor shall set out the works in accordance with the dimensions and levels shown on the drawings and shall be responsible of the correctness of all dimensions and levels set out by him and he will be required to ammend all errors arising from inaccurate setting out at his own cost and expenses. In the event of any error or discrepancy in the dimensions or levels marked on the drawings being discovered, such errors or discrepencies must be reported by the Contractor to the Architect for his immediate attention.

500,000.00

No work shall be commenced by the Contractor until ne has received written instructions from the Architect to adjust such discrepancies which may be proved, upon receipt of such instructions and no claim for extra expenses or relief from the provisions of Clause 7of the Conditions of the Contract, any discrepancy or error in the dimensions or levels shown on the drawings may be made thereafter.

### SAMPLES

The Contractor shall furnish at the earliest possible opportunity before work commences and at his own cost any samples of materials or workmanship that may be called for by the Architect for his approval or rejection until such samples are approved to be the minimum standard for the work to which they apply

400,000.00

## EXISTING PROPERTY AND SERVICES

The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for all damages hereto arising from the execution of his contract and he shall make good all such damages when directed at his own expense.

Not Priced

relevant Authorities the exact position, depth and level of all existing electric cables, water pipes and all other services in the area and he shall make whatever provisions may be required by the authorities concerned for the support and protection of such servivses. Any damage or disturbances caused to any service shall be reported immediately to the Architect and the relevant Authority and shall be made good to their satisfaction at the Contractor's expense.

**Not Priced** 

Carried to Collection TSH

900,000.00

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Item Amount no. MATERIALS, TOOLS, PLANT AND SCAFFOLDINGS All materials and workmanship used in the execution of the works shall be of the best quality and description. Any materials for the works condemned by the Architect shall immediately be removed from the site at the Contractor's expense. The Contractor shall be responsible for the provision of all materials, scaffolding, tools, plant, transport and workmen required for the works except in so far as may be stated otherwise herein and he shall allow for the provision of the foregoing except for such items specifically and only required for the use of Nominated Sub-contractors as described herein 4,000,000.00 No timber used for scaffolding, formwork or similar purpose shall be used afterwards in the permanent works. All such plant, tools and scaffolding shall comply with all regulations whether general or local in force throughout the period of the contract and shall be required as may be necessary to comply with any ammendments in or additions to such regulations LOCAL REGULATIONS AND BY-LAWS The Contractor is to comply with all local regulations and by-laws of the B Local Authority including serving notices and paying of fees. SUPERVISION The said works shall be excuted under the direction and to the entire satisfaction of the Architect who shall have the Architect's specifically delegated authority and shall at all times have access to the works, to the yards and workshops of the Contractor or other places where goods are being prepared for the building TRANSPORT TO AND FROM THE SITE The Contractor shall include in his prices for the transport of materials, workmen etc to and from the site of the proposed works at such hours and by such routes as are permitted by the Authorities. **Not Priced** All unit rates for local or imported goods are to include freight, insurance, handling and delivery costs to the project site together with import duties, sale tax, port charges etc and all other charges of whatever nature. 3,500,000.00 Carried to Collection TSH 7,500,000.00 BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Amount Item no. FAIR WAGES The Contractor shall pay rates or wages and observe hours and conditions of labour not less favourable than the minimum conditions of employment applicable in the district in which the work is carried out. The relevant notice must be posted up and kept posted upon the site where it can be conveniently read by the employees concerned in languages they can understand. The Contractor is to comply with the Regulations of Wages and Conditionds of Employment Act, Building and Construction IndustryWages Council and is to be responsible for compliance of the sub-contractors employed in the execution of the contract. If required he is to notify the Architect of the names and addresses of all such sub-contractors. Any Contractor or Subcontarctors not complying will not be permitted to tender for other work for such a period as the Architect may determine Should a claim be made to the Architect alleging the Contractor's default in payment of Fair Wages to any workman employed on the contract and if proof thereof satisfactory to the Architect, may failing payment by the Contractor, pay the claim out of any monies due or which may become due to the Contractor under this contract. The Contractor is to furnish to the Architect, if called upon to do so, such particulars of the rates of wages, hours and conditions of labour referred to above as the Architect may direct SECURITY OF WORKS AND FENCING
The Contractor shall be entirely responsible for the security of all works, stores, materials, plant, personnel etc both his own and sub-contractors and shall provide adequate watching, lighting and other necessary to ensure this **Not Priced** security, the safety and protection. PUBLIC, PRIVATE ROADS AND PAVEMENTS ETC The Contractor will be required to make good at his own expense any damages he may cause to the present approach road surfaces during the C Not Priced period of the works POLICE REGULATIONS The Contractor is to allow for complying with all instructions and regulations D of the Police Authorities AREA TO BE OCCUPIED BY CONTRACTOR

The area of the site which may be occupied by the Contractor for use as storage and for the purpose of erecting workshops etc shall be defined on

the site by the Architect

PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

BILL NO. 1

0.00

Carried to Collection TSH

## PROGRESS SCHEDULE

Amount

Immediately after signing the contract the contractor is to prepare a time progress Chart showing the time and order in which he proposes to carry out the works within the total construction time stated in the contract. The chart will show in detail the construction time and order in which each section of the work is to be carried out and be sub-divided into trades and tasks. If the Contractor proposes sectional completion of the project he must plan this in detail including access roads, and services and this shall be reflected on the chart.

Upon the letting of the sub-contractors work the contractor is to incorporate times and details of each separate sub-contractor's work which information is to be agreed by the sub-contractor and thechart will be so designed to accommodate this information.

At the end of each week the Contractor is to mark on the chart in a different colour the actual time taken to complete the respective stages and sections of the work. The Contractor shall obtain the Architect's approval on the chart and then shall supply copies to the Architect and Quantity Surveyor

If at any time it should appear to the Architect that the actual progress of the works does not conform to the approved programme progress schedule the Contractor shall produce at the request of the Architect a revised programme showing the modifications and accelerations to the approved programme necessary to ensure completion of the works within the agreed contract period.

The submission of and approval by the Architect of such revisions and accelerations shall not entitle the Contractor to any extra payment or extension of time and shall not relieve the Contractor of any duties or obligations or responsibilities under the contract

### **OVERTIME**

The Contractor shall be responsible for any extra costs for overtime working he considers will be necessary in order to complete the works within the contract period or time for completion apart from overtime working which may be authorised by the Architect

If overtime is worked out in accordance with a written instruction issued by the Architect the Contractor will be reimbursed in respect of such overtime to the unproductive time payable over and above the basic hourly rates as laid down by the Regulation of wages and Conditions of Employment Act, Building and Construction Industry Wages Council and excluding any bonuses, profits and overheads.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Not Priced

Not Priced

Not Priced

Item no.		Amount
	WATER	
Α	The Contractor shall provide at his own risk and cost all water for use in connection with the works including the work of Sub-contractors make arrangements with the local authority for the installation of a seperate mete for all water used by him throughout the contract and pay all costs and fees in connection therewith. He shall also provide temporary storage tanks and tubing etc as he may consider necessary and clear away at completion.	1,500,000.00
	All water shall be fresh, clean and pure, free from earthly vegetable or organic matter, acid or alkaline substance in solution or suspension.	
	TELEPHONE	1
В	The Contractor shall provide in the office, from the commencement to the completion of the works, a telephone to the Exchange and shall pay all fees and rentals for same.	Not Priced
	LIGHTING AND POWER	
С	The Contractor shall provide at his own risk and cost all temporary artificial lighting and power for use on the works including all sub-contractors and specialists requirements and including all temporary connections, wiring, fittings etc and clearing away on completion. The Contractor shall pay all fees and obtain all permits in connection therewith.	1,000,000.00
	CONCRETE TEST	3,000,000.50
D	Note: The Contractor must allow in his rates all costs in connection with the making of cubes, curing, transport, crushing by an approved testing!  Authority and obtaining the test certificate;	
	Set of four 150 x 150 x 150mm concrete test cubes; 3 sets (Provisional @ Tshseach set)	
	*Contractor to insert rate and extend	Not Priced
	Carried to Collection TSH	2,500,000.00
F	BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS	

### Amount

# ACCESS TO SITE AND TEMPORARY ROADS

Means or access to the site shall be agreed with the Architect prior to commencement of the works and the Contractor must allow for building and maintaining any temporary access roads for the transport of materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges or any other means of gaining access.

**Not Priced** 

Upon the completion the works the Contractor shall remove such temporary roads, temporary culverts bridges etc and make good and reinstate all works and services disturbed to the satisfaction of the Architect.

### TEMPORARY BUILDINGS

The Contractor shall provide sheds for storage, accommodation for all goods and materials liable to suffer damage from exposure to sunlight or inclement weather.

The Contractor shall provide offices, mess rooms and all the buildings required by the contractor for his own use and the use of Nominated Sub-contractors as required by the items of attendance only.

The Contractor shall shall provide an office of approximately 15 square meters equipped with a table, a chair and a plan chest for drawers for drawings

The Contractor will not be required to provide a separate office for Consultants but he shall provide a table of sufficient size for meetings, plan chest for drawings and ten chairs.

The Contractor shall allow for the cost of providing light refreshment for the Consultants at site meetings.

The Contractor shall keep on the site and maintain in good condition one dumpy or quickset level, metric leveling staff and one 30 metre steel tape for the use of the Architect, Surveyor and Engineer.

Upon completion all temporary buildings are to be removed and cleared away

**Not Priced** 

Carried to Collection TSH

**Not Priced** 

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

### Amount

## SANITATION OF THE WORKS

The sanitation of the works shall be provided, maintained and removed on completion by the Contractor to the satisfaction of the Architects and local Authorities.

The latrines shall be enclosed with framing and corrugated sheets roots, sides and partitions, with concrete floors steel trowelled smooth to floors to facilitate washing. Their location shall be agreed with the Architects and the works shall not be commenced before the sanitary accommodation has been approved by the above mentioned authorities.

Ine Contractor will be required to pay all conservancy charges and shall ensure clean daily maintenance and disinfecting of the latrines, and not less than once per week, the whole area shall be sprayed with disinfectant and insecticides and any temporary drains shall be removed and all works and surfaces disturbed made good and then the whole area disinfected and left clean and free from pollution to the satisfaction of the Architect and local authorities

### SIGNBOARD

the whole period of the building operation and remove at completion, one approved temporary sign board to the Architect's standard design giving a brief description of the works and showing the names of the employer and the consultants, with sufficient space to append the names of the subcontractors and suppliers when known. The signboard shall conform to the requirement of the Architects and Quantity Surveyors Registration Board (AQRB) in all respects.

**Not Priced** 

500,000.00

Carried to Collection TSH

500,000.00

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Amount

#### ۸

# PRIME COST SUMS

 The words "Prime Cost" (or the initials "P.C") appearing in the contract documents shall mean;

net costs exclusive of any trade, cash or other discount whatsoever but inclusive of the costs of the packing, carriage and delivery. Such costs shall be the same due to the sub-contract or supplier after adjustments where applicable in respect of measurements of rates.

- ii) Any increase or decrease in the prime costs sums resulting from the adjustments and properly paid by the contractor shall be added or deducted from the contract sum in the final account. In substantiation the contractor will require to produce to the Quantity Surveyor all quotations, invoices and receipted accounts as shall be necessary to show the details of the sums actually paid.
- iii) Any sum added by the Contractor in these Billsof Quantities in respect of profits upon any prime costs will be deducted at the final settlement of accounts and the sum will be added to the amount of which will bear the same proportion to the sum added as the net amount properly expended to the original P.C sum.

Not Priced

Carried to Collection TSH

Not Priced

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Amount

# NOMINATED SUB-CONTRACTORS

The Contractor shall accept responsibility for providing the following services for nominated sub-contractors.

A

- i) GENERAL ATTENDANCE: The following services are described as "allow for general attendance"
  - a) Use for the purpose of the sub-contract works of any scaffoding belonging to or provided by the Contractor while it remains so erected upon site, provided that no warranty or other liabilityon the part of the Contractor or of his other sub-contractors shall be created or implied in regard to the fitness, condition or suitability of the said scaffolding
  - b) Provision of water, lighting, watching and attendance for the purpose of the sub-contract works.
  - c) Use of sanitary accommodation, mess-rooms and welfare facilities.
  - d) Provisionof space for erecting of offices or stores or space for storage of plant and materials.

B

- ii) SPECIAL ATTENDACE: The following services are stated under a seperate item and where described under the following headings shall mean:
  - a) Taking delivery including the provision of unskilled labour necessary to attend upon the sub-contractors workmen for the purpose of unloading plants and materials when received upon the site and placing in position within the sub-contractor's storage space or store.
  - b) Hoisting including the provision of unskilled labour and the use of any Contractors standing scaffoding and plant for the purpose of assisting the sub-contractors workmen in hoisting the sub-contractors plant and materials to the various levels but not placing in its final position.
  - c) Providing power including the provision of power during the course of the works and during the periodof commissioning and training

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS


Not Priced

**Not Priced** 

Not Priced

Item no. Amount NOMINATED SUPPLIERS The Contractor shall take delivery anywhere in Dar es Salaam of all materials or goods supplied by the Nominated suppliers and shall sign a receipt as having received them in good order and condition. He shall ofload, transport to site, unload, hoist, provide safe storage and thereafter be responsible for any loss or damage or replacement of any such lost or damaged articles at his own expense and shall return case if so required. **Not Priced** Provision is made herein following each appropriate P.C sums for the costs of the foregoing services against items reading "take delivery of and fix only" PROTECTION OF THE WORK AND PREVENTION OF NUISANCE the works and such sections of the site necessary thereafter shan be under Not Priced the entire care and control of the Contractor during the whole period of the contract and shall take all possible precautions to prevent any nuisance, inconvenience or injury to the holder or occupiers of the existing or surrounding properties and to the public generally, and shall at all times keep all paths and roads affected by the works in a safe and clear state, and shall use proper precautions to ensure the safety of all wheeled traffic and pedestrians. REMOVAL OF PLANT AND RUBBISH ETC The Contractor shall upon completion of the works remove and clear away all temporary buildings, plant, rubbish and unused materials, and shall leave the whole of the site of the works in a clean and tidy state to the satisfaction of the Architect. He shall also remove all rubbish and dirt from the site at weekly intervals or as directed by the Architect. 1,000,000.00 Particular care shall be taken in leaving windows, floors and fittings clean and the removal of all paint and cement stains therefrom. COPYRIGHT The copyright of these documents is vested in Cost-Consult Ltd. No part of Not Priced this document may be reproduced in any form or by any means without their prior permission. Carried to Collection TSH 1,000,000.00 BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Item no.		Amount
	Bill No. 1	
	Element No. 1	
	PRELIMINARY ITEMS	
	COLLECTION	Amount
	Total Brought Forward from Page No.	
	VIII/1/1,	/1 Not Priced
	VIII/1/1,	Not Priced
	VIII/1/1/	Not Priced
	VIII/1/1/4	Not Priced
	VIII/1/1/5	Not Priced
	VIII/1/1/6	5,000,000.00
	VIII/1/1/7	1,200,000.00
	VIII/1/1/8	0.00
	VIII/1/1/9	900,000.00
	VIII/1/1/10	7,500,000.00
	VIII/1/1/11	0.00
	VIII/1/1/12	Not Priced
	VIII/1/1/13	2,500,000.00
	VIII/1/1/14	Not Priced
	VIII/1/1/15	500,000.00
	VIII/1/1/16	Not Priced
	VIII/1/1/17	Not Priced
	VIII/1/18	1,000,000.00
PRI	Carried Forward to Summary of Bill No. 1 TSH ELIMINARY ITEMS EMENT NO. 1 ELIMINARY ITEMS	18,600,000.00



	OFFICE BUILDING	
ı		
1		

WC 22.5				
BILL NO. 2: OFFICE -MATOGORO-SONGEA ELEMENT NO. 1; SUBSTRUCTURE	Unit	Quantity	Rate	Amount(TZS)
(ALL PROVISIONAL)				
EXCAVATIONS AND EARTHWORKS				
Site clearance				
Clear site of all bushes tuffs and small trees no A exceeding 600mm girth and burn debris on sit (approximate area 132 square metres)	ot e	Item		211,200.00
Excavation in earth				
Excavate average 150mm deep to remove top vegetable soil and stock pile on site for later re use (including disposal of surplus as necessary)	- m <sup>2</sup>	132	1,000.00	132,300.00
Excavation in earth commencing at formation level and not exceeding 1.50 metres deep				
C Excavate foundation trench	m³	57	5,000.00	287,385.00
Carried to Collection  BILL NO. 2:  OFFICE -MATOGORO-SONGEA  Element No. 1  SUBSTRUCTURE			TSH	630,885.00

Ito	em 	Unit	Quantity	/ Rate	Amount(TZS)
	Risk of collapse of excavations				
Α	Planking and strutting  Allow for maintaining and supporting sides of excavations by provision of planking and strutting and for keeping the same free from fallen materials		Item		200,000.00
	Keeping excavations free of water				1
В	Allow for keeping excavations free of water (except spring or running water) and mud by pumping, baling or other approved means		Item		200,000.00
	Fillings				
	Earth filling obtained from the excavations (not compacted)				
C	Around foundations	m³	9	4,500.00	41,593.50
	Imported soil filling including excavating in borrow pits			1,2-0.00000	
D	Well ram and consolidate to make up levels under floors	m³	25	15,000.00	368,820.00
	Import materials				
Ε	Import surplus material to excavations and/or stock piles on site from pit situated nearby from site	m³	14	25,000.00	359,696.25
	Carried to Collection			TSH	1,170,109,75
E	BILL NO. 2: DFFICE -MATOGORO-SONGEA Element No. 1 SUBSTRUCTURE				

ſ	tem	Unit	Quantity	y   Rate	Amount(TZS)
	Soil poisoning				Amount(125)
	Anti- termite treatment Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore	m2	82	4,000.00	327,840.00
	B Ditto, around the building plinth	m	47	1,500.00	71.400.00
	Hardcore		\$P	1,500.00	71,100.00
(	150mm Bed, levelled and blinded to receive polythene membrane(measured separately)	m²	82	9,500.00	778,620.00
I	Sand blinding	m²	82	1,000.00	81,960.00
	CONCRETE WORK				
	Plain concrete grade 15				
F	foundation  Reinforced concrete	m²	57	10,000.00	574,770.00
	Insitu concrete grade 20 including vibrating around reinforcement	1			
G		m³	4	250,000.00	957,950.00
Н	Insitu concrete grade 15 Including vibrating around reinforcement 100mm Bed	m <sup>2</sup>	93	20,000.00	1,863,000.00
J	100mm Ramp	m <sup>2</sup>	0	20,000.00	
	Carried to Collection BILL NO. 2: OFFICE -MATOGORO-SONGEA Element No. 1 SUBSTRUCTURE			TSH	4,655,240.00
1					

	Reinforcement	Unit	Quantity	Rate	Amount(TZS)
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
Α	8mm Diameter bar	kg	320	4,000.00	1 200 745 44
В	12mm Diameter bar	kg	296	4,000.00	1,280,713.07 1,183,526.40
	Sawn formwork to:-				
	Vertical sides of ground beams	m <sup>2</sup>	24	18,000.00	474 200 40
1	Edges of bed, 100mm high	m	47	2,700.00	431,280.00
1	STONE WALLING Stone walls bedded and jointed in cement mortar (1:4)			2,700.00	127,980.00
1	300mm Wall	m <sup>2</sup>	83	35,000.00	2,915,500.00
15	Black pipes Class B supply and fix 75mm x 2mm thick black pipe to eceive roof structure	m	16	55,000.00	880,000.00
OF Ele	Carried to Collection  L NO. 2: FICE -MATOGORO-SONGEA ment No. 1 BSTRUCTURE		TSH	1	6,818,999.47

Ite	Damp-proof course	Unit	Quantity	Rate	Amount(TZS)
Α	500 Gauge polythene damp-proof membrane laid over blinded hardcore (measured separately)	m <sup>2</sup>	93	2,000.0	186,300.00
В	Hessian based bitumen damp-proof course to B.S. 743 type 'A' 230mm wide laid horizontally	m	57	1,500.00	84,825.00
	Plinth protection			ł	
С	12mm Cement and sand render to walls (1:4) external rendering to concrete or blockwork	m²	24	6,000.00	142,200.00
D	Prepare and apply two coats of black bituminous paint on rendered surfaces externally	m²	24	5,000.00	118,500.00
C E	Carried to Collection  ILL NO. 2:  FFICE -MATOGORO-SONGEA  JEMENT No. 1  JBSTRUCTURE			rsh	531,825.00

Item	Unit	Quantity	Rate	Amount/7763
Bill No. 2			Nate	Amount(TZS)
Element No. 1	11			
SUBSTRUCTURE				
COLLECTION				
		Page No.		Amount
Total Brought Forward from Page No.		VIII/5//1		630,885.00
		VIII/5/2		1,170,109.75
		VIII/5/3		4,655,240.00
	1 1	VIII/5/4		5,818,999.47
	1 1	VIII/5/5		531,825.00
Carried Forward to Summary of Bill No. 2 BILL NO. 2: OFFICE -MATOGORO-SONGEA Element No. 1 SUBSTRUCTURE		TS	SH	13,807,059.22

Ite	em	Unit	Quantity	Rate	Amount(TZS)
Α	ELEMENT NO. 2; FRAME  CONCRETE WORK  REINFORCED CONCRETE  In situ reinforced concrete grade '20' including vibrating around reinforcement				
Α.	REINFORCEMENT  High tensile steel reinforcement to B.S. 4461 in structural concrete work	m <sup>3</sup>	4	250,000.00	957,950.00
В	8mm Diameter bar	kg	320	4,000.00	1,280,713.07
С	12mm Diameter bar	kg	296	4,000.00	1,183,526.40
D	SAWN FORMWORK TO:- Sides and soffits of horizontal beams	m²	28	18,000.00	498,348.00
	Carried Forward to Summary of Bill No. 2  Bill No. 2  OFFICE -MATOGORO-SONGEA  Element No. 2  FRAME			TSH	3,920,537.47

Ite	m T	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 3; WALLING				Amount(123)
	BRICK WALLING  Solid conrete block walling to B.S. 2028 type 'A' bedded and jointed in cement and sand (1:4) mortar with and inluding 2No. 6mm high tensile bars set horizontally after every two courses	1 1			
А	230mm Thick brick Walls	m²	154	28,000.00	4,313,400.00
	*				
	Total Brought Forward from Page No. BILL NO. 2: DFFICE -MATOGORO-SONGEA Element No. 3 NALLING		1	rsh i	4,313,400.00

[tem		Unit	Quantity	Rate	Amount(TZS)
	LEMENT NO. 4; ROOF CONSTRUCTION				
100	ROOF COVERINGS				
1	Aluminium roofing sheets				
1	28 IT 5 Gauge Industrial resincoted (preformed) rough aluminium sheeting (ref. 116) lapped 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres				
А	Roof coverings sloping not exceeding 45 degrees from the horizontal	m²	170	39,500.00	6,715,000.00
	Riqde cape	m	37	12,000.00	444,000.00
c	Valley	m	10	12,000.00	120,000.00
	ROOF STRUCTURE				
	Sawn soft wood; Impregnated with Preservatives				
В	50 x 150mm king post	m	22	6,000.00	133,440.00
C	50X150mm Tie beam	m	77	8,000.00	514,400.00
D	50X150mm Rafters	m	108	8,000.00	865,280.00
E	50X100mm Struts	n	67	7,000.00	468,160.00
F	50X150mm Wall Plate	п	57	8,000.00	453,120.00
G	50X75mm Purlins	n	515	5,000.00	2,577,266.67
Н	25 x 250mm Fascia and barge board, painted	ı n	n 57	9,500.00	538,080.00
	Carried Forward to Summary of Bill No.	2		TSH	12,928,746.67
	BILL NO. 2: OFFICE -MATOGORO-SONGEA Element No. 4 ROOF CONSTRUCTION				

ELEMENT NO. 5; DOORS  TIMBER DOORS  Prime quality 'mninga' or other equal and approved hardwood  Pannelled doors  45mm Thick solid panelled door, comprising of				
approved hardwood  Pannelled doors  45mm Thick solid panelled door, comprising of				
45mm Thick solid panelled door, comprising of			1 1	
45mm Thick solid panelled door, comprising of				
10x250mm stiles, top, middle and bottom rails poth divided into two panels, filled in with and including hardwood panel; all veneer finished couth sides and polyurethane matt polished				
000 x 2100mm wide	No	4	510,300,00	2,041,200.00
GLAZING				
mm Thick clear sheet glass and glazing to mber with beads (m/s) in panes				
panes over 0.5 square meters not exceeding square meters	sm	3	29,000.00	93,960.00
RONMONGERY				
applying and fixing ironmongery, "UNION" as applied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized hish; to softwood, hardwood or the like; fixing the screw				
ree lever mortice lockset with furniture	No	4	120,000.00	480,000.00
throom SASH lock with push plate and ficator	No	3	38,000.00	114,000.00
bber door stop plugged to concrete	No	4	5,000.00	20,000.00
Omm stainless steel butt hinges heavy duty SA ABLOY or equivalet	Prs	10.5	10,000.00	105,000.00
Carried to Collection L NO. 2: FICE -MATOGORO-SONGEA ment No. 5 ORS		- 1	тѕн	2,854,160.00
	ELAZING  Thick clear sheet glass and glazing to mber with beads (m/s) in panes  panes over 0.5 square meters not exceeding square meters  RONMONGERY  Ipplying and fixing ironmongery, "UNION" as applied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the screw area lever mortice lockset with furniture throom SASH lock with push plate and ficator  beer door stop plugged to concrete  Carried to Collection  L NO. 2:  FICE -MATOGORO-SONGEA  ment No. 5	SLAZING  IMAGE TAKEN THE PROJECT MANAGE TO THE PROJECT OF SASH lock with push plate and licator  The project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the screw area lever mortice lockset with furniture lockset with push plate and licator  Carried to Collection  L NO. 2:  FICE -MATOGORO-SONGEA ment No. 5	SLAZING  In Thick clear sheet glass and glazing to mber with beads (m/s) in panes  In panes over 0.5 square meters not exceeding square meters  RONMONGERY  Implying and fixing ironmongery, "UNION" as applied by "ASSA ABLOY" or equivalent to the proper of the Project Manager; satin anodized lish; to softwood, hardwood or the like; fixing this screw  In panes over 0.5 square meters not exceeding sm 3  RONMONGERY  Implying and fixing ironmongery, "UNION" as applied by "ASSA ABLOY" or equivalent to the project Manager; satin anodized lish; to softwood, hardwood or the like; fixing this screw  In panes over 0.5 square meters not exceeding sm 3  RONMONGERY  Implying and fixing ironmongery, "UNION" as applied by "ASSA ABLOY" or equivalent to the project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the screw area lever mortice lockset with furniture  No 4  The project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the screw area lever mortice lockset with furniture  No 4  The project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the screw area lever mortice lockset with furniture  No 3  Carried to Collection  L NO. 2:  FICE -MATOGORO SONGEA  The project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the project Manager; satin anodized lish; to softwood, hardwood or the like; fixing the project Manager; satin anodized lish; to softwood, hardw	SLAZING  IMATERIA STATE SHORT GLEAR SHORT

Iter	n T	Unit	Quantity	Rate	Amount(TZS)
	Frames and finishings				
Α	45x145mm Frames, rebated plugged to wall	m	173	30,000.00	5,184,000.00
В	45x145mm Transome	m	0	30,000.00	-
С	15x40mm Architrave, splayed	m	173	3,200.00	552,960.00
D	15×25mm Glazing beads	m	22	2,100.00	47,040.00
	Carried to Collection BILL NO. 2: OFFICE -MATOGORO-SONGEA Element No. 5 DOORS			TSH	5,784,000.00
i	Bill No. 2 Element No. 5 DOORS				
	COLLECTION  Fotal Brought Forward from Page No.			Page No VIII/5/10 VIII/5/11	Amount 2,854,160.00 5,784,000.00
BOE	Carried Forward to Summary of Bill No. 2  ILL NO. 2: FFICE -MATOGORD-SONGEA Jement No. 5  OORS			TSH	8,638,160.00

(te		Unit	Quantity	y Rate	Amount(TZS)
	ELEMENT NO. 6; WINDOWS				
	Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.				
Α	1500 x1500mm high	No	8	405,000.00	3,240,000.00
	DECORATIVE SECURITY GRILLS  Decorative Security Grilles in galvanised m. s; welded fabrication, welds ground smooth; 20mm mild steel solid bars in main frame with 20mm mild steel burglar bars laid vertically at 100mm centres; fixing with expansion bolts with 12mm loose bolts and spacer tubes and washers to masonry; including drilling; red oxide primer before fixing				
В	1500 x1500mm high	No	1	180,000.00	180,000.00
	Carried Forward to Summary of Bill No. 2			TSH	3,420,000.00
O	ILL NO. 2: FFICE -MATOGORO-SONGEA ement No. 6 /INDOWS				

Ite	m	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 7; FINISHINGS				
	In-situ finishings				
	Beds and backings; Cement and sand (1:4)				
А	32mm Beds to receive Porcelain floor tiles	m²	82	10,000.00	819,600.00
	Internal plastering in two coats steel trowelled to a smooth finish				
В	15mm To walls	m <sup>2</sup>	191	7,000.00	1,338,750.00
	External cement and sand (1:4) Pointing to bricks, fair finishing				
С	Pointing to 230 mm thick brick wall	m <sup>2</sup>	133	2,500.00	331,800.00
E	Carried to Collection  SILL NO. 2:  DFFICE -MATOGORO-SONGEA  Element No. 7  INISHINGS			TSH	2,490,150.00

Ite	m 	Unit	Quantity	Rate	Amount(TZS)
	Floor Tiles				
	Non-glazed (Polished) full body approved porcelain tiles; or equal and approved non-slip floor tiles laid at 45 degree with 10mm tile skirting to blockwork; bedding and jointing in cement mortar (1:3) grouting joints with matching				
Α	600 x 600x9mm thick tiles; butt jointed to floors	m²	82	48,000.00	3,934,080.00
В	150mm high skirting	m	65	7,200.00	468,000.00
	Plain sheet finishings				
	Gypsum Board; to approval of project manager				
	9mm; scrim coat filler to tapped joints set to pattern to timber base generally to an angle not exceeding 45 degree from horizontal				
С	ceiling	m <sup>2</sup>	82	12,000.00	983,520.00
	Cornices; approved shape				
D	50 x 50mm	lm	65	6,000.00	390,000.00
	Pine or Cypress; grade 2; pressure impreginated; treated with timber preservative				
Ε	Brandering 50 x 50mm	lm	369	2,800.00	1,033,200.00
	Carried to Collection BILL NO. 2:			TSH [	6,808,800.00
E	OFFICE -MATOGORO-SONGEA Element No. 7 FINISHING				
:4		1	4	H.	

[tem		Unit	Quantity	Rate	Amount(TZS)
	FINISHINGS				
	COLLECTION			Page No	Amount
	Total Brought Forward from Page No.			VIII/5/13	2,490,150.00
	Total Brought Forward Horn 1 252 1			VIII/5/14	6,808,800.00
		1			
	Carried Forward to Summary of Bill No. 2 BILL NO. 2: OFFICE -MATOGORO-SONGEA Element no. 7 FINISHING			TSH	9,298,950.00
			l l	1	

[ten	1	Unit	Quantity	Rate	Amount(TZS)
А	ELEMENT NO. 8; DECORATIONS  Internal work Prepare and apply one thinned coat and two full coats of vinyl silk paint  Plastered walls  Execute and apply three coats of inclusive hand.	m²	191	8,000.00	1,530,000.00
В	Prepare and apply three coats of 'polyurethane matt polish' or other equal and approved polish on wood surfaces  Frames over 200mm not exceeding 300mm qirth	m	173	1,500.00	259,200.00
С	General surfaces to hardwood shutter	m²	15	4,800.00	72,576.00
E	THREE COAT EMULSION PAINT  To Gypsum ceiling  Over 300mm girth	m²	82	8,000.00	655,680.00
Ε	To gypsum ceiling	lm	65	1,200.00	78,000.00
	Carried Forward to Summary of Bill No. 2	2		тѕн	2,595,456.00
	Bill No. 2 OFFICE -MATOGORO-SONGEA Element No. 8 DECORATIONS				

[tem	Unit	Quantity	Rate	Amount(TZS)
SECTION SUMMARY OFFICE -MATOGORO-SONGEA				
A SUBSTRUCTURE		VIII/5/6		13,807,059.22
B FRAME		VIII/5/7		3,920,537.47
C WALLING		VIII/5/8		4,313,400.00
D ROOF CONSTRUCTION		VIII/5/9		12,928,746.67
E DOORS		VIII/5/10		8,638,160.00
F WINDOWS		VIII/5/11		3,420,000.00
G FINISHINGS		VIII/5/15		9,298,950.00
H DECORATIONS		VIII/5/16		2,595,456.00
	11			
Carried to Final Summa BILL NO. 2 SUMMARY OF MEASURED WORKS	ary	TSH		58,922,309.35

SECURITY OFFICE

Ite	BILL NO. 2: SECURITY HOUSE-MATOGORO-SONGEA ELEMENT NO. 1; SUBSTRUCTURE	Unit	Quantity	Rate	Amount(TZS)
	(ALL PROVISIONAL)				
	EXCAVATIONS AND EARTHWORKS		1		
	Site clearance			1	
A	Clear site of all bushes tuffs and small trees not exceeding 600mm girth and burn debris on site (approximate area 211 square metres)	m²	47	1,000.00	46,777.50
	Excavation in earth				
В	Excavate average 150mm deep to remove top vegetable soil and stock pile on site for later re- use (including disposal of surplus as necessary)	m²	47	1,000.00	46,777.50
	Cutting to form levels		1		
С	Open face excavations of slopping site to form levels	m <sup>3</sup>	28	5,000.00	140,332.50
	Excavation in earth commencing at formation level and not exceeding 1.50 metres deep				
D	Excavate foundation trench	m³	39	5,000.00	195,097.50
Е	Excavation of column pit	m³	6	5,000.00	30,000.00
	Carried to Collection			TSH -	458,985.00
S	BILL NO. 2: SECURITY HOUSE-MATOGORO-SONGEA Element No. 1 SUBSTRUCTURE				130,303.00
			g		

Ite	em 	Unit	Quantity	/   Rate	Amount(TZS)
	Risk of collapse of excavations			72. VEXP-0752FF	,
	Planking and strutting				
Α	Allow for maintaining and supporting sides of excavations by provision of planking and strutting and for keeping the same free from fallen materials		Item		200,000.00
	Keeping excavations free of water				
В	Allow for keeping excavations free of water (except spring or running water) and mud by pumping, balling or other approved means		Item		200,000.00
	Fillings				
	Earth filling obtained from the excavations (not compacted)				
c	Around foundations	m <sup>3</sup>	8	4,500.00	35,775.00
	Imported soil filling including excavating in borrow pits				,
D	Well ram and consolidate to make up levels under floors	m <sup>3</sup>	12	15,000.00	173,529.00
	Import materials				
E	Import surplus material to excavations and/or stock piles on site from pit situated nearby from site	m³	14	25,000.00	359,696.25
			1		
- 1	Carried to Collection			TSH	060,000,25
	BILL NO. 2: SECURITY HOUSE-MATOGORO-SONGEA Element No. 1 SUBSTRUCTURE			1317	969,000.25

Ite	em 	Unit	Quantity	Rate	Amount(TZS)
	Soil poisoning				Personal Per
Α	Anti- termite treatment Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore	m2	36	4,000.00	144,528.00
В	Ditto, around the building plinth	m	29	1,500.00	43,200.00
	Hardcore				
C	150mm Bed, levelled and blinded to receive polythene membrane(measured separately)	m <sup>2</sup>	36	9,500.00	343,254.00
D	Sand blinding	m²	36	1,000.00	36,132.00
	CONCRETE WORK				omanumenuse de l
	Plain concrete grade 15				
E	50mm Thick surface blinding under column bases	m²	0	10,000.00	it.
F	100mm Thick surface blinding under strip foundation	m²	39	10,000.00	390,195.00
	Reinforced concrete Insitu concrete grade 20 including vibrating around reinforcement				
G	Column base	m³	2	250,000.00	375,000.00
Н	Plinth beams	m <sup>3</sup>	3	250,000.00	650,325.00
J	Columns	m <sup>3</sup>	1	250,000.00	250,000.00
	Insitu concrete grade 15 including vibrating				
k	around reinforcement 100mm Bed	m <sup>2</sup>	47	20,000.00	935,550.00
	Carried to Collection BILL NO. 2: SECURITY HOUSE-MATOGORO-SONGEA			TSH	3,168,184.00
	Element No. 1 SUBSTRUCTURE				

[te	m 	Unit	Quantity	Rate	Amount(TZS)
	Reinforcement				
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
A	8mm Diameter bar	kg	138	4,000.00	552,000.00
В	12mm Diameter bar	kg	276	4,000.00	
	Sawn formwork to:-				
С	Vertical sides of ground beams and columns	m²	28	18,000.00	510,840.00
D	Edges of bed, 100mm high	m	29	2,700.00	
	WALLING Stone foundation walling bedded and jointed in cement mortar (1:4)			111100000000000000000000000000000000000	
Ε	300mm Wall	m²	57	35,000.00	1,979,250.00
S	Carried to Collection ILL NO. 2: ECURITY HOUSE-MATOGORO-SONGEA lement No. 1 UBSTRUCTURE			TSH	4,223,850.00

[te	n I	Unit	Quantity	Rate	Amount(TZS)
	Damp-proof course				Amount (123)
A	500 Gauge polythene damp-proof membrane laid over blinded hardcore (measured separately)	m <sup>2</sup>	47	2,000.00	93,555.00
В	Hessian based bitumen damp-proof course to B.S. 743 type 'A' 230mm wide laid horizontally	m	57	1,500.00	84,825.00
	Plinth protection	11			
С	12mm Cement and sand render to walls (1:4) external rendering to concrete or blockwork	m²	14	6,000.00	86,400.00
D	Prepare and apply two coats of black bituminous paint on rendered surfaces externally	m²	14	5,000.00	72,000.00
SI	Carried to Collection ELL NO. 2: ECURITY HOUSE-MATOGORO-SONGEA ement No. 1 JBSTRUCTURE			TSH	335,780.00

[tem	Unit	Quantity	Rate	Amount(TZS)
Bill No. 2				
Element No. 1				
SUBSTRUCTURE				ı
COLLECTION				
		Page No.		Amount
Total Brought Forward from Page No.		VIII/6/1/1		458,985.00
		VIII/6/1/2		969,000.25
		VIII/6/1/3		3,168,184.00
		VIII/6/1/4		4,223,850.00
		VIII/6/1/5		336,780.00
Carried Forward to Summary of Bill No. 2 BILL NO. 2: SECURITY HOUSE-MATOGORO-SONGEA Element No. 1 SUBSTRUCTURE		TSI	1	9,156,799.25

Ite	em	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 2; FRAME				
	CONCRETE WORK				
	REINFORCED CONCRETE				
	In situ reinforced concrete grade '20' including vibrating around reinforcement				
А	Lintels/ beams	m <sup>3</sup>	3	250,000.00	650,325.00
B	Columns	m <sup>3</sup>	1	250,000.00	250,000.00
	REINFORCEMENT				
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
В	8mm Diameter bar	kg	151	4,000.00	604,000.00
C	12mm Diameter bar	kg	247	4,000.00	988,000.00
	SAWN FORMWORK TO:-				
D	Sides and soffits of horizontal beams, columns	m²	39	18,000.00	702,000.00
	Carried Forward to Summary of Bill No. 2 Bill No. 2 SECURITY HOUSE-MATOGORO-SONGEA Element No. 2 FRAME			TSH	3,194,325.00

Ite	n 	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 3; WALLING				
	BRICK WALLING				1
	Solid conrete block walling to B.S. 2028 type 'A' bedded and jointed in cement and sand (1:4) mortar with and inluding 2No. 6mm high tensile bars set horizontally after every two courses	1 1			
А	230mm Thick brick Walls	m²	154	28,000.00	4,305,420.00
				N.	
S	Total Brought Forward from Page No. ILL NO. 2: ECURITY HOUSE-MATOGORO-SONGEA lement No. 3 'ALLING			TSH	4,305,420.00

[t	ELEMENT NO. 4; ROOF CONSTRUCTION  ROOF COVERINGS  Aluminium roofing sheets Corrugated Iron Sheet "Gauge 28"Industrial resincoted (preformed) aluminium sheeting lapped 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres	Unit	Quantity	/ Rate	Amount(TZS)
А	Roof coverings sloping not exceeding 45 degrees from the horizontal  ROOF STRUCTURE  Sawn soft wood: Impregnated with Preservatives	m²	72	39,500.00	2,844,000.00
В	50 x 150mm king post	m	13	6,000.00	75,060.00
C	50X150mm Tie beam	m	43	8,000.00	345,600.00
D	50X150mm Rafters	m	61	8,000.00	486,720.00
E	50X100mm Struts	m	38	7,000.00	263,340.00
F	50X150mm Wall Plate	m	29	8,000.00	232,000.00
G	50X75mm Purlins	m	161	5,000.00	804,300.00
Н	25 x 250mm Fascia and barge board, painted	m	29	9,500.00	275,500.00
	Carried Forward to Summary of Bill No. 2 BILL NO. 2: SECURITY HOUSE-MATOGORO-SONGEA Element No. 4 ROOF CONSTRUCTION			тѕн	5,326,520.00

ľ	tem	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 5; DOORS				Amount(125)
	TIMBER DOORS				
	Prime quality 'mninga' or other equal and approved hardwood				
	Pannelled doors				
	45mm Thick solid panelled door, comprising of 40x250mm stiles, top, middle and bottom rails both divided into two panels, filled in with and including hardwood panel; all veneer finished both sides and polyurethane matt polished	52_			
,	900 x 2100mm wide	No	6	510,300.00	3,061,800.00
	GLAZING				,,
	Smm Thick clear sheet glass and glazing to timber with heads (m/s) in panes				
B	In panes over 0.5 square meters not exceeding 1 square meters	sm	3	29,000.00	93,960.00
	IRONMONGERY				
	Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodizer finish; to softwood, hardwood or the like; fixing with screw				
C	Three lever mortice lockset with furniture	No	6	110,000.00	660,000.00
D	Two lever mortice lockset with furniture, key less	No	3	55,000.00	165,000.00
E	Rubber door stop plugged to concrete	No	6	5,000.00	30,000.00
F	150mm stainless steel butt hinges heavy duty ASSA ABLOY or equivalet	Prs	13.5	10,000.00	135,000.00
	Carried to Collection BILL NO. 2: SECURITY HOUSE-MATOGORO-SONGEA Element No. 5 DOORS			тѕн	4,145,760.00

Unit	Quantity	Pate	1
		Note:	Amount(TZS)
m	43	30,000.00	1,296,000.00
m	5		150,000.00
m	43	140000000000000000000000000000000000000	031000000000000
m	17	2,100.00	138,240.00 35,700.00
		⊤SH	1,619,940.00
		Paca	***************************************
			Amount
		MB/2/6/17	4,145,760.00
		MB/2/6/18	1,619,940.00
	-	rsh	5,765,700.00
	m m m	m 43 m 5 m 43 m 17	m 5 30,000.00 m 43 3,200.00 m 17 2,100.00

I	tem I	Unit	Quantity	/ Rate	1
	ELEMENT NO. 6; WINDOWS		L. SALLEY	Kate	Amount(TZS)
	ALUMINIUM WINDOWS				
	Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.	1 1			
1	1200 x1200mm high 1500x 1200mm high 800 x 800mm high	No No No	1 2 3	405,000.00 324,000.00 64,800.00	405,000.00 648,000.00 194,400.00
	DECORATIVE SECURITY GRILLS				
	Decorative Security Grilles in galvanised m. s; welded fabrication, welds ground smooth; 20mm mild steel solid bars in main frame with 20mm mild steel burglar bars laid vertically at 100mm centres; fixing with expansion bofts with 12mm loose bolts and spacer tubes and washers to masonry; including drilling; red oxide primer before fixing				
DEF	1200 x1200mm high 1500x 1200mm high	No No No	1 2 3	180,000.00 144,000.00 28,800.00	180,000.00 288,000.00 86,400.00
	Carried Forward to Summary of Bill No. 2 BILL NO. 2: SECURITY HOUSE-MATOGORO-SONGEA Element No. 6 WINDOWS			TSH	1,801,800.00

	ELEMENT NO. 7; FINISHINGS	1 1			Amount(TZS)
	TO THE PERSON NAMED IN THE				
	In-situ finishings				1
	Beds and backings; Cement and sand (1:4)				
Α	32mm Beds to receive Porcelain floor tiles	m²	36	10,000.00	360,000.00
В	12mm Backings to receive ceramic wall tiles	m²	40	7,000.00	200000000000000000000000000000000000000
	Internal plastering in two coats steel trowelled to a smooth finish				
С	15mm To walls	m²	233	7,000.00	1,631,000.00
	External cement and sand (1:4) Pointing to bricks, fair finishing				
D	Pointing to 230mm thick brick wall	m²	71	7,000.00	497,000.00
1					
	Carried to Collection			тѕн	2,768,000.00
S	ILL NO. 2: ECURITY HOUSE-MATOGORO-SONGEA lement No. 7 INISHINGS				

It	em	Unit	Quantity	/ Rate	Amount(TZS)
	Floor Tiles				
	Non-glazed (Polished) full body approved porcelain tiles; or equal and approved non-slip floor tiles laid at 45 degree with 10mm tile skirting to blockwork; bedding and jointing in cement mortar (1:3) grouting joints with matching				
А	400 x 400x9mm thick tiles; butt jointed to floor	s m²	36	48,000.00	1,728,000.00
В	150mm high skirting	m	49	7,200.00	352,800.00
	Wall tiles White glazed ceramic wall tiles with cushion edge to B.S 1282 fixed to backings with adhesive and pointed including working around edges and pines				
C	600 x 200 x 8mm Tiling to walls	m²	40	35,000.00	1,400,000.00
	Plain sheet finishings				
D	Gypsum Board; to approval of project manager  9mm; scrim coat filler to tapped joints set to pattern to timber base generally to an angle not exceeding 45 degree from horizontal ceiling	m²	36	12,000.00	432,000.00
	Cornices: approved shape				
Ε	50 x 50mm	lm	49	6,000.00	294,000.00
F	Pine or Cypress; grade 2; pressure impreginated; treated with timber preservative  Brandering 50 x 50mm	lm	162	2,800.00	453,600.00
	Carried to Collection		:17	TSH	4,660,400.00
1	BILL NO. 2: SECURITY HOUSE-MATOGORO-SONGEA Element No. 7 FINISHINGS				

	Unit	Quantity	Rate	Amount(TZS)
FINISHINGS				
COLLECTION			Page No	Amount
Total Brought Forward from Page No.			VIII/6/8/13	2,768,000.0
			VIII/6/8/14	4,660,400.0
Carried Forward to Summary of Bill No. 2 BILL NO. 2: SECURITY HOUSE-MATOGORO-SONGEA Element No. 7 FINISHINGS			TSH	7,428,400.

Ite	m 	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 8; DECORATIONS  Internal work  Prepare and apply one thinned coat and two full coats of vinyl silk paint				
Α	E-M. W. N. N. MAR	m²	233	8,000.00	1,864,000.00
	Prepare and apply three coats of 'polyurethane matt polish' or other equal and approved polish on wood surfaces				
В	Frames over 200mm not exceeding 300mm qirth	m	43	1,500.00	64,500.00
C	General surfaces to hardwood shutter	m <sup>2</sup>	23	4,800.00	108,864.00
	External work Prepare and apply one thinned coat and two full coats of weather quard paint to				
D	Rendered walls	m²	71	5,000.00	355,000.00
	THREE COAT EMULSION PAINT To Gypsum ceiling				
Ε	Over 300mm girth	m²	36	8,000.00	288,000.00
F	To gypsum ceiling	lm	49	1,200.00	58,800.00
	Carried Forward to Summary of Bill No. 2			TSH	2,739,164.00
	Bill No. 2 SECURITY HOUSE-MATOGORO-SONGEA Element No. 8 DECORATIONS				
,					

[ten		Unit	Quantity	Rate	Amount(TZS)
NAS LOS	ELEMENT NO. 9: PLUMBING AND ENGINEERING INSTALLATION  Supply and fix/install the following sanitary appliances including all connections and fixing to FLOORS or WALLS as necessary or approved by services Engineers.				
Α	Asian (Squarting) type WC pans with built in S- trap complete with all necessary accessories - "Casterware" type or equal approved by Consultant	No.	3	202,000.00	606,000.00
В	Flushing Cistern tank complete with flushing pipe and all other necessary accessories - KARIBA type or equal approved by Consultant	No.	3	110,000.00	330,000.00
С	Finned and plain plastic W.C outlet connector	No.	3	15,000.00	45,000.00
D	Chrome Shurtuff ( Dotche spray) 13mm dlameter X 2000mm long flexible hose	No.	3	60,000.00	180,000.00
F	Complete hand wash basin (HWB), size 550x450x200mm complete with self closing; semi pedestal and chain stay hole; fairline Vzin pillar taps with clear acrylic handles; 1¼in bead chain waste and plug; 80cm slotted tail bolt stay; isovalve servicing valves. rubber plug with slotted tail; 32mm plastic bottle trap with 75mm seal - Castleware type or equal approved by Consultant	No.	3	420,000.00	1,260,000.00
G	600 x 600 x 6 mm thick Frameless Mirror Pilkington or equally approved with alkali resistant coating one side, fixed with domex screws to blockwork requiring plugging	No.	3	95,000.00	285,000.00
н	Toilet paper holder; chrome as to RAK 21015 or the like fixing with brass screws to backgrounds plugging	No.	3	55,000.00	165,000.00
J	792393 Lucia Bath Mixer Set Complete with handshower and headshower with all nesessary fittings and accessories	No.	1	350,000.00	350,000.00
	Carried to Collection	1		тѕн	2,421,000.00

Ite	"i	Unit	Quantity	Rate	Amount(TZS)
	WATER SUPPLY Ancillaries:		, see-see-solder		- mount(123)
	Draw off taps; stop valves; copper alloy to BS 5154 or BS 1010;				
G	792550 Star Bib Tap Plain 15mm (1/2" Dia.)	pcs	3	60,000.00	180,000.00
Н	Flexible pipes to all sanitaries including HWB and WC,	No.	6	10,000.00	60,000.00
	Supply and install the following HDPE pipe Class C including excavation, install and including its fittings:				1900
J	OD 25mm (3/4") HDPE pipe class C	m	150	4,500.00	675,000.00
	Carried to Collection	0		TSH	915,000.00
А	Supply and install the following PPR pipes including its to install Complete with all fittings and accessories: PPR pipe PN10 3/4"	М	6	5,000.00	20 000 00
В	PPR pipe PN10 1/2"	M	15	4,500.00	30,000.00
1	Carried to Collection	1	10	20-7-2-57-5	67,500.00
	WASTE AND VENT PIPES:			TSH L	97,500.00
-	Supply and install UPVC pipes to the floor/slab or chassed block work; Class B'; including fittings in running length Complete with all fittings and accessories for nine work installation				
. 0	DD40mm (1 1/4") uPVC pipe PN6 (Class B)	м	10	6,000.00	60,000.00
C	DD50mm (1 1/2") uPVC pipe PN6 (Class B) DD110mm (4") uPVC pipe PN6 (Class B)	M	12 25	8,000.00 12,000.00	96,000.00 300,000.00
1 le	OUL WATER DRAINAGE  Excavate trench to receive pipes of 50mm or 10mm uPVC pipes; commencing at ground evel not more than 1200mm deep; including rading bottom; backfilling and compacting and emoval of surplus excavated material.	m	20	6,000.00	120,000.00
in W	ULLY TRAP  onstruct a standard gully trap 400 x 400mm  ternal dimensions deep; in thick concrete block  alls complete with benching and all fittings  ad gully trap cover	No.	2	150,000.00	300,000.00

Item	Y	Unit	Quantity	Rate	Amount(TZS)
F	Construct standard manhole size 600 x 600mm average depth 1000mm deep; in 150mm, thick solid concrete blocks walls; 150mm, thick plain in-situ concrete grade '15' bed; complete with benching and all necessary pipe fittings; 1No. cast iron manholes covers and frames; finished to wall sides and top of slab with water proof cement and sand render; including excavation back filling and removal of surplus material; all as per and shown in the drawings.	No.	6	250,000.00	1,500,000.00
G	Construct of Septic Tank with size: Width (W) = 1.0 meter, Depth = 1.2 meter and Leght (L) = 1.8 meters	No.	1	4,000,000.00	4,000,000.00
н	Construct of Soak Away pit with: Depth/Height (H) = 2.5meters and Diameter (D) = 1.8 Meters	No.	1	4,500,000.00	4,500,000.00
	Carried to Collection	1		TSH	6,376,000.00
E	FIRE FIGHTING INSTALLATIONS: PORTABLE FIRE EXTINGUISHERS INSTALLATION:  Supply and install 9Kg, dry powder type - 'NAFFCO' Brand or any other equal and approved fire extinguishers, fixed to wall with and including brackets plugged on block work.	No	). Z	250,000.00	500,000.00
(	Supply and install 5Kg, Carbondioxide (CO2) type - 'NAFFCO' Brand or any other equal and approved fire extinguishers, fixed to wall with and including brackets plugged on block work.	No	1	300,000.00	300,000.00
9	Supply and Install Standard Photoluminiscent Fire Signage for Portable Fire Extinguishers	N	o. 4	80,000.00	320,000.00
	Carried to Collection	on		TSH	1,120,000.00
	COLLECTION  VIII/6/9/17  VIII/6/9/18  VIII/6/9/18  VIII/6/9/18  VIII/6/9/19  Carried Forward to Summary of Bill No	. 2			2,421,000.00 915,000.00 97,500.00 6,376,000.00 1,120,000.00

Iten		Unit	Quantity	Rate	Amount(TZS)
	SECTION SUMMARY SECURITY HOUSE-MATOGORO-SONGEA				
A	SUBSTRUCTURE		VIII/6/1/6		9,156,799.25
В	FRAME		VIII/6/2/7		3,194,325.00
С	WALLING		VIII/6/3/8		4,305,420.00
D	ROOF CONSTRUCTION	1	VIII/6/4/9		5,326,520.00
E	DOORS		VIII/6/5/10		5,765,700.00
F	WINDOWS		VIII/6/6/11		1,801,800.00
G	FINISHINGS		VIII/6/7/15		7,428,400.00
н	DECORATIONS		VIII/6/8/17		2,739,164.00
J	PLUMBING AND ENGINEERING INSTALLATION		VIII/6/9/19		10,929,500.00
	Carried to Final Summar BILL NO. 2 SUMMARY OF MEASURED WORKS	У		тѕн	50,647,628.25

# BILL OF QUANTITIES FOR ELECTRICAL INSTALATION MATOGORO-SONGEA

S/No	Supply and Install the following DISTRIBUTION SYSTEM	UNIT	QTY	RATE(Tshs)	AMOUNT(Tshs)
1.1	Single phase and neutral distribution body (DB) 4 WAYS,4 MCBs(10A,16A,25A,25A,) c/w Single phase Circuit breaker 63A/100mA as ABB make <b>OR</b> as approved	No	2	224,000	448,000
2.0	POWER POINTS	1			#.:
2.1	2 X 13A switch socket c/w steel box as TRONIC make <b>OR as approved</b>	No	6	24,500	147,000
2.2	equivalent 25A switch Double Pole (DP) switch c/w steel box as TRONIC make OR as approved equivalen	No	3	17,500	52,500
-	LIGHT FITTING AND FANS ESTIA round opple Energy saver(LED) 18	No	3	42,000	126,000
	W complete for toilet as Tronic make  OR as approved equivalent  ESTIA round opple Energy saver(LED) 24  W complete for toilet as Tronic make	No	14	56,000	784,000
3.3	OR as approved equivalent Wall Mounted Security light complete with its energy saver LED 40W/50W as PIEZO OR approved equivalent	No	9	112,000	1,008,000
3.4	Gate Mounted light complete with its energy saver LED 40W as PIEZO OR	No	3	70,000	210,000
3.5	approved equivalent Ceiling fan complete with its regulator 59" as Panasonic make OR as approved equivalent	No	6	350,000	2,100,000
4.0	SWITHES 10A 1 gang 1 way flush light switch c/w				<b>.</b>
4.	steel box asTRONIC make OR as	No	2	5,600	11,200
4.	10A 2 gang 1 way flush light switch c/w steel box asTRONIC make OR as	No	7	7,700	53,900
4.	approved equivalent 10A 3 gang 1 way flush light switch c/w 3 steel box asTRONIC make OR as approved equivalent	No	0	9,100	-
4.	10A 1 gang 2 way flush light switch 4 c/w steel box as TRONIC make OR	No	2	9,100	18,200
	as approved equivalent 10A 2 gang 2 way flush light switch c/w 5 steel box asTRONIC make OR as approved equivalent	No	0	10,500	-

1-	OA 3 gang 2 way flush light switch c/w	1	1	44 200	22,400
4.6	iteel box as TRONIC make OR as	No	2	11,200	22,100
4.7	IOA Intermediate light switch c/w steel oox asTRONIC make OR as approved	No	0	11,200	in the second second
4.8	equivalent 25A photocell as TRONIC make OR as	No	2	63,000	126,000
5.0	CABLES PLAS assets on the DS				=
	1C x 1.5mm sq PVC copper cable as	1	1		(₩)
5.1	Euro make OR as approved			71. CERESTA	000
- 1	equivalent (i)Red/Brown	mts	400	1,330	532,000
	(ii) Black/Blue	mts	300	1,330	399,000
	(ii) Yellow/Green	mts	300	1,330	399,000
	1C x 2.5mm sq PVC copper cable as				1020
50	Euro make OR as approved	1	1		-
3.4	equivalent		10753422		294,000
	(i)Red/Brown	mts	200	1,470	294,000
	(ii) Black/Blue	mts	200	1,470	294,000
	(ii)Yellow/Green	mts	200	1,470	254,000
	2C x 10 mm sq PVC copper cable as	1000		21,000	2,100,000
5.3	Euro make OR as approved	mts	100	21,000	
	equivalent	17 3			
	1C x 2.5mm sq PVC copper cable		50	1,330	66,500
5.5	Yellow/Green (earthing) as Euro make	mts	50	1,550	95.74
	OR as approved equivalent				-
	THE SUSTED FOR CARLE PILA	IC IC			-
6.0	FIXED ENCLOUSERS FOR CABLE RUN	i			
	Use 3/4 inch PVC conduit class B			7.000	560,000
6.	AFRICAB for full conduit wiring system	Pc	80	7,000	300,000
DAMES O	C/M SII SCCGSSOLIGS OK as abbitoaca				
	equivalent				
-	PVC water pipe 2" class B c/w all accessories PLASCON OR as approved	Pc	10	35,000	350,000
6.		1045545			
	equivalent		Q.		
7	EARTHING SYSTEM AND PROTECTION	N		1	-
	Soil treatment and interconnection to				
	general earthing of the house sets to	1			
	meet requirements of IEE		l)		
_	regulations.complete Three earth pits	ITEM	1	700,000	700,000
1.	with adequate number of earth rods	2		100	
	linked together with the earthing				
	cables, filled with wet charcoal/salt or				
	hantonita noveder				
	The State of State and State of State o				
	TOTAL ELECTRICAL BILLS	OF OLIAN	TITTES FOR	MATOGORO	11,095,700
	TOTAL ELECTRICAL BILLS	OF QUAN	I I I I I I I I I I I I I I I I I I I		

ITEM	DESCRIPTION OF WORKS	UNIT	QTY	RATE	AMOUNT
	BILL NO. 8				
	1CT INSTALLATION				
	STRUCTURED CABLING OF VOICE & DATA SY	STEM I	NSTAL	ATION	
	Supply, install, connect, test and commision as per drawings and specifications icluding all necessary equipments to the satisfaction of engineers.				
1	D - Link switch 24 Ports	PC	1	400,000.00	400,000.00
2	Dell Desktop computer, Dual core 3.0GHz, 2GB Ram, 500 HDD	PC	1	1,500,000.00	1,500,000.00
3	Wireless Access Point as of Ubiquiti Unifi Ap-AC (Ceilling - Indoor) PoE, Wireless Access Point 802.11, complete with connecting Accessories	PC	1	600,000.00	600,000.00
	Cat 6 Factory Terminated Computer Drops	00		18,000.00	180,000.00
4	3.0 Meter each	PC	10	18,000.00	100,000.00
5	IP Phone as of Yealink SIP-T21(P) E2.	PC	1	300,000.00	300,000.00
6	Wall Metallic Square Box - Single for data (Tronic)	PC	.5	2,500.00	12,500.00
7	PVC Conduit pipe 1", class B (Tronic)	PC	100	3,000.00	300,000.00
8	RJ45 Wall Faceplate, cat 6 for data/voice (dual port with spring loaded shutter and labelling field, c/w mounting boxes and other necessary accessories	PC	5	24,000.00	120,000.00
9	(DINTEK) Conduit Elbow connector (Coupler) 3/4" (Tronic)	PC	25	1,000.00	25,000.00
10	Conduit connector (Coupler) 3/4" (Tronic)	PC	25	1,000.00	25,000.00
11	Round box (Tranic)	PC	33	2,500.00	82,500.00
12		PC	10	13,000.00	130,000.00
13		PC	10	15,000.00	150,000.00
14	[1]	PC	10	18,000.00	180,000.00
15	TTCL Connection for Data and voice (Optic	PC	1	6,000,000.00	6,000,000.00
16	Cat 6e Horizontal Cable UTP 305M enclosed in a	Roll	1	500,000.00	500,000.00
	conduit (Class 'B') Sub-Total	Tshs	1	1	10,505,000.00

## EXTRNAL WORKS - MATOGORO

NO.	SERIES 1000: PRELIMINARIES AND GE DESCRIPTION	SPECS REF.		T QT	Y UN	100000000000000000000000000000000000000	AMOU
	23.01 Concrete Kerbing Class 25/19				RCA	IE	AMOUNT (TZS
23.01 (a	Concrete Kerbing Class 25/19 raised kerbs (150mm x 500mm) placed in concrete Class 15/19		m	10	2 3	5,000	3,570,00
	Sub - Total: Carried Forward						
	TOTAL FOR SERIES 2000: DRAINAGE (Carried Forward to Grand Summary)						3,570,000
SER	IES 3000: EARTHWORKS AND PAVEMEN	NT LAYE	RS OF	GP	VEL OR	CDUIC	
	Section 3100: Clearing, Grubbing and Removal of Topsoil				VEL OR	CKUS	SHED STONE
	Clearing, grubbing and removal of topsoil:			-	_	-	
31.01(a)	Clearing and grubbing including small trees not more than 1 m girth		sq.m	546	1	,500	910 000
31.01 (b)	Removal of topsoil		cu.m	00000		500	819,000
	Section 3400: Borrow Pit and Quarry Acquisition and Exploitation		CUSHI	LUT	8,	500	1,392,300
	36.02 Fill and improved subgrade layers:						
36.02 (a)	Improved subgrade layer as specified in the Drawings to require G15 quality material as minimum		cu.m	164	25,	000	4,095,000
	Sub - Total: Carried Forward						
	SERIES 5000: ANCILLARY ROADWORKS	9	-	-			6,306,300
	Section 5400: Road Signs						
	54.01 Road sign		-	-		-	
	Road sign on single post (sign sizes less than 0.5 sq.m) PAVEMENT WORKS		no	1	350,0	000	350,000
55.11	Paving blocks for bus terminal 200×100×100mm Thick including compacted sand layers at 150mm Thick	s	q.m	546	50,000.0	00	27,300,000
	Sub - Total: Carried Forward					_	1500 E-1600
							27,650,000
No.	SUMMARY						
No	DESCRIPTION						Amount TShs
1 7	otal for SERIES 3000						30,000
2 T	otal for SERIES 3000						3,570,000.00
3 T	otal for SERIES 5000						6,306,300.00 7,650,000.00
						1	,,030,000.00
	RRIED TO FORM OF TENDER (VAT Exclu						

Ite	BILL NO. 7: GATE STRUCTURE	Unit	Quantity	Rate	Amount(TZS)
	Excavation in earth commencing at formation level and not exceeding 1,50 metres deep				
Α	Column pits	m <sup>3</sup>	5.76	5,000.00	28,800.00
	Fillings				
	Earth filling obtained from the excavations (not compacted)				
В	Around foundations	m <sup>3</sup>	3	4,500.00	13,500.00
	Remove surplus			2004-2017-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2	5-500 <b>(</b> 16-600 (17-600)
С	Spread surplus excavated materials to spread on situated nearby from site	m <sup>3</sup>	2	3,500.00	7,000.00
	Reinforced concrete Insitu concrete grade 20 including vibrating around reinforcement				
	Column bases	m³	1.728	250,000.00	432,000.00
	Reinforcement				
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
D	8mm Diameter bar	kg	141.568	4,000.00	566,272.00
Е	12mm Diameter bar	kg	241.4472	4,000.00	965,788.80
	Sawn formwork to:-				
F	Vertical sides of columns, beams	m <sup>2</sup>	53.8	20,000.00	1,076,000.00
	Carried to Collection				3,089,360.80

Item		Unit	Quantity	Rate	Amount(TZS)
	METAL GATE  Steel gate openable size 4000mm wide x 1500mm high comprising of single openable leaf, fabricated from 100x50mm RHS Frame associated by 40 x 25mm RHS and 150 x complete with all iron mongery and locking devices: including one coat of primer and two coats of approved paint	No	1	750,000.00	750,000.00
A	4000x1500mm High	No	4	25,000.00	100,000.00
В	External painting to columns	INO	-		100000000000000000000000000000000000000
C	Signage writting			Item	250,000.00
D	External plastering in two coats steel trowelled to a smooth finish 15mm To columns	No	4	25,000.00	100,000.00
	ROOF COVERINGS Aluminium roofing sheets 28 GCI green resincoted (preformed) trough aluminium sheeting (ref. 116) lapped 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres				
E	Roof coverings sloping not exceeding 45 degrees from the horizontal  ROOF STRUCTURE Sawn soft wood; Impregnated with Preservatives, wrought and polished	m²	14.40	39,500.00	568,800.00
F	50 x 150mm king post,	m	6	10,000.00	56,000.00
G	50X150mm Tie beam	m	14	10,000.00	136,000.00
н	50X150mm Rafters	n	10	10,000.00	96,000.00
J	50X150mm Struts	п	18	10,000.00	176,000.00
К	50X150mm Wall Plate	п	11	10,000.00	110,000.00
L	50X75mm Purlins	n	32.40	5,000.00	162,000.00
М	25 x 250mm Fascia and barge board, painted	n	24.6	9,500.00	233,700.00
	Carried to Summan BILL NO. 7: GATE STRUCTURE	у		TSH	8,411,521.50

PROPOSED CONSTRUCTION OF ENTRY GATE TO BE BUILT AT PUGU- KAZIMZUMBWI ON PLOT NO.... BLOCK ....

BILLS OF QUANTITIES (BOQ)

DECEMBER 2021

## GENERAL SUMMARY

Description	Page No.	Amount(TZS)
BILL No.1 - PRELIMINARIES AND GENERAL MATTERS	VII/1/1/18	17,000,000.00
BILL No.2 - OFFICE BUILDING	3/17	52,524,714.85
BILL NO.3 - SECURITY HOUSE	4/17	11,913,301.00
BILL NO.4 - VISITOR'S LOUNGE	5/17	
BILL NO.5 - TOILET BLOCKS	6/17	20,111,386.75
BILL NO.6 - PLUMBING AND ENGINEERING WORKS	PL/4	19,625,000.00
BILL NO.7 - ELECTRICAL INSTALLATION	PE/2	17,539,200.00
BILL NO.8 - ICT INSTALLATIONS	PI/1	11,558,000.00
BILL NO.9 - EXTERNAL WORKS	E-W/2	60,882,695.00
BILL NO.10 - GATE	GT/2	4,625,226.80
SUBTOTAL (1)		215,779,524.40
ADD: VAT( 18%)		38,840,314.39
SUBTOTAL (2)		254,619,838.79
1		
Condition of Contract Clause 60 Allow for the cost of providing performance security for	1	

Signed	for and	on behalf
of	in the capacity of	
DATED THIS	DAY OF	2021

PRELIMINARIES AND GENERAL MATTERS
-----------------------------------

Amount Item no. BILL No. 01 PRELIMINARY ITEMS A PARTIES The Employer is; THE UNITED REPUBLIC OF TANZANIA MINISTRY OF NATURAL RESOURCES AND TOURISM TANZANIA FOREST SERVICE AGENCY P.O.BOX 40832 DAR ES SALAAM The Archiects Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA The Quantity Surveyors Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA The Consulting Engineer shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA The Services Engineer Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, Not Priced MBEYA Carried To Collection TSH **Not Priced** BILL NO. 1 PRELIMINARY ITEMS

ELEMENT NO. 1 PRELIMINARY ITEMS Item Amount no. APPROVED, DIRECTED AND SELECTED A The term "Approved", "Directed" and "Selected" where used in this documents shall mean the approval, direction and **Not Priced** selection of or by the Architect. DEFINITIONS AND ABBREVIATIONS B "as described" shall mean: as described in the Section No.VI (Specifications) "B.S." shall mean: the current British Standard Specifications published by the British Standards Institution, 2 Park Street, London, W.I, England "TBS" shall mean: The Tanzania Bureau of Standard specification "KG" shall mean: Kilogrammes NO shall mean: Number M shall mean: Linear Metres "M2" shall mean: Square Metres "M3" shall mean: Cubic Metres "Ditto" shall mean: the whole of the preceding description except as qualified in the section of which it occurs in brackets it shall mean the whole of the preceeding description which is contained within the appropriate brackets. "M.S." shall mean: Measured separately **Not Priced** B.M.S shall mean: Both sides measured separately Carried To Collection TSH **Not Priced** BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Item Amount no. SCOPE OF CONTRACT AND DESCRIPTION OF THE WORKS A The works under this contract generally comprises the construction and completion of the proposed office building and infrastructures for the Weights and Measures Agency at Medell on Plot No. ... Block B The above information is given without warranty and is only meant for the Contractor's quidance **Not Priced** The type of construction and materials to be used in executing these works are clearly shown on the Architect's and Services Engineer's drawings and C set out herein in these Bills of Quantities. The Contractor must obtain the approval from the Architect in regard to the use of any materials or facilities existing or found on site. **Not Priced** Carried to Collection TSH **Not Priced** BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Amount

no. LOCATION OF SITE A The site of the proposed works is located at Pugu Kazimzumbwi -Kisarawe The Contractor shall be deemed to have visited the site and satisfied himself a) The nature and position of the site b) The amount of the rubbish or debris to be cleared away before commencement c) The nature, current usage, proximity and size of adjoining property and building d) The availability of land for the erection and positioning of all temporary structures, plant and materials necessary for the execution of the works. The Contractor shall obtain approval from the relevant Local Authority in all matters relating to site access and erection of temporary structures and must ensure adherence to the requirements of these Authorities No claim will be allowed for travelling or other expenses which may be incurred by the Contractor in visiting the site or preparing the tender for the works. **Not Priced** AGREEMENT AND CONDITIONS OF CONTRACT The Contractor will be required to enter into a contract with the Employer Blunder the terms of Conditions of Contracts issued by the Public Procurement Regulatory Authority (PPRA). **Not Priced** The terms "The Contract Agreement" or "The Contract" or "The Form of Contract" shall mean the Conditions of Contract, the Special Conditions of C Contract and Form of Contract Agreement given in Sections IV, V and IX in this document respectively issued by the Public Procurement Regulatory Authority (PPRA) latest edition. **Not Priced** Not Priced Carried to Collection TSH BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Item

Item

no.

## THE FACTORIES (BUILDING OPERATIONS AND WORKS OF ENGINEERING CONSTRUCTION) RULES, 1985

The Contractor shall comply in all respects with the povissions of the Factories (Building Operations and Works of Engineering Construction) Rules, 1985 made under Section 55 of The Factories Ordinance, 1950 (CAP. 297)

The full text of the said rules may be inspected with the relevant authorities in addition to extract given here-below.

#### PART II-DUTIES AND APPLICATION-FACTORY RULES, 1985

Notification of commencement or taking over of operations of work and appointment of safety supervisor

Clause 5. (1) A main contractor shall, within seven days of commencing or undertaking building operations or works of engineering construction, notify the Chief Inspector, in writing of:-

- a) the contractor's name and postal address;
- b) the address or location of the site of the operation or works;
- c) the date of commencement;
- d) the expected date of completion;
- e) whether mechanical power is used or not;
- f) the number of persons expected to be employed.

Clause 6. (1) Every contractor who employs more than twenty persons shall, for every site on which he is the contractor, appoint one or more persons experienced in the operations or works carried on at the site and suitably qualified for the purpose. to:-

- a) advise the contractor as to the observance of the safety, health and walfare requirement under the Ordinance and under these rules, and
- b) suprvise and ensure the observance of the requirements and promote the safe conduct of work generally at the sites.
- (2) A contractor who employs twenty or fewer persons may appoint either himself or another person to be a safety supervisor in accordance with paragraph (1) above.

Carried to Collection TSH

Not Priced

**Not Priced** 

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

Not Priced

Item Amount no. LABOUR CAMPS Not Priced A The contractor will NOT be permitted to house labour on site OFFICES FOR THE CONSULTANTS The Contractor shall construct, complete and maintain throughought the B duration of the contract offices for the exclusive use of the Project Consultants and the Clients representatives. The office building whose construction shall include services installation, water, power, telephone, sanitary facilities, etc shall include a conference room bia enough to hold site meetings. The Contractor shall include for the following and maintaining the same during the duration of the project:-(i) Office furniture and furnishing (ii) Providing such office equipment as computers, telephones etc (iii) Maintaining and paying for such services as electricity, water supply, telephone (iv) Staff for cleaning and messenger (v) Some secretarial staff The Contractor shall allow for the cost of providing light refreshment for the Consultants at site meetings. OFFICES AND SHED The Contractor shall erect and maintain temporary accommodation for his 5,000,000.00 C own use the proper storage and protection of materials vulnerable to weather and remove when ordered Carried to Collection TSH 5,000,000.00 BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1

PRELIMINARY ITEMS

Item

no.

#### TEMPORARY STRUCTURES

The Contractor shall allow for providing and clearing away on completion of the Works, such temporary hoarding, rubbish chutes, gates, planked walkways, guard rails etc. as may be necessary for the protection of the workers, the general public and for the proper execution of the Works.

All such temporary structures shall be constructed with the approval of the Architect and to his full satisfaction and in such a manner as to cause minimum inconvenience and disturbance to the pedestrians and road users using the adjacent roads.

All such temporary structures shall comply in all aspects with the national laws, rules, and regulations currently in force and applicable to such structures.

#### TEMPORARY STRUCTURES (cont'd)

The Contractor shall further comply in all respects with the following conditions:

All temporary structures shall be erected in a manner so that the unloading B of materials causes minimum obstruction to the use of adjacent roads and other facilities

All temporary structures shall be kept properly lighted throughout the periods of darkness and any corners or projections shall be painted white.

D Temporary structures shall not be used or permitted to be used for advertisement purposes except with the consent of the Architect.

All temporary structures shall be maintained at all times in good order and good condition to the satisfaction of the Architect.

All temporary structures shall be removed when so required by the Architect or at the end of the period for which it is required

The Contractor shall idemnify and shall keep the employer idemnified G against any expenses, loss, claims or suits arising out of or in connection with the temporary structures

The Contractor shall pay all local authority or other charges payable in connection with temporary structures

#### WATCHING AND LIGHTING

The Contractor shall provide at his own risk and cost all watching as necessary to safeguard the Works, Plants and Materials against damage and theft.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

1,600,000.00

1,600,000.00

Item Amount no. TEMPORARY DISPOSAL OF RAIN WATER The Contractor shall provide and maintain all necessary temporary gutters, down pipes, chutes, drains etc. for conveying rainwater from the buildings. The Contractor shall allow for temporary drainage plumbing and piping for keeping the premises and site free from accumulation of water. SANITATION OF THE WORKS The Contractor shall make arrangement for the provision of sanitary facilities Bat site for use by his staff and workmen and shall keep them clean at all times to the satisfaction of the Architect DOWN TAKINGS All materials arising from demolitions and down takings are deemed to be Not Priced C the property of the employer. No claim will be entertained on account of employer excising this right to retain the materials All down takings shall be carefully removed, taken down, dismantled and stored on site until instructed by the Architect to remove from the site. Such materials shall only be incorporated in the new works if required by the Architect in which case appropriate adjustments will be made in the final account for the cost of labour, screws etc for fixing such down takings in the SUFFICIENCY OF TENDER The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the D rates and prices stated in the priced Bills of Quantities. Rates and prices Not Priced quoted shall cover all his obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works Abbreviations used in the Bills of Quantities shall be interpreted as follows:-SITE LEVELS Before commencing work the Contractor must arrange for and agree with **Not Priced** the Architect and Quantity Surveyor the on the existing site levels and similarly establish and agree on a bench mark. Carried to Collection TSH 0.00 BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1

PRELIMINARY ITEMS

Item no.

#### SETTING OUT

The Contractor shall set out the works in accordance with the dimensions and levels shown on the drawings and shall be responsible of the correctness of all dimensions and levels set out by him and he will be required to ammend all errors arising from inaccurate setting out at his own cost and expenses. In the event of any error or discrepancy in the dimensions or levels marked on the drawings being discovered, such errors or discrepencies must be reported by the Contractor to the Architect for his immediate attention.

500,000.00

Amount

No work shall be commenced by the Contractor until he has received written instructions from the Architect to adjust such discrepancies which may be proved, upon receipt of such instructions and no claim for extra expenses or relief from the provisions of Clause 7of the Conditions of the Contract, any discrepancy or error in the dimensions or levels shown on the drawings may be made thereafter.

#### SAMPLES

The Contractor shall furnish at the earliest possible opportunity before work commences and at his own cost any samples of materials or workmanship that may be called for by the Architect for his approval or rejection until such samples are approved to be the minimum standard for the work to which they apply

400,000.00

#### EXISTING PROPERTY AND SERVICES

The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for all damages hereto arising from the execution of his contract and he shall make good all such damages when directed at his own expense.

Not Priced

Prior to commencement of any work the Contractor is to ascertain from the relevant Authorities the exact position, depth and level of all existing electric cables, water pipes and all other services in the area and he shall make whatever provisions may be required by the authorities concerned for the support and protection of such servivses. Any damage or disturbances caused to any service shall be reported immediately to the Architect and the relevant Authority and shall be made good to theirsatisfaction at the Contractor's expense.

**Not Priced** 

Carried to Collection TSH

900,000.00

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Item Amount no. MATERIALS, TOOLS, PLANT AND SCAFFOLDINGS All materials and workmanship used in the execution of the works shall be of the best quality and description. Any materials for the works condemned by the Architect shall immediately be removed from the site at the Contractor's expense. The Contractor shall be responsible for the provision of all materials, scaffolding, tools, plant, transport and workmen required for the works except in so far as may be stated otherwise herein and he shall allow for the 4,500,000.00 provision of the foregoing except for such items specifically and only required for the use of Nominated Sub-contractors as described herein No timber used for scaffolding, formwork or similar purpose shall be used afterwards in the permanent works. All such plant, tools and scaffolding shall comply with all regulations whether general or local in force throughout the period of the contract and shall be required as may be necessary to comply with any ammendments in or additions to such regulations LOCAL REGULATIONS AND BY-LAWS The Contractor is to comply with all local regulations and by-laws of the 500,000.00 Local Authority including serving notices and paying of fees. SUPERVISION The said works shall be excuted under the direction and to the entire satisfaction of the Architect and Clerk of Works who shall have the **Not Priced** C|Architect's specifically delegated authority and shall at all times have access to the works, to the yards and workshops of the Contractor or other places where goods are being prepared for the building TRANSPORT TO AND FROM THE SITE The Contractor shall include in his prices for the transport of materials, **Not Priced** D workmen etc to and from the site of the proposed works at such hours and by such routes as are permitted by the Authorities. All unit rates for local or imported goods are to include freight, insurance, handling and delivery costs to the project site together with import duties,

sale tax, port charges etc and all other charges of whatever nature.

Carried to Collection TSH

5,000,000.00

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Item no.

Amount

#### FAIR WAGES

The Contractor shall pay rates of wages and observe hours and conditions of labour not less favourable than the minimum conditions of employment applicable in the district in which the work is carried out. The relevant notice must be posted up and kept posted upon the site where it can be conveniently read by the employees concerned in languages they can understand

The Contractor is to comply with the Regulations of Wages and Conditionds of Employment Act, Building and Construction IndustryWages Council and is to be responsible for compliance of the sub-contractors employed in the execution of the contract. If required he is to notify the Architect of the names and addresses of all such sub-contractors. Any Contractor or Sub-contractors not complying will not be permitted to tender for other work for such a period as the Architect may determine

Should a claim be made to the Architect alleging the Contractor's default in payment of Fair Wages to any workman employed on the contract and if proof thereof satisfactory to the Architect, may failing payment by the Contractor, pay the claim out of any monies due or which may become due to the Contractor under this contract.

The Contractor is to furnish to the Architect, if called upon to do so, such particulars of the rates of wages, hours and conditions of labour referred to above as the Architect may direct

### SECURITY OF WORKS AND FENCING

The Contractor shall be entirely responsible for the security of all works, stores, materials, plant, personnel etc both his own and sub-contractors and shall provide adequate watching, lighting and other necessary to ensure this security, the safety and protection.

### PUBLIC, PRIVATE ROADS AND PAVEMENTS ETC

The Contractor will be required to make good at his own expense any damages he may cause to the present approach road surfaces during the period of the works

### POLICE REGULATIONS

The Contractor is to allow for complying with all instructions and regulations of the Police Authorities

## AREA TO BE OCCUPIED BY CONTRACTOR

The area of the site which may be occupied by the Contractor for use as storage and for the purpose of erecting workshops etc shall be defined on the site by the Architect

Carried to Collection TSH

0.00

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Not Priced

Not Priced

Item Amount no. WATER The Contractor shall provide at his own risk and cost all water for use in connection with the works including the work of Sub-contractors make arrangements with the local authority for the installation of a separate meter 1,000,000.00 for all water used by him throughout the contract and pay all costs and fees in connection therewith. He shall also provide temporary storage tanks and tubing etc as he may consider necessary and clear away at completion. All water shall be fresh, clean and pure, free from earthly vegetable or organic matter, acid or alkaline substance in solution or suspension. TELEPHONE Not Priced The Contractor shall provide in the office, from the commencement to the completion of the works, a telephone to the Exchange and shall pay all fees and rentals for same. LIGHTING AND POWER The Contractor shall provide at his own risk and cost all temporary artificial lighting and power for use on the works including all sub-contractors and specialists requirements and including all temporary connections, wiring, 2,000,000.00 fittings etc and clearing away on completion. The Contractor shall pay all fees and obtain all permits in connection therewith. CONCRETE TEST Note: The Contractor must allow in his rates all costs in connection with the D making of cubes, curing, transport, crushing by an approved testingl Authority and obtaining the test certificate: Set of four 150 x 150 x 150mm concrete test cubes; 3 sets (Provisional @ Tshs.....each set) Not Priced \*Contractor to insert rate and extend Carried to Collection TSH 3,000,000.00 BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Item no.

#### ACCESS TO SITE AND TEMPORARY ROADS

Means of access to the site shall be agreed with the Architect prior to commencement of the works and the Contractor must allow for building and maintaining any temporary access roads for the transport of materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges or any other means of naining access

Upon the completion the works the Contractor shall remove such temporary roads, temporary culverts bridges etc and make good and reinstate all works and services disturbed to the satisfaction of the Architect.

#### TEMPORARY BUILDINGS

The Contractor shall provide sheds for storage, accommodation for all goods and materials liable to suffer damage from exposure to sunlight or inclement weather.

The Contractor shall provide offices, mess rooms and all the buildings required by the contractor for his own use and the use of Nominated Subcontractors as required by the items of attendance only.

The Contractor will not be required to provide a separate office for Consultants but he shall provide a table of sufficient size for meetings, plan chest for drawings and ten chairs.

The Contractor shall allow for the cost of providing light refreshment for the Consultants at site meetings.

The Contractor shall keep on the site and maintain in good condition one dumpy or quickset level, metric leveling staff and one 30 metre steel tape for the use of the Architect, Surveyor and Engineer.

Upon completion all temporary buildings are to be removed and cleared away

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

**Not Priced** 

500000

Not Priced 500,000.00

....

**Not Priced** 

Item

# SANITATION OF THE WORKS

1

The sanitation of the works shall be provided, maintained and removed on completion by the Contractor to the satisfaction of the Architects and local Authorities.

The latrines shall be enclosed with framing and corrugated sheets roofs, sides and partitions, with concrete floors steel trowelled smooth to floors to facilitate washing. Their location shall be agreed with the Architects and the works shall not be commenced before the sanitary accompdation has been approved by the above mentioned authorities.

1,000,000.00

Amount

The Contractor will be required to pay all conservancy charges and shall ensure clean daily maintenance and disinfecting of the latrines, and not less than once per week, the whole area shall be sprayed with disinfectant and insecticides and any temporary drains shall be removed and all works and surfaces disturbed made good and then the whole area disinfected and left clean and free from pollution to the satisfaction of the Architect and local authorities

Not Priced

## SIGNBOARD

The Contractor shall provide and erect where directed and maintain during the whole period of the building operation and remove at completion, one approved temporary sign board to the Architect's standard design giving a brief description of the works and showing the names of the employer and the consultants, with sufficient space to append the names of the subcontractors and suppliers when known. The signboard shall conform to the requirement of the Architects and Quantity Surveyors Registration Board (AODR) in all respects

500,000.00

Carried to Collection TSH

500,000.00

BILL NO. I PRELIMINARY ITEMS ELEMENT NO. I PRELIMINARY ITEMS Item no.

#### NOMINATED SUPPLIERS

The Contractor shall take delivery anywhere in Dar es Salaam of all materials or goods supplied by the Nominated suppliers and shall sign a receipt as having received them in good order and condition. He shall ofload, transport to site, unload, hoist, provide safe storage and thereafter be responsible for any loss or damage or replacement of any such lost or damaged articles at his own expense and shall return case if so required.

Provision is made herein following each appropriate P.C sums for the costs of the foregoing services against items reading "take delivery of and fix only"

# B PROTECTION OF THE WORK AND PREVENTION OF NUISANCE

The Works and such sections of the site necessary thereafter shall be under the entire care and control of the Contractor during the whole period of the contract and shall take all possible precautions to prevent any nuisance, inconvenience or injury to the holder or occupiers of the existing or surrounding properties and to the public generally, and shall at all times keep all paths and roads affected by the works in a safe and clear state, and shall use proper precautions to ensure the safety of all wheeled traffic and

## C REMOVAL OF PLANT AND RUBBISH ETC

The Contractor shall upon completion of the works remove and clear away all temporary buildings, plant, rubbish and unused materials, and shall leave the whole of the site of the works in a clean and tidy state to the satisfaction of the Architect. He shall also remove all rubbish and dirt from the site at weekly intervals or as directed by the Architect.

Particular care shall be taken in leaving windows, floors and fittings clean and the removal of all paint and cement stains therefrom.

## B COPYRIGHT

The copyright of these documents is vested in Cost-Consult Ltd. No part of this document may be reproduced in any form or by any means without their prior permission.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

**Not Priced** 

**Not Priced** 

1,000,000.00

**Not Priced** 

1,000,000.00

m O.		Amount
Bill No	. 1	ļ.
Elemen	nt No. 1	
PRELIM	MINARY ITEMS	
COLLE	CTION	Amount
Total B	rought Forward from Page No.	
	VIII/1/1/1	Not Priced
	VIII/1/1/2	Not Priced
	VIII/1/1/3	Not Priced
	VIII/1/1/4	Not Priced
	VIII/1/1/5	Not Priced
	VIII/1/1/6	5,000,000.00
	VIII/1/1/7	1,600,000.00
	VIII/1/1/8	0.00
	VIII/1/1/9	900,000.00
	VIII/1/1/10	5,000,000.00
	VIII/1/1/1	0.00
	VIII/1/1/12	Not Priced
	VIII/1/1/13	3,000,000.00
	VIII/1/1/14	Not Priced
	VIII/1/1/15	500,000.00
	VIII/1/1/16	Not Priced
	VIII/1/1/17	Not Priced
	VIII/1/1/18	1,000,000.00
ELEMENT	NARY ITEMS	17,000,000.00

SECTION SUMMARY - PRELIMINARY ITEMS			
		Page No.	Amount
PRELIMINARY ITEMS		VI/1/1/19	17,000,000.00
Allowance for preliminaries	m		Not Priced
Carried to Final Summary		TSH	17,000,000.
PRELIMINARY ITEMS			

Ite	BILL NO. 3: PUGU OFFICE ELEMENT NO. 1; SUBSTRUCTURE	Unit	Quantity	Rate	Amount(TZS)
	(ALL PROVISIONAL)  EXCAVATIONS AND EARTHWORKS				
	Site clearance				
А	Clear site of all bushes tuffs and small trees not exceeding 600mm girth and burn debris on site (approximate area 111.27 square metres)	m²	111	1,000.00	111,270.00
	Excavation in earth				
В	Excavate average 150mm deep to remove top vegetable soil and stock pile on site for later re- use (including disposal of surplus as necessary)	m²	111	1,000.00	111,270.00
	Cutting to form levels				
С	Open face excavations of slopping site to form levels	m³	67	5,000.00	333,810.00
	Excavation in earth commencing at formation level and not exceeding 1.50 metres deep				
D	Excavate foundation trench	m³	61	5,000.00	305,000.00
	Carried to Collection			TSH	861,350.00
	BILL NO. 3: PUGU OFFICE Element No. 1 SUBSTRUCTURE				

[te	em I	Unit	Quantity	Rate	Amount(TZS)
	Excavation in rock				
Α	Extra over excavation for excavating in rock (no blasting allowed)	m <sup>3</sup>	3	30,000.00	90,000.00
	Risk of collapse of excavations	1			
	Planking and strutting			, li	
В	Allow for maintaining and supporting sides of excavations by provision of planking and strutting and for keeping the same free from fallen materials		Item		200,000.00
	Keeping excavations free of water				
C	Allow for keeping excavations free of water (except spring or running water) and mud by pumping, baling or other approved means		Item		200,000.00
	Fillings				(
	Earth filling obtained from the excavations (not compacted)				
D	Around foundations	m <sup>3</sup>	25	4,500.00	111,302.10
	Imported soil filling including excavating in borrow pits				
E	Well ram and consolidate to make up levels under floors	m <sup>3</sup>	30	15,000.00	453,093.75
	Import materials				
F	Import surplus material to excavations and/or stock piles on site from pit situated nearby from site	m³	6	25,000.00	138,820,00
	Carried to Collection			TSH	1,193,215.85
	BILL NO. 3: PUGU OFFICE Element No. 1 SUBSTRUCTURE				

[te	em 	Unit	Quantity	Rate	Amount(TZS)
	Soil poisoning				
А	Anti- termite treatment Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore	m2	101	4,000.00	402,750.00
В	Ditto, around the building plinth	m	40	1,500.00	60,075.00
	<u>Hardcore</u>				50,075,00
С	150mm Bed, levelled and blinded to receive polythene membrane(measured separately)	m²	101	9,500.00	959,500.00
	CONCRETE WORK				
	Plain concrete grade 15				
D	100mm Thick surface blinding under strip foundation	m²	66	10,000.00	662,400.00
	Reinforced concrete Insitu concrete grade 20 including vibrating around reinforcement				
E	Strip foundations	m³	5	250,000.00	1,210,000.00
F	Plinth beams	m <sup>3</sup>	3	250,000.00	805,000.00
G	Insitu concrete grade 15 including vibrating around reinforcement 100mm Bed	m²	101	20,000.00	2,020,000.00
	Carried to Collection BILL NO. 3: PUGU OFFICE Element No. 1 SUBSTRUCTURE			TSH	6,119,725.00

[te	em I	Unit	Quantity	Rate	Amount(TZS)
	Reinforcement				
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
Α	8mm Diameter bar	kg	274	4,000.00	1,095,560.00
В	12mm Diameter bar	kg	147	4,000.00	
	Sawn formwork to:-				
С	Vertical sides of ground beams	m²	36	18,000.00	648,000.00
D	Edges of bed, 100mm high	m	53	2,700.00	143,505.00
	WALLING stone foundation				
Ε	300mm stone foundation wall bedded in cement sand mortar ratio 1:3	m <sup>2</sup>	21	35,000.00	735,000.00
	Carried to Collection BILL NO. 3: PUGU OFFICE Element No. 1 SUBSTRUCTURE			TSH	3,210,265.00
		ļ			

ſte	m 	Unit	Quantity	Rate	Amount(TZS)
	Damp-proof course				
А	500 Gauge polythene damp-proof membrane laid over blinded hardcore (measured separately)	m²	101	2,000.0	202,000.00
В	Hessian based bitumen damp-proof course to B.S. 743 type 'A' 230mm wide laid horizontally	m	91	1,500.00	135,900.00
	Plinth protection				
С	12mm Cement and sand render to walls (1:4) external rendering to concrete or blockwork	m²	27	6,000.00	159,450.00
D	Prepare and apply two coats of black bituminous paint on rendered surfaces externally	m²	27	5,000.00	132,875.00
	Carried to Collection BILL NO. 3:			TSH	630,225.00
F	PUGU OFFICE Element No. 1 SUBSTRUCTURE				

Ï	Unit	Quantity	Rate	Amount(TZS)
Bill No. 2				
Element No. 1				
SUBSTRUCTURE				
COLLECTION				
		Page No.		Amount
Total Brought Forward from Page No.		3/1		861,350.0
		3/2		1,193,215.8
		3/3		6,119,725.00
		3/4		3,210,265.00
		3/5		630,225.00
Carried Forward to Summary of Bill No. 3 BILL NO. 3: UGU OFFICE Ilement No. 1 UBSTRUCTURE		TS	SH	12,014,780.85

Ite	m	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 2; FRAME				
	REINFORCED CONCRETE				
	In situ reinforced concrete grade '20' including vibrating around reinforcement	E			
Α	Lintels/ beams	m³	3.22	250,000.00	805,000.00
	REINFORCEMENT				
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
В	8mm Diameter bar	kg	162	4,000.00	648,000.00
С	12mm Diameter bar	kg	274	4,000.00	1,096,000.00
	SAWN FORMWORK TO:-				
D	Sides and soffits of horizontal beams	m²	64	18,000.00	1,152,000.00
					5
	Carried Forward to Summary of Bill No. 3			TSH	3,701,000.00
	Bill No. 3 PUGU OFFICE Element No. 2 FRAME				

[te	m 	Unit	Quantity	/ Rate	Amount(TZS)
	ELEMENT NO. 3; WALLING				
	BRICK WALLING Solid conrete Brick walling bedded and jointed in cement and sand (1:4) mortar with and inluding 2No. 6mm high tensile bars set horizontally after every two courses				
Α	230mm External Walls	m <sup>2</sup>	101	28,000.00	2,822,120.00
В	230 Internal Walls	m²	48	28,000.00	. SWINTINGTONS SEVER
E	Carried Forward to Summary of Bill No. 3 BILL NO. 3: PUGU OFFICE Element No. 3 WALLING			TSH	4,156,600.00

Ite	em	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 4; ROOF CONSTRUCTION				1
	ROOF COVERINGS				
	Aluminium roofing sheets Corrugated Iron Sheet, "Gauge 28" aluminium sheeting lapped 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres				
А	Roof coverings sloping not exceeding 45	m²	128	39,500.00	
В	degrees from the horizontal Ridge/valley ROOF STRUCTURE	m	35	12,000.00	-,,
	Sawn soft wood: Impregnated with Preservatives				
C	50 x 150mm king post	m	28	6,000.00	166,800.00
D	50X150mm Tie beam	m	119	8,000.00	952,320.00
E	50X150mm Rafters	m	135	8,000.00	1,081,600.00
F	50X100mm Struts	m	84	7,000.00	585,200.00
G	50X150mm Wall Plate	m	50	8,000.00	403,232.00
Н	50X75mm Purlins	m	378	5,000.00	1,889,000.00
1	25 x 250mm Fascia and barge board, painted	m	50.404	9,500.00	478,838.00
	Carried Forward to Summary of Bill No. 3  BILL NO. 3: PUGU OFFICE Element No.4 ROOF CONSTRUCTION			TSH	11,032,990.00

em	Unit	Quantity	Rate	Amount(TZS)
ELEMENT NO. 5; DOORS			122467	Aount(123)
TIMBER DOORS				
Prime quality 'mninga' or other equal and approved hardwood				
Pannelled doors				
40x250mm stiles, top, middle and bottom rails, both divided into two panels, filled in with and				
900 x 2100mm wide	No	5	510,300.00	2,551,500.00
GLAZING				
5mm Thick clear sheet glass and glazing to timber with beads (m/s) in panes				
In panes over 0.5 square meters not exceeding 1 square meters	sm	2.25	29,000.00	65,250.00
IRONMONGERY				
Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized finish; to softwood, hardwood or the like; fixing with screw				
Three lever mortice lockset with furniture	No	5	120,000.00	600,000.00
Rubber door stop plugged to concrete	No	5	5,000.00	25,000.00
150mm stainless steel butt hinges heavy duty ASSA ABLOY or equivalet	Prs	7.5	10,000.00	75,000.00
Carried to Collection BILL NO. 3: PUGU OFFICE Element No. 5 DOORS			тѕн	3,316,750.00
	Prime quality 'mninga' or other equal and approved hardwood  Pannelled doors  45mm Thick solid panelled door, comprising of 40x250mm stiles, top, middle and bottom rails both divided into two panels, filled in with and including hardwood panel; all veneer finished to both sides and polyurethane matt polished  900 x 2100mm wide  GLAZING  Smm Thick clear sheet glass and glazing to timber with beads (m/s) in panes  In panes over 0.5 square meters not exceeding 1 square meters  IRONMONGERY  Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized finish; to softwood, hardwood or the like; fixing with screw  Three lever mortice lockset with furniture  Rubber door stop plugged to concrete  150mm stainless steel butt hinges heavy duty ASSA ABLOY or equivalet  Carried to Collection  BILL NO. 3: PUGU OFFICE Element No. 5	ELEMENT NO. 5; DOORS  TIMBER DOORS  Prime quality 'mninga' or other equal and approved hardwood  Pannelled doors  45mm Thick solid panelled door, comprising of 40x250mm stiles, top, middle and bottom rails; both divided into two panels, filled in with and including hardwood panel; all veneer finished on both sides and polyurethane matt polished  900 x 2100mm wide  No  GLAZING  Smm Thick clear sheet glass and glazing to timber with beads (m/s) in panes  In panes over 0.5 square meters not exceeding 1 square meters  IRONMONGERY  Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized finish; to softwood, hardwood or the like; fixing with screw  Three lever mortice lockset with furniture  No  Rubber door stop plugged to concrete  150mm stainless steel butt hinges heavy duty ASSA ABLOY or equivalet  Carried to Collection  BILL NO. 3: PUGU OFFICE Element No. 5	ELEMENT NO. 5; DOORS  TIMBER DOORS  Prime quality 'mninga' or other equal and approved hardwood  Pannelled doors  45mm Thick solid panelled door, comprising of 40x250mm stiles, top, middle and bottom rails; both divided into two panels, filled in with and including hardwood panel; all veneer finished on both sides and polyurethane matt polished  900 x 2100mm wide  No  SLAZING  Smm Thick clear sheet glass and glazing to timber with beads (m/s) in panes  In panes over 0.5 square meters not exceeding 1 square meters  IRONMONGERY  Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized finish; to softwood, hardwood or the like; fixing with screw  Three lever mortice lockset with furniture  No  Substitute of the Project Manager; satin anodized finish; to softwood, hardwood or the like; fixing with screw  Three lever mortice lockset with furniture  No  Carried to Collection  BILL NO. 3:  PUGU OFFICE  Element No. 5	ELEMENT NO. 5; DOORS  TIMBER DOORS  Prime quality 'mninga' or other equal and approved hardwood  Pannelled doors  45mm Thick solid panelled door, comprising of 40x250mm stiles, top, middle and bottom rails; both divided into two panels, filled in with and including hardwood panel; all veneer finished on both sides and polyurethane matt polished  900 x 2100mm wide  No  5  510,300.00  GLAZING  Simm Thick clear sheet glass and glazing to timber with beads (m/s) in panes  In panes over 0.5 square meters not exceeding 1 square meters  IRONMONGERY  Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized finish; to softwood, hardwood or the like; fixing with screw  Three lever mortice lockset with furniture  No  5  120,000.00  Rubber door stop plugged to concrete  No  5  5,000.00  TSH  Carried to Collection  BILL No, 3: PUGU OFFICE  Element No, 5

[te	Frames and finishings	Unit	Quantity	Rate	Amount(TZS)
A	45x145mm Frames, rebated plugged to wall	m	36	30,000.00	1,080,000.00
В	45x145mm Transome	m	5	30,000.00	150,000.00
C	15x40mm Architrave, splayed	m	36	3,200.00	115,200.00
D	15x25mm Glazing beads	m	14	2,100.00	29,400.00
	Carried to Collection BILL NO. 3: PUGU OFFICE Element No. 5 DOORS			TSH	1,374,600.00
- 1	Bill No. 2 Element No. 5				
	DOORS				
	COLLECTION			1	
	Total Brought Forward from Page No.			Page No 3/10 3/11	3,316,750.00 1,374,600.00
F	Carried Forward to Summary of Bill No. 3 BILL NO. 3: PUGU OFFICE Clement No. 5 DOORS			TSH	4,691,350.00
	1				

[t∈	em I	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 6; WINDOWS			1 -15:	Amount(123)
	ALUMINIUM WINDOWS				
	Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.				
A B	3600 x1500mm high 1200x 1500mm high	Na No	2 6	405,000.00 324,000.00	
CD	1200-1500-11	No No	2	180,000.00	360,000.00
	2500 1500 illi iligii	No	6	144,000.00	864,000.00
	Carried Forward to Summary of Bill No. 3 BILL NO. 3: PUGU OFFICE Element No. 6 WINDOWS			TSH	3,978,000.00

[te	m 	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 7; FINISHINGS				
	In-situ finishings				
	Beds and backings; Cement and sand (1:4)				
A	32mm Beds to receive Porcelain floor tiles	m <sup>2</sup>	101	10,000.00	1,010,000.00
	Internal plastering in two coats steel trowelled to a smooth finish				
В	15mm To walls	m²	196	7,000.00	1,372,700.00
	External cement and sand (1:4) Pointing to bricks, fair finishing				
c	Pointing to 230 mm thick brick wall	m <sup>2</sup>	101	7,000.00	707,000.00
F	Carried to Collection BILL NO. 3; PUGU OFFICE Element No. 7 TNISHINGS			TSH	3,089,700.00

[te	em I	Unit	Quantity	Rate	Amount(TZS)
	Floor Tiles				
	Non-glazed (Polished) full body approved porcelain tiles; or equal and approved non-slip floor tiles laid at 45 degree with 10mm tile skirting to blockwork; bedding and jointing in cement mortar (1:3) grouting joints with matching				
A	600 x 600x9mm thick tiles; butt jointed to floors	m²	101	48,000.00	4,848,000.00
В	150mm high skirting	m	72	7,200.00	521,640.00
	Plain sheet finishings				
	Gypsum Board; to approval of project manager				
С	9mm; scrim coat filler to tapped joints set to pattern to timber base generally to an angle not exceeding 45 degree from horizontal ceiling	m²	101	12,000.00	1,212,000.00
	Cornices; approved shape				
D	50 × 50mm	lm	72	6,000.00	434,700.00
	STRUCTURAL TIMBER				
	Pine or Cypress; grade 2; pressure impreginated; treated with timber preservative				
Ε	50 x 50mm brandering	lm	72	3,000.00	217,350.00
	Carried to Collection			TSH	7,233,690.00
	BILL NO. 3: PUGU OFFICE Element No. 7 FINISHINGS				7,233,690.00

Unit	Quantity	Rate	Amount(TZS)
		Page No	Amount
		3/13	3,089,700.00
		3/14	7,233,690.00
	h	rsh	10,323,390.00
			Page No 3/13

[te	ELEMENT NO. 8; DECORATIONS	Unit	Quantity	Rate	Amount(TZS)
	Internal work Prepare and apply one thinned coat and two ful coats of vinyl silk paint				
A	Plastered walls	m²	196	8,000.00	1,568,800.00
	Prepare and apply three coats of 'polyurethane matt polish' or other equal and approved polish on wood surfaces				
В	Frames over 200mm not exceeding 300mm girth	m	36	1,500.00	54,000.00
С	General surfaces to hardwood shutter	m²	23	4,800.00	108,864.00
	THREE COAT EMULSION PAINT				
	To Gypsum celling				
D	Over 300mm girth	m <sup>2</sup>	101	8,000.00	808,000.00
E	To gypsum ceiling	lm	72.45	1,200.00	86,940.00
	Carried Forward to Summary of Bill No.3			TSH	2,626,604.00
1	Bill No. 3 PUGU OFFICE Element No. 8 DECORATIONS				

Ite	SECTION SUMMARY PUGU OFFICE	Unit	Quantity	Rate	Amount(TZS)
Α	SUBSTRUCTURE		3/1/6		12,014,780.85
В	FRAME		3/2/7	Vi.	3,701,000.00
С	WALLING		3/3/8		4,156,600.00
D	ROOF CONSTRUCTION		3/4/9		11,032,990.00
Ε	DOORS		3/5/10		4,691,350.00
F	WINDOWS		3/6/12		3,978,000.00
G	FINISHINGS		3/7/15		10,323,390.00
Н	DECORATIONS		3/8/16		2,626,604.00
	Carried to Final Summary BILL NO. 3 SUMMARY OF MEASURED WORKS			тѕн	52,524,714,85

SECURITY OFFICE
-----------------

[te	BILL NO. 3: PUGU-SECURITY ROOM ELEMENT NO. 1; SUBSTRUCTURE	Unit	Quantity	Rate	Amount(TZS)
	(ALL PROVISIONAL) EXCAVATIONS AND EARTHWORKS				
	Site clearance	1 1			
Α	Clear site of all bushes tuffs and small trees not exceeding 600mm girth and burn debris on site (approximate area 14.63 square metres)	m²	16	1,000.00	16,000.00
	Excavation in earth				
В	Excavate average 150mm deep to remove top vegetable soil and stock pile on site for later re- use (including disposal of surplus as necessary)	m²	16	1,000.00	15,000.00
	Cutting to form levels			1	
С	Open face excavations of slopping site to form levels	m³	4.8	5,000.00	24,000.00
	Excavation in earth commencing at formation level and not exceeding 1.50 metres deep				
D	Excavate foundation trench	m³	15	5,000.00	75,000.00
	Carried to Collection BILL NO. 3:			TSH	131,000.00
	PUGU-SECURITY ROOM Element No. 1 SUBSTRUCTURE				
1				i i	

[te	em I	Unit	Quantity	Rate	Amount(TZS)
	Risk of collapse of excavations				
	Planking and strutting				
А	Allow for maintaining and supporting sides of excavations by provision of planking and strutting and for keeping the same free from fallen materials		Item		200,000.00
	Keeping excavations free of water	1 1			
В	Allow for keeping excavations free of water (except spring or running water) and mud by pumping, baling or other approved means		Item		200,000.00
	Fillings				
	Earth filling obtained from the excavations (not compacted)				
Ç	Around foundations	m <sup>3</sup>	4	4,500.00	17,910.00
	Imported soil filling including excavating in borrow pits				2.7520.00
D	Well ram and consolidate to make up levels under floors	m³	7	15,000.00	105,000.00
	Import materials				
Е	Import surplus material to excavations and/or stock piles on site from pit situated nearby from site	m³	3	25,000.60	75,000.00
	Carried to Collection			TSH	597,910.00
	BILL NO. 3: PUGU-SECURITY ROOM Element No. 1 SUBSTRUCTURE				331/310.00
			1		

oil poisoning  nti- termite treatment hemical anti termite treatment executed omplete by an approved specialist under a ten 0) year guarantee to surfaces of blinded ardcore	.m2			Amount(TZS)
hemical anti termite treatment executed omplete by an approved specialist under a ten 0) year guarantee to surfaces of blinded	2			
	me	13	4,000.00	52,000.00
tto, around the building plinth	m	15	1,500.00	22,500.00
ardcore				22,300.00
Omm Bed, levelled and blinded to receive lythene membrane(measured separately)	m²	13	9,500.00	123,500.00
nd blinding	m <sup>2</sup>	13	1,000.00	13,000.00
DNCRETE WORK				WEST 1987-01 217-01 214-0
ain concrete grade 15				
The state of the s	m²	16	10,000.00	160,000.00
inforced concrete itu concrete grade 20 including vibrating und reinforcement				
ith beams	m <sup>3</sup>	1.1	250,000.00	264,500.00
itu concrete grade 15 including vibrating und reinforcement imm Bed	m <sup>2</sup>	13	20,000,00	260,000.00
mm Ramp	m²	0	20,000.00	200,000.00
Carried to Collection . NO. 3: BU-SECURITY ROOM nent No. 1 STRUCTURE			TSH	895,500.00
	tu concrete grade 15 including vibrating und reinforcement mm Bed mm Ramp  Carried to Collection NO. 3: U-SECURITY ROOM eent No. 1	tu concrete grade 15 including vibrating und reinforcement mm Bed  min Ramp  Carried to Collection NO. 3: U-SECURITY ROOM eent No. 1	tu concrete grade 15 including vibrating und reinforcement mm Bed m² 13 mim Ramp 0  Carried to Collection NO. 3: U-SECURITY ROOM sent No. 1	tu concrete grade 15 including vibrating und reinforcement mm Bed m² 13 20,000.00 mm Ramp 0 20,000.00 TSH  Carried to Collection NO. 3: U-SECURITY ROOM lent No. 1

Ite	m 	Unit	Quantity	Rate	Amount(TZS)
	Reinforcement			1	
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
A	8mm Diameter bar	kg	25.52	3,100.00	79,112.00
В	12mm Diameter bar	kg	46.89	3,100.00	
	Sawn formwork to:-				
С	Vertical sides of ground beams	m <sup>2</sup>	9	18,000.00	158,400.00
D	Edges of bed, 100mm high	m	12	2,700.00	
	WALLING stone foundation wall				
E	300mm thick foundation stone Wall bedded with cement mortar ratio 1:3	m²	23	35,000.00	805,000.00
F	Supply and fix 75mmx 3mm thick black pipe class B to receive roof structure	м	11	30,000.00	330,000.00
E	Carried to Collection  BILL NO. 3:  UGU-SECURITY ROOM  Bement No. 1  UBSTRUCTURE			TSH	1,550,271.00

Item no.

#### A NOMINATED SUPPLIERS

The Contractor shall take delivery anywhere in Dar es Salaam of all materials or goods supplied by the Nominated suppliers and shall sign a receipt as having received them in good order and condition. He shall ofload, transport to site, unload, hoist, provide safe storage and thereafter be responsible for any loss or damage or replacement of any such lost or damaged articles at his own expense and shall return case if so required.

Provision is made herein following each appropriate P.C sums for the costs of the foregoing services against items reading "take delivery of and fix only"

# B PROTECTION OF THE WORK AND PREVENTION OF NUISANCE

The Works and such sections of the site necessary thereafter shall be under the entire care and control of the Contractor during the whole period of the contract and shall take all possible precautions to prevent any nuisance, inconvenience or injury to the holder or occupiers of the existing or surrounding properties and to the public generally, and shall at all times keep all paths and roads affected by the works in a safe and clear state, and shall use proper precautions to ensure the safety of all wheeled traffic and nodestrians.

## C REMOVAL OF PLANT AND RUBBISH ETC

The Contractor shall upon completion of the works remove and clear away all temporary buildings, plant, rubbish and unused materials, and shall leave the whole of the site of the works in a clean and tidy state to the satisfaction of the Architect. He shall also remove all rubbish and dirt from the site at weekly intervals or as directed by the Architect.

Particular care shall be taken in leaving windows, floors and fittings clean and the removal of all paint and cement stains therefrom.

#### B COPYRIGHT

The copyright of these documents is vested in Cost-Consult Ltd. No part of this document may be reproduced in any form or by any means without their prior permission.

Carried to Collection TSH

Amount

**Not Priced** 

Not Priced

1,000,000.00

Not Priced

1,000,000.00

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

ter	n I	Unit	Quantity	Rate	Amount(TZS)
	Damp-proof course		117.5		Amount (123)
Α	500 Gauge polythene damp-proof membrane laid over blinded hardcore (measured separately)	m²	13	2,000.00	26,000.00
В	Hessian based bitumen damp-proof course to B.S. 743 type 'A' 230mm wide laid horizontally	m	22	1,500.00	33,000.00
	Plinth protection				
С	12mm Cement and sand render to walls (1:4) external rendering to concrete or blockwork	m²	7	6,000.00	39,000.00
0	Prepare and apply two coats of black bituminous paint on rendered surfaces externally	m <sup>2</sup>	7	5,000.00	32,500.00
PL Els	Carried to Collection LL NO. 3: JGU-SECURITY ROOM Ement No. 1 JBSTRUCTURE			TSH	130,500.00

m 	Unit	Quantity	Rate	Amount(TZS)
Bill No. 2				
Element No. 1				
SUBSTRUCTURE				
COLLECTION				
		Page No.		Amount
Total Brought Forward from Page No.	1 1	4/1/1		131,000.
		4/1/2		597,910.
		4/1/3		895,500.
		4/1/4		1,550,271.
		4/1/5		130,500.
Carried Forward to Summary of Bill No. 4 BILL NO. 3: PUGU-SECURITY ROOM Element No. 1 BUBSTRUCTURE		TS	эн ј	3,305,181.0

[te	m I	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 2; FRAME  CONCRETE WORK  REINFORCED CONCRETE				
A	In situ reinforced concrete grade '20' including vibrating around reinforcement  Lintels/ beams	m <sup>3</sup>	1.1	250,000.00	264,500.00
	REINFORCEMENT  High tensile steel reinforcement to B.S. 4461 in structural concrete work				
В	8mm Diameter bar	kg	6	3,100.00	18,600.00
С	12mm Dlameter bar	kg	47	3,100.00	145,700.00
	SAWN FORMWORK TO:-				
D	Sides and soffits of horizontal beams	m <sup>2</sup>	9	18,000.00	158,400.00
	Carried Forward to Summary of Bill No. 4 Bill No. 2 PUGU-SECURITY ROOM Element No. 2 FRAME			TSH	587,200.00

[tem	Unit	Quantity	Rate	Amount(TZS)
ELEMENT NO. 3; WALLING				
BRICKS WALLING  Bricks walling bedded and jointed in cement and sand (1:4) mortar with and inluding 2No.  6mm high tensile bars set horizontally after every two courses				
A 230mm External Walls	m <sup>2</sup>	12	28,000.00	336,000.00
B 230 Internal Walls	m²	4	28,000.00	114,240.00
Total Brought Forward from Page No.4 BILL NO. 3: PUGU-SECURITY ROOM Element No. 3 WALLING			TSH	450,240.00

[te	em	Unit	Quantity	Rate	Amount(TZS)
А	degrees from the horizontal	m²	16	39,500.00	632,000.00
	Rigde Cape  ROOF STRUCTURE	m	5	12,000.00	60,000.00
	Sawn soft wood; Impregnated with Preservatives				
В	50 x 150mm king post	m	6	6,000.00	33,360.00
С	50XI50mm Tie beam	m	15	8,000.00	120,000.00
D	50X150mm Rafters	m	27	8,000.00	216,320.00
E	50X100mm Struts	m	17	7,000.00	117,040.00
F	50X150mm Wall Plate	m	13	8,000.00	104,000.00
G	50X75mm Purlins	m	115	5,000.00	574,000.00
Н	25 x 250mm Fascia and barge board, painted	m	13	9,500.00	123,500.00
1	Carried Forward to Summary of Bill No. 4 BILL NO. 3: PUGU-SECURITY ROOM Element No. 4 ROOF CONSTRUCTION			TSH	1,980,220,00

[te	em 	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 5; DOORS				
	TIMBER DOORS				
	Prime quality 'mninga' or other equal and approved hardwood				
	Pannelled doors				
	45mm Thick solid panelled door, comprising of 40x250mm stiles, top, middle and bottom rails; both divided into two panels, filled in with and including hardwood panel; all veneer finished o both sides and polyurethane matt polished	-			
Α	900 x 2100mm wide	No	2	510,300.00	1,020,600.00
В	800 x 2100mm wide	No	0	453,600.00	-
	GLAZING				
	5mm Thick clear sheet glass and glazing to timber with beads (m/s) in panes				
С	In panes over 0.5 square meters not exceeding 1 square meters	sm	1	29,000.00	29,000.00
	IRONMONGERY				
	Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized finish; to softwood, hardwood or the like; fixing with screw	-			
С	Three lever mortice lockset with furniture	No	2	120,000.00	240,000.00
D	Bathroom SASH lock with push plate and indicator	No	а	38,000.00	5
Ε	Rubber door stop plugged to concrete	No	2	5,000.00	10,000.00
F	150mm stainless steel butt hinges heavy duty ASSA ABLOY or equivalet	Prs	2	10,000.00	20,000.00
	Carried to Collection BILL NO. 3: PUGU-SECURITY ROOM Element No. 5 DOORS			тѕн	1,319,600.00

ten		Unit	Quantity	Rate	Amount(TZS)
	Frames and finishings				
Α	45x145mm Frames, rebated plugged to wall	m	6	30,000.00	189,000.00
В	45x145mm Transome	m	1	30,000.00	30,000.00
c	15x40mm Architrave, splayed	m	6	3,200.00	20,160.00
D	15x25mm Glazing beads	m	6	2,100.00	12,600.00
F	Carried to Collection BILL NO. 3: PUGU-SECURITY ROOM Element No. 5 DOORS			TSH	251,760.00
E	ill No. 2 lement No. 5				
c	OLLECTION				
Т	otal Brought Forward from Page No.			Page No 3/6/17 3/6/18	Amount 1,319,600.00 251,760.00
BI PL Ele	Carried Forward to Summary of Bill No. 4  LL NO. 3: UGU-SECURITY ROOM Dement No. 5  DORS			TSH	1,571,360.00

[te	em 	Unit	Quantity	/ Rate	Amount(TZS)
	ELEMENT NO. 6; WINDOWS ALUMINIUM WINDOWS				
	Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.				
A B	1500 x1500mm high 1200x 1200mm high	No No	2	405,000.00 324,000.00	
CD	DECORATIVE SECURITY GRILLS  Decorative Security Grilles in galvanised m. s; welded fabrication, welds ground smooth;  20mm mild steel solid bars in main frame with 20mm mild steel burglar bars laid vertically at 100mm centres; fixing with expansion bolts with 12mm loose bolts and spacer tubes and washers to masonry; including drilling; red oxide primer before fixing  1500 x1500mm high  1200x 1200mm high	No No	2 1	180,000.00 144,000.00	360,000.00 144,000.00
	Carried Forward to Summary of Bill No.4  BILL NO. 3: PUGU-SECURITY ROOM Element No. 6 WINDOWS			TSH	1,638,000.00

Ite	m 	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 7; FINISHINGS				
	In-situ finishings				
	Beds and backings; Cement and sand (1:4)				
Α	32mm Beds to receive Porcelain floor tiles	m²	13	10,000.00	126,000.00
	Internal plastering in two coats steel trowelled to a smooth finish				
В	15mm To walls	m²	40	7,000.00	280,000.00
С	15mm To slopping and sides of ramps	m²	5	7,000.00	35,000.00
	External cement and sand (1:4) Pointing to bricks, fair finishing				
D	Pointing to 230 mm thick brick wall	m²	31	7,000.00	217,000.00
	Carried to Collection			TSH	658,000.00
P	UGU-SECURITY ROOM lement No. 7 INISHINGS				

Ete	em 	Unit	Quantity	Rate	Amount(TZS)
	Floor Tiles				
	Non-glazed (Polished) full body approved porcelain tiles; or equal and approved non-slip floor tiles laid at 45 degree with 10mm tile skirting to blockwork; bedding and jointing in cement mortar (1:3) grouting joints with matching				
Α	400 x 400x9mm thick tiles; butt jointed to floors	i m²	13	48,000.00	604,800.00
В	150mm high skirting	m	22	7,200.00	158,400.00
	PLAIN SHEET FINISHINGS				
	Gypsum Board; to approval of project manager				
с	9mm; scrim coat filler to tapped joints set to pattern to timber base generally to an angle not exceeding 45 degree from horizontal ceiling	m²	13	12,000.00	151,200.00
	Cornices; approved shape				
D	50 x 50mm	lm	22	6,000.00	132,000.00
	STRUCTURAL TIMBER				
	Pine or Cypress; grade 2; pressure impreginated; treated with timber preservative				
Ε	50 x 50mm brandering	lm	56.7	3,000.00	170,100.00
Į.	Carried to Collection  BILL NO. 3: PUGU-SECURITY ROOM Element No. 7 FINISHINGS			тѕн	1,216,500.00
	I.	L	1	11.	

em	Unit	Quantity	Rate	Amount(TZS)
FINISHINGS			*******	
COLLECTION				
			Page No	Amount
Total Brought Forward from Page No.			3/8/21	658,000.00
	1 1		3/8/22	1,216,500.00
	11		75722	1,216,500.00
				1
Carried Forward to Summary of Bill No. 4 BILL NO. 3:		i e	TSH	1,874,500.00
PUGU-SECURITY ROOM Element No. 7				
FINISHINGS				

Ite	T .	Unit	Quantity	Rate	Amount(TZS)
	Internal work  Prepare and apply one thinned coat and two fu	11			
A	Plastered walls  Prepare and apply three coats of 'polyurethane matt polish' or other equal and approved polish on wood surfaces	m²	40	8,000.00	320,000.00
В	Frames over 200mm not exceeding 300mm girth	m	14	1,500.00	21,000.00
С	General surfaces to hardwood shutter	m²	8	4,800.00	38,400.00
	THREE COAT EMULSION PAINT  To Gypsum ceiling				
Ε	Over 300mm girth	m²	13	8,000.00	100,800.00
F	To gypsum ceiling	lm	22	1,200.00	26,400.00
	Carried Forward to Summary of Bill No. 4			TSH	506,600.00

[te	em 	Unit	Quantity	Rate	Amount(TZS)
	Bill No. 2 PUGU-SECURITY ROOM Element No. 8 DECORATIONS				
	SECTION SUMMARY PUGU-SECURITY ROOM				
Α	SUBSTRUCTURE		4/1/6		3,305,181.00
В	FRAME		4/2/9		587,200.00
C	WALLING		4/3/13		450,240.00
D	ROOF CONSTRUCTION		4/4/15		1,980,220.00
E	DOORS		4/5/18		1,571,360.00
F	WINDOWS		4/6/19		1,638,000.00
G	FINISHINGS		4/7/22		1,874,500.00
Н	DECORATIONS		4/8/23		506,600.00
	Carried to Final Summary BILL NO. 2 SUMMARY OF MEASURED WORKS		ı	rsh	11,913,301.00

Item no.

## PROGRESS SCHEDULE

Immediately after signing the contract the Contractor is to prepare a Time progress Chart showing the time and order in which he proposes to carry out the works within the total construction time stated in the contract. The chart will show in detail the construction time and order in which each section of the work is to be carried out and be sub-divided into trades and tasks. If the Contractor proposes sectional completion of the project he must plan this in detail including access roads, and services and this shall be reflected on the chart.

Upon the letting of the sub-contractors work the contractor is to incorporate times and details of each separate sub-contractor's work which information is to be agreed by the sub-contractor and the chart will be so designed to accompdate this information.

At the end of each week the Contractor is to mark on the chart in a different colour the actual time taken to complete the respective stages and sections of the work. The Contractor shall obtain the Architect's approval on the chart and then shall supply copies to the Architect and Quantity Surveyor

If at any time it should appear to the Architect that the actual progress of the works does not conform to the approved programme progress schedule the Contractor shall produce at the request of the Architect a revised programme showing the modifications and accelerations to the approved programme necessary to ensure completion of the works within the agreed contract period.

The submission of and approval by the Architect of such revisions and accelerations shall not entitle the Contractor to any extra payment or extension of time and shall not relieve the Contractor of any duties or obligations or responsibilities under the contract

## OVERTIME

BILL NO. 1

PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

The Contractor shall be responsible for any extra costs for overtime working he considers will be necessary in order to complete the works within the contract period or time for completion apart from overtime working which may be authorised by the Architect

If overtime is worked out in accordance with a written instruction issued by the Architect the Contractor will be reimbursed in respect of such overtime to the unproductive time payable over and above the basic hourly rates as laid down by the Regulation of wages and Conditions of Employment Act, Building and Construction Industry Wages Council and excluding any hopuses, profits and overheads

Carried to Collection TSH

Amount

500,000.00

Not Priced

Not Priced

Not Priced

Amount

no. WATER The Contractor shall provide at his own risk and cost all water for use in connection with the works including the work of Sub-contractors make arrangements with the local authority for the installation of a seperate meter 1,000,000.00 for all water used by him throughout the contract and pay all costs and fees in connection therewith. He shall also provide temporary storage tanks and tubing etc as he may consider necessary and clear away at completion. All water shall be fresh, clean and pure, free from earthly vegetable or organic matter, acid or alkaline substance in solution or suspension. TELEPHONE Not Priced The Contractor shall provide in the office, from the commencement to the completion of the works, a telephone to the Exchange and shall pay all fees and rentals for same. LIGHTING AND POWER The Contractor shall provide at his own risk and cost all temporary artificial lighting and power for use on the works including all sub-contractors and 2,000,000.00 specialists requirements and including all temporary connections, wiring, fittings etc and clearing away on completion. The Contractor shall pay all fees and obtain all permits in connection therewith. CONCRETE TEST Note: The Contractor must allow in his rates all costs in connection with the D making of cubes, curing, transport, crushing by an approved testingle Authority and obtaining the test certificate: Set of four 150 x 150 x 150mm concrete test cubes; 3 sets (Provisional @ Tshs.....each set) Not Priced \*Contractor to insert rate and extend Carried to Collection TSH 3,000,000.00 BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Item

VISITORS LOUNGE	

(te	BILL NO. 5: VISITORS LOUNGE	Unit	Quantity	Rate	Amount(TZS)
	(ALL PROVISIONAL)				
	EXCAVATIONS AND EARTHWORKS				
	Site clearance				
Α	Clear site of all bushes tuffs and small trees not exceeding 600mm girth and burn debris on site (approximate area 81 square metres)	: m²	81	1,000.00	81,451.10
	Excavation in earth				
D	Excavate average 150mm deep to remove top vegetable soil and stock pile on site for later re- use (including disposal of surplus as necessary)	m²	81	1,000.00	81,451.10
	Cutting to form levels				
С	Open face excavations of slopping site to form levels	m <sup>3</sup>	24.4	5,000.00	122,176.65
1	Excavation in earth commencing at formation evel and not exceeding 1.50 metres deep				
D E	excavate foundation trench	m³	30.00	5,000.00	150,000.00
ВІ	Carried to Collection LL NO. 5:			TSH	435,078.85
VI Ele	SITORS LOUNGE ement No. 1 BSTRUCTURE				

It	em	Unit	Quantit	y Rate	Amount(TZS)
	Risk of collapse of excavations				
	Planking and strutting				
Α	Allow for maintaining and supporting sides of excavations by provision of planking and strutting and for keeping the same free from fallen materials		Item		200,000.00
	Keeping excavations free of water				
В	Allow for keeping excavations free of water (except spring or running water) and mud by pumping, baling or other approved means		Item		200,000.00
	Fillings				
	Earth filling obtained from the excavations (not compacted)				9
С	Around foundations	m <sup>3</sup>	6	4,500.00	27,000.00
	Imported soil filling including excavating in borrow pits			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	27,000.00
D	Well ram and consolidate to make up levels under floors	m³	22	15,000.00	330,000.00
	Import materials				
-	Import surplus material to excavations and/or stock piles on site from pit situated nearby from site	m³	5	25,000.00	125,000.00
V	Carried to Collection  ILL NO. 5: ISITORS LOUNGE			TSH	882,000.00
	JBSTRUCTURE				

Et	em 	Unit	Quantity	Rate	11
	Soil poisoning		* *************************************	Nace	Amount(TZS)
į,	Anti- termite treatment Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore	m2	45	4,000.00	180,000.00
I	Ditto, around the building plinth	m	33	1,500.00	***
	<u>Hardcore</u>			1,300.00	49,500.00
C	150mm Bed, levelled and blinded to receive polythene membrane(measured separately)	m²	45	9,500.00	427,500.00
D	Sand blinding	m²	23	1,000.00	22,770.00
	CONCRETE WORK				22,770.00
	Plain concrete grade 15				
Ε	100mm Thick surface blinding under strip foundation	m²	30	10,000.00	303,600.00
	Reinforced concrete Insitu concrete grade 20 including vibrating around reinforcement				
F	Plinth beams	m³	2	250,000.00	506,000.00
	Insitu concrete grade 15 including vibrating around reinforcement				
G	100mm Bed	m²	45	20,000.00	907,350.00
E	Carried to Collection BILL NO. 5: VISITORS LOUNGE Blement No. 1 BUBSTRUCTURE		7	SH	2,396,720.00

207/0	m 	Unit	Quantity	Rate	Amount(TZS)
	Reinforcement	1 1			, .,
	High tensile steel reinforcement to B.S. 4461 in structural concrete work	-			
A	8mm Diameter bar	kg	274	4,000.00	1.000 000
В	12mm Diameter bar	kg	148	4,000.00	1,096,000.0 592,000.0
	Sawn formwork to:-				
	Vertical sides of ground beams	m²	18	18,000.00	316,800.00
	Edges of bed, 100mm high	m	32	2,700.00	86,400.00
	WALLING stone foundstion				•
3	800mm thick foundation stone Wall bedded with ternent mortar ratio 1:3	m²	44	35,000.00	1,540,000.00
VIS Ele	Carried to Collection  L NO. 5: SITORS LOUNGE ment No. 1 BSTRUCTURE		TSH		3,631,200.00

ite	m		resonera.			•40
	Damp-proof course	e e	Unit	Quantity	Rate	Amount(TZS)
Α	500 Gauge polythe	ne damp-proof membrane measured separately)	m²	45	2,000.00	90,000.00
В	Hessian based bitu B.S. 743 type 'A' 23	men damp-proof course to 30mm wide laid horizontally	m	38	1,500.00	57,000.00
	Plinth protection					
	external rendering t	sand render to walls (1:4) to concrete or blockwork	m²	17	6,000.00	99,000.00
6 P	Prepare and apply to bituminous paint on externally	wo coats of black rendered surfaces	m²	17	5,000.00	82,500.00
VIS Ele	LL NO. 5: SITORS LOUNGE ment No. 1 BSTRUCTURE	Carried to Collection		TSH		328,500.00

(tem	Unit	Quantity	Rate	Amount(TZS)
Bill No. 3	11			
Element No. 1				
SUBSTRUCTURE				
COLLECTION				
		Page No.		Amount
Total Brought Forward from Page No.		5/1/1		435,078.85
		5/1/2		882,000.00
		5/1/3		2,396,720.00
		5/1/4		3,631,200.00
		5/1/5		328,500.00
Carried Forward to Summary of Bill No.5 BILL NO. 5: VISITORS LOUNGE Element No. 1 SUBSTRUCTURE		TSH		7,673,498.85

It	em	Unit	Quantity	y Rate	Amount(TZS)
	ELEMENT NO. 2; FRAME				
	CONCRETE WORK	11		1	
	REINFORCED CONCRETE				
	In situ reinforced concrete grade '20' including vibrating around reinforcement				
A	Lintels/ beams	m³	2	250,000.00	506,000.00
	REINFORCEMENT				
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
В	8mm Diameter bar	kg	162	4,000.00	648,000.00
C	12mm Diameter bar	kg	274	4,000.00	1,096,000.00
	SAWN FORMWORK TO:-				180 H. S. A. B. A. S. A.
D	Sides and soffits of horizontal beams	m²	64	18,000.00	1,152,000.00
E	Carried Forward to Summary of Bill No.5 Bill No. 5 VISITORS LOUNGE Element No. 2 RAME			TSH	3,402,000.00
E	Element No. 2				

Item	Unit	Quantity	Rate	Amount(TZS)
ELEMENT NO. 3; WALLING				Milounit (125)
BRICK WALLING  Brick walling bedded and jointed in cement and sand (1:4) mortar with and inluding 2No. 6mm high tensile bars set horizontally after every two courses	1 1			
A 230mm External Walls	m²	50	28,000.00	1,400,000.00
B 230 Internal Walls	m²	32	28,060.00	896,000.00
Carried Forward to Summary of Bill No.5 BILL NO. 5: VISITORS LOUNGE Element No. 3 WALLING		TS	SH	2,296,000.00

	Unit	f litteration		
		Quantit	y Rate	Amount(TZS)
ELEMENT NO. 4; ROOF CONSTRUCTION				
ROOF COVERINGS				
Aluminium roofing sheets 28 Gauge corugated resincoted aluminium sheeting lapped 150mm at joints and fixed with	ı			
Roof coverings sloping not exceeding 45 degrees from the horizontal	m²	53	39,500.00	2,093,500.00
Rigde cape	m	16	12,000.00	192,000.00
ROOF STRUCTURE				
Sawn soft wood; Impregnated with Preservatives				
50 x 150mm king post	m	17	6,000.00	102,000.00
50X150mm Tie beam	m	71	8,000.00	568,000.00
50X150mm Rafters	m	63	8,000.00	504,000.00
0X100mm Struts	m	50	7,000.00	350,000.00
0X150mm Wall Plate	m	33	8,000.00	264,000.00
0X75mm Purlins	m	275	5,000.00	1,375,000.00
5 x 250mm Fascia and barge board, painted	m	33	9,500.00	313,500.00
Dirried Forward to Summary of Bill No.5  LL NO. 5: SITORS LOUNGE THE TOTAL OF THE T			тѕн	5,762,000.00
	28 Gauce corugated resincoted aluminium sheeting lapped 150mm at joints and fixed with nail sheet  Roof coverings sloping not exceeding 45 degrees from the horizontal Rigde cape  ROOF STRUCTURE  Sawn soft wood; Impregnated with Preservatives  50 x 150mm king post  50X150mm Tie beam  50X150mm Rafters  0X100mm Struts  0X150mm Wall Plate  0X75mm Purlins  5 x 250mm Fascia and barge board, painted  priced Forward to Summary of Bill No.5  L No. 5:  SITORS LOUNGE ment No. 4	28 Gauge corugated resincoted aluminium. Sheeting lapped 150mm at joints and fixed with nail sheet  Roof coverings sloping not exceeding 45 degrees from the horizontal  Rigde cape  ROOF STRUCTURE  Sawn soft wood; Impregnated with Preservatives  50 x 150mm king post  60 x 150mm Rafters  m  60X150mm Rafters  m  60X150mm Wall Plate  m  60X250mm Wall Plate  m  m  m  m  m  m  m  m  m  m  m  m  m	28 Gauce corugated resincoted aluminium sheeting lapped 150mm at joints and fixed with nail sheet  Roof coverings sloping not exceeding 45 degrees from the horizontal  Rigde cape m 16  ROOF STRUCTURE  Sawn soft wood; Impregnated with Preservatives m 71  60 x 150mm king post m 71  60 x 150mm Rafters m 63  00x150mm Rafters m 63  00x100mm Struts m 33  00x150mm Wall Plate m 33  00x75mm Purlins m 275  5 x 250mm Fascia and barge board, painted m 33  arried Forward to Summary of Bill No.5  L No. 5:  SITORS LOUNGE ment No. 4	28 Gauge corugated resincoted aluminium shelting lapped 150mm at joints and fixed with nail sheet.  Roof coverings sloping not exceeding 45 degrees from the horizontal m 16 12,000.00 m 16 12,000.00 m 16 12,000.00 m 17 6,000.00 m 17 6,000.00 m 17 6,000.00 m 17 6,000.00 m 17 8,000.00 m 18 8,000.00

It	em	Unit	Quantit	Y Rate	Amount(TZS)
	ELEMENT NO. 5; DOORS				
	TIMBER DOORS				
	Prime quality 'mninga' or other equal and approved hardwood				
	Pannelled doors				
	45mm Thick solid panelled door, comprising of 40x250mm stiles, top, middle and bottom rail; both divided into two panels, filled in with and including hardwood panel; all veneer finished both sides and polyurethane matt polished	S <u>:</u>			
Α	900 x 2100mm wide	No	3	510,300.00	1,530,900.00
	GLAZING				
	5mm Thick clear sheet glass and glazing to timber with beads (m/s) in panes				
В	In panes over 0.5 square meters not exceeding 1 square meters	sm	1	29,000.00	29,000.00
	IRONMONGERY  Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized finish; to softwood, hardwood or the like; fixing with screw				
С	Three lever mortice lockset with furniture	No	3	120,000.00	360,000.00
b	Bathroom SASH lock with push plate and indicator	No	2	38,000.00	76,000.00
E	Rubber door stop plugged to concrete	No	3	5,000.00	15,000.00
-	150mm stainless steel butt hinges heavy duty ASSA ABLOY or equivalet	Prs	2	10,000.00	20,000.00
N.	Carried to Collection BILL NO. 5: /ISITORS LOUNGE Element No. 5 DOORS			тѕн	2,030,900.00

Unit	Quantity	Rate	Amount(TZS)
			35
m	8	30,000,00	340 000 00
m	3		240,000.00
m	8		90,000.00
m	9	2,100.00	25,600.00 18,900.00
		тѕн	374.500.00
		Page No	Amount
		5/6/17	2,030,900.00
		5/6/18	374,500.00
	г	"SH	2,405,400.00
	m m m	m 8 m 3 m 8 m 9	m 8 30,000.00 m 3 30,000.00 m 8 3,200.00 m 9 2,100.00  TSH  Page No 5/6/17

Ite		Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 6; WINDOWS				
	ALUMINIUM WINDOWS				
	Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.				
В	3600 x1500mm high 1200x 1500mm high 800 x 800mm high	No No No	1 5 2	405,000.00 324,000.00 64,800.00	405,000.00 1,620,000.00 129,600.00
	DECORATIVE SECURITY GRILLS  Decorative Security Grilles in galvanised m. s; welded fabrication, welds ground smooth; 20mm mild steel solid bars in main frame with 20mm mild steel burglar bars laid vertically at 100mm centres; fixing with expansion bolts with 12mm loose bolts and spacer tubes and washers to masonry; including drilling; red exide primer before fixing				
1	1200x 1500mm high	No No No	1 5 2	180,000.00 144,000.00 28,800.00	180,000.00 720,000.00 57,600.00
BI VI Ele	Carried Forward to Summary of Bill No.5 ILL NO. 5: SITORS LOUNGE ement No. 6 INDOWS		7	"SH	3,112,200.00

ter		Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 7; FINISHINGS				
	In-situ finishings				
	Beds and backings; Cement and sand (1:4)	1 1			
A	32mm Beds to receive Porcelain floor tiles	m²	45	10,000.00	450 000 0
1182	Internal plastering in two coats steel trowelled to a smooth finish			20,000.00	450,000.0
	15mm To walls	m²	114	7,000.00	798,000.00
-	15mm To slopping and sides of ramps	m²		7,000.00	790,000.01
1	External cement and sand (1:4) Pointing to bricks, fair finishing				
F	Pointing to 230 mm thick brick wall	m <sup>2</sup>	.50	7,000.00	350,000.00
	10				
	LL NO. 5: SITORS LOUNGE		T	sн <u></u>	1,598,000,00
le	ment No. 7				
-071					

Item	Unit	Quantity	Rate	Amount(TZS)
Floor Tiles				
Non-glazed (Polished) full body a porcelain tiles; or equal and apprefior tiles laid at 45 degree with 1 skirting to blockwork; bedding and cement mortar (1:3) grouting join matching.	Oved non-slip Omm tile			
A 400 x 400x9mm thick tiles; butt jo	pinted to floors m²	45	48,000.00	2,160,000.0
B 150mm high skirting	m	43	7,200.00	300 600 0
Wall tiles White glazed ceramic wall tiles wit edge to B.S 1282 fixed to backings adhesive and pointed including wo edges and pipes	with		7,250.50	309,600.00
C 600 x 200 x 8mm Tiling to walls	m²	21	32,500.00	682,500.00
Plain sheet finishings				002,000.00
Gypsum Board; to approval of proje	ect manager			
9mm; scrim coat filler to tapped joi pattern to timber base generally to exceeding 45 degree from horizonts ceiling  Cornices; approved shape	an angle not	45	12,000.00	540,000.00
50 × 50mm	lm	43	6 000 00	225195
STRUCTURAL TIMBER			6,000.00	258,000.00
Pine or Cypress; grade 2; pressure Impreginated; treated with timber pr	reservative			
50 x 50mm brandering	lm	203	3,000.00	607,500.00
Carried to	Collection	T	SH	4,557,600.00
BILL NO. 5: VISITORS LOUNGE Element No. 7 FINISHINGS				1,231,000.00

tem	Unit	Quantity	Rate	Amount(TZS)
FINISHINGS		1		
COLLECTION			3 - Remove	
-			Page No	Amount
Total Brought Forward from Page No.	- 1 1		5/8/21	1,598,000.00
			5/8/22	4,557,600.00
Carried Forward to Summary of Bill No.5 BILL NO. 5: VISITORS LOUNGE Element No. 7 INISHINGS		TSH		6,155,600.00

Ite	m 	Unit	Quantity	Rate	Amount(TZS)
۸	Internal work Prepare and apply one thinned coat and two ful coats of vinvl silk paint Plastered walls  Prepare and apply three coats of 'polyurethane matt polish' or other equal and approved polish	m <sup>2</sup>	114	8,000.0	0 912,000.00
В	Frames over 200mm not exceeding 300mm girth	m	18	1,500.00	27,000.00
	General surfaces to hardwood shutter  THREE COAT EMULSION PAINT	m <sup>2</sup>	6	4,800.00	27,216.00
D	To Gypsum ceiling  Over 300mm girth	m² lm	45 43	8,000.00 1,200.00	360,000.00 51,600.00
VI El	Carried Forward to Summary of Bill No.5  Il No. 5 ISITORS LOUNGE ernent No. 8 ECORATIONS			TSH	1,377,816.00

[te	m	Unit	Quantity	Rate	Amount(TZS)
	SECTION SUMMARY VISITORS LOUNGE				
E F G	SUBSTRUCTURE FRAME WALLING ROOF CONSTRUCTION DOORS WINDOWS FINISHINGS DECORATIONS		5/1/6 5/2/7 5/3/8 5/4/9 5/5/11 5/6/12 5/7/14 5/8/16		7,673,498.85 3,402,000.00 2,296,000.00 5,752,000.00 2,405,400.00 3,112,200.00 6,155,600.00 1,377,816.00
E C	Carried to Final Summary BILL NO. 2 BUMMARY OF MEASURED WORKS			тѕн	32,184,514.85

[t	BILL NO. 6: OFFICE BUILDING ELEMENT NO. 1; SUBSTRUCTURE	Unit	Quantity	Rate	Amount(TZS)
	(ALL PROVISIONAL)				
	EXCAVATIONS AND EARTHWORKS				
	Site clearance				
P	Clear site of all bushes tuffs and small trees not exceeding 600mm girth and burn debris on site (approximate area 211 square metres)	m²	40.3305	1,000.00	40,330.50
	Excavation in earth				
В	Excavate average 150mm deep to remove top vegetable soil and stock pile on site for later re- use (including disposal of surplus as necessary)	m²	40.3305	1,000.00	40,330.50
	Cutting to form levels				
С	Open face excavations of slopping site to form levels	m <sup>3</sup>	12.09915	5,000.00	60,495.75
	Excavation in earth commencing at formation level and not exceeding 1.50 metres deep				
D	Excavate foundation trench	m³	26	5,000.00	130,000.00
	Carried to Collection			TSH	271,156.75
	BILL NO. 6: OFFICE BUILDING Element No. 1 SUBSTRUCTURE				
1	1		1		

Ite	em	Unit	Quantity	Rate	Amount(TZS)
	Planking and strutting				
Д	Allow for maintaining and supporting sides of excavations by provision of planking and strutting and for keeping the same free from fallen materials		Item		200,000.00
	Keeping excavations free of water	11			
В	Allow for keeping excavations free of water (except spring or running water) and mud by pumping, baling or other approved means		Item		200,000.00
	<u>Fillings</u>				
	Earth filling obtained from the excavations (not compacted)				
C	Around foundations	m <sup>3</sup>	8.58	4,500.00	38,610.00
	Imported soil filling including excavating in borrow pits				
D	Well ram and consolidate to make up levels under floors	m³	4.8	15,000.00	72,000.00
	Import materials				
E	Import surplus material to excavations and/or stock piles on site from pit situated nearby from site	m³	3	25,000.00	75,000.00
	Carried to Collection			TSH	585,610.00
	BILL NO. 6:  DFFICE BUILDING  Element No. 1  SUBSTRUCTURE				

m 	Unit	Quantity	Rate	Amount(TZS)
Soil poisoning				runcumi(123)
Anti- termite treatment Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore	m2	16	4,000.00	64,000.00
Ditto, around the building plinth	m	22	1,500,00	33,000.00
<u>Hardcore</u>			2,300.00	33,000.00
150mm Bed, levelled and blinded to receive polythene membrane(measured separately)	m <sup>2</sup>	16	9,500.00	152,000.00
Sand blinding	m²	16	1,000.00	16,000.00
CONCRETE WORK				
Plain concrete grade 15				
100mm Thick surface blinding under strip foundation	m²	25.806	10,000.00	258,060.00
Insitu concrete grade 20 including vibrating				
Plin <b>t</b> h beams	m³	2	250,000.00	500,000.00
around reinforcement	m²	28.2	20,000,00	E54 000 00
100mm Ramp	m <sup>2</sup>	5	20,000.00	564,000.00 100,000.00
PFFICE BUILDING lement No. 1			TSH	1,687,060.00
	Anti- termite treatment Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore Ditto, around the building plinth  Hardcore 150mm Bed, levelled and blinded to receive polythene membrane(measured separately) Sand blinding  CONCRETE WORK  Plain concrete grade 15  100mm Thick surface blinding under strip foundation  Reinforced concrete Insitu concrete grade 20 including vibrating around reinforcement  Plinth beams  Insitu concrete grade 15 including vibrating around reinforcement  100mm Bed  100mm Ramp	Soil poisoning  Anti- termite treatment Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore  Ditto, around the building plinth  Hardcore  150mm Bed, levelled and blinded to receive polythene membrane(measured separately)  Sand blinding  CONCRETE WORK  Plain concrete grade 15  100mm Thick surface blinding under strip foundation  Reinforced concrete Insitu concrete grade 20 including vibrating around reinforcement  Plinth beams  Insitu concrete grade 15 including vibrating around reinforcement  100mm Bed  m²  Carried to Collection  SILL NO. 6: SFFICE BUILDING Jement No. 1	Soil poisoning  Anti- termite treatment Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore Ditto, around the building plinth  Hardcore  150mm Bed, levelled and blinded to receive polythene membrane(measured separately)  Sand blinding  CONCRETE WORK  Plain concrete grade 15  100mm Thick surface blinding under strip foundation  Reinforced concrete Insitu concrete grade 20 including vibrating around reinforcement  Plinth beams  Insitu concrete grade 15 including vibrating around reinforcement  100mm Ramp  Carried to Collection  SILL NO. 6:  FFICE BUILDING lement No. 1	Soll poisoning  Anti- termite treatment Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore  Ditto, around the building plinth  Hardcore  150mm Bed, levelled and blinded to receive polythene membrane(measured separately)  Sand blinding  CONCRETE WORK  Plain concrete grade 15  100mm Thick surface blinding under strip foundation  Reinforced concrete Insitu concrete grade 20 including vibrating around reinforcement  May 25.806  10,000.00  Reinforced concrete Insitu concrete grade 15 including vibrating around reinforcement  May 2 250,000.00  Insitu concrete grade 15 including vibrating around reinforcement  Carried to Collection  SILL NO. 6: FFICE BUILDING lement No. 1

ſte	m 	Unit	Quantity	Rate	Amount(TZS)
	Reinforcement				i indunt(123)
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
Α	8mm Diameter bar	kg	48	3,100.00	148,800.00
В	12mm Diameter bar	kg	88	3,100.00	272,800.00
	Sawn formwork to:-				
С	Vertical sides of ground beams	m²	14.8	18,000.00	266,400.00
D	Edges of bed, 100mm high	m	22	2,700.00	59,400.00
	STONE WALLING Stone foundation walling bedded and jointed in cement mortar (1:4)				, , , , , ,
Е	300mm Wall	m²	37	35,000.00	1,295,000.00
	Carried to Collection ILL NO. 6: FFICE BUILDING			TSH	2,042,400.00
E	lement No. 1 UBSTRUCTURE				

Iter	n I	Unit	Quantity	Rate	Amount(TZS)
	Damp-proof course				
Α	500 Gauge polythene damp-proof membrane laid over blinded hardcore (measured separately)	m²	28.2	2,000.00	56,400.00
В	Hessian based bitumen damp-proof course to B.S. 743 type 'A' 230mm wide laid horizontally	m	22	1,500.00	33,000.00
	Plinth protection				
С	12mm Cement and sand render to walls (1:4) external rendering to concrete or blockwork	m²	11	6,000.00	66,000.00
D	Prepare and apply two coats of black bituminous paint on rendered surfaces externally	m <sup>2</sup>	11	5,000.00	55,000.00
E	Carried to Collection BILL NO. 6: DFFICE BUILDING Element No. 1 BUBSTRUCTURE			⊤SH	210,400.00

em	Unit	Quantity	Rate	Amount(TZ\$)
Bill No. 6				
Element No. 1				
SUBSTRUCTURE				
COLLECTION				
		Page No.		Amount
Total Brought Forward from Page No.		5/1/1		271,156.75
		6/1/2		585,610.00
	11	6/1/3		1,687,060.00
		6/1/4		2,042,400.00
		6/1/5		210,400.00
Carried Forward to Summary of Bill No. 6 BILL NO. 6: DFFICE BUILDING Element No. 1		TSI	Н	4,796,626.75

ſte	im 	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 2; FRAME  CONCRETE WORK  REINFORCED CONCRETE  In situ reinforced concrete grade '20' including vibrating around reinforcement				
А	Lintels/ beams	m <sup>3</sup>	2	250,000.00	500,000.00
	REINFORCEMENT  High tensile steel reinforcement to B.S. 4461 in structural concrete work				
В	8mm Diameter bar	kg	82	3,100.00	254,200.00
C	12mm Diameter bar	kg	131	3,100.00	406,100.00
	SAWN FORMWORK TO:-				
D	Sides and soffits of horizontal beams	m²	17	18,000.00	306,000.00
	Carried Forward to Summary of Bill No. 6 Bill No.6 DFFICE BUILDING Element No. 2 FRAME			тѕн	1,466,300.00

Ite	em 	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 3; WALLING				
	BRICK WALLING Brick walling bedded and jointed in cement and sand (1:4) mortar with and inluding 2No. 6mm high tensile bars set horizontally after every two courses	1 1			
Α	230mm External Walls	m <sup>2</sup>	39.06	28,000.00	1,093,680.00
В	230 Internal Walls	m²	26.445	28,000.00	740,460.00
E	Carried Forward to Summary of Bill No. 6 BILL NO. 6: DEFICE BUILDING Gement No. 3 VALLING			TSH	1,834,140.00

Iter	n 	Unit	Quantity	Rate	Amount(TZS)
	ROOF COVERINGS  Aluminium roofing sheets Corrugated Iron aluminium sheeting (Gauge 28) lapped 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres				
Α	Roof coverings sloping not exceeding 45 degrees from the horizontal	m²	19	39,500.00	750,500.00
В	Ridge cape	m	5	12,000.00	60,000.00
	ROOF STRUCTURE  Sawn soft wood; Impregnated with Preservatives				
С	50 x 150mm king post	m	6.95	6,000.00	41,700.00
D	50X150mm Tie beam	m	24	8,000.00	192,000.00
Е	50X150mm Rafters	m	27	8,000.00	216,000.00
F	50X100mm Struts	m	20.9	7,000.00	146,300.00
G	50X150mm Wall Plate	m	17	8,000.00	136,000.00
Н	50X75mm Purlins	m	81.2	5,000.00	406,000.00
J	25 x 250mm Fascia and barge board, painted	m	17	9,500.00	161,500.00
	Carried Forward to Summary of Bill No. 6  BILL NO. 6: OFFICE BUILDING Element No. 4 ROOF CONSTRUCTION			тѕн	2,110,000.00

Item		Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 5; DOORS				
	TIMBER DOORS				
	Prime quality 'mninga' or other equal and approved hardwood				
	Pannelled doors				
	45mm Thick solid panelled door, comprising of 40x250mm stiles, top, middle and bottom rails; both divided into two panels, filled in with and including hardwood panel; all veneer finished on both sides and polyurethane matt polished				
Α	900 x 2100mm wide	No	1	510,300.00	510,300.00
В	800 x 2100mm wide	No	2	453,600.00	907,200.00
С	1200 x 2100mm wide	No	1	680,400.00	680,400.00
	GLAZING				
	5mm Thick clear sheet glass and glazing to timber with beads (m/s) in panes				
D	In panes over 0.5 square meters not exceeding 1 square meters	sm	4	29,000.00	116,000.00
	IRONMONGERY				
	Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized finish; to softwood, hardwood or the like; fixing with screw				
Е	Three lever mortice lockset with furniture	No	3	120,000.00	360,000.00
F	Bathroom SASH lock with push plate and indicator	No	3	38,000.00	114,000.00
G	Rubber door stop plugged to concrete	No	3	5,000.00	15,000.00
Н	150mm stainless steel butt hinges heavy duty ASSA ABLOY or equivalet	Prs	2	10,000.00	20,000.00
	Carried to Collection	n		TSH	2,722,900.00
	BILL NO. 6: OFFICE BUILDING Element No. 5 DOORS				

tem	Unit	Quantity	Rate	Amount(TZS)
Frames and finishings	11			
A 45x145mm Frames, rebated plugged to wall	m	20	30,000.00	500,000,0
B 45x145mm Transome	m	3	30,000.00	
15x40mm Architrave, splayed	m	20	3,200.00	30,000.0
15x25mm Glazing beads	m	18	2,100.00	64,000.0 37,800.0
Carried to Collection BILL NO. 6: OFFICE BUILDING Element No. 5 DOORS			TSH	791,800.00
Bill No. 5				
Element No. 5				
DOORS				
Total Brought Forward from Page No.			Page No 6/5/10 5/5/11	Amount 2,722,900.00 791,800.00
Carried Forward to Summary of Bill No. 6		17	ТЅН	3,514,700.00

Ite	m I	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 6; WINDOWS				
	ALUMINIUM WINDOWS	П			
	Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.				
A	800 x 800mm high	No	3	405,000.00	1,215,000.00
	DECORATIVE SECURITY GRILLS  Decorative Security Grilles in galvanised m. s; welded fabrication, welds ground smooth; 20mm mild steel solid bars in main frame with 20mm mild steel burglar bars laid vertically at 100mm centres; fixing with expansion bolts with 12mm loose bolts and spacer tubes and washers to masonry; including drilling; red oxide primer before fixing				
	800 x 800mm high	No	3	28,800.00	86,400.00
E	Carried Forward to Summary of Bill No. 6  BILL NO. 6:  DEFICE BUILDING  Ilement No. 6  VINDOWS			TSH	1,301,400.00

Ite	em 	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 7; FINISHINGS	1 1			
	In-situ finishings				
	Beds and backings; Cement and sand (1:4)				
A	32mm Beds to receive Porcelain floor tiles	m²	28.2	10,000.0	282,000.00
В	12mm Backings to receive ceramic wall tiles	m²	32	7,000.00	224,000.00
	Internal plastering in two coats steel trowelled to a smooth finish				
C	15mm To walls	m <sup>2</sup>	52	7,000.00	364,000.00
D	15mm To slopping and sides of ramps	m²	6	7,000.00	
	External cement and sand (1:4) Pointing to bricks, fair finishing				
Ε	Pointing to 230 mm thick brick wall	m <sup>2</sup>	39.06	7,000.00	273,420.00
O E	Carried to Collection ILL NO. 6: FFICE BUILDING lement No. 7 INISHINGS			тѕн	1,185,420.00

It	em 	Unit	Quantity	Rate	Amount(TZS)
	Floor Tiles				
	Non-glazed (Polished) full body approved porcelain tiles; or equal and approved non-slip floor tiles laid at 45 degree with 10mm tile skirting to blockwork; bedding and jointing in cement mortar (1:3) grouting joints with matching				
Α	400 x 400x9mm thick tiles; butt jointed to floor	s m²	28.2	48,000.00	1,353,600.00
В	150mm high skirting	m	20	7,200.00	144,000.00
	Wall tiles White glazed ceramic wall tiles with cushion edge to B.S 1282 fixed to backings with adhesive and pointed including working around edges and pipes				114,000.00
C	600 x 200 x 8mm Tiling to walls	m²	32	32,500.00	1,040,000.00
	Plain sheet finishings				
	Gypsum Board; to approval of project manager				
D	9mm; scrim coat filler to tapped joints set to pattern to timber base generally to an angle not exceeding 45 degree from horizontal ceiling	m²	28.2	12,000.00	338,400.00
	Cornices; approved shape		1		
E	50 × 50mm	Im	20	6,000.00	120,000.00
	STRUCTURAL TIMBER				
	Pine or Cypress; grade 2; pressure Impreginated; treated with timber preservative				
F		lm	144	3,000.00	423 000 00
	Carried to Collection		5300.5	TSH	432,000.00 3,428,000.00
1	BILL NO. 6: DFFICE BUILDING Element No. 7 FINISHINGS				

Item	Unit	Quantity	Rate	1 .
EINISHINGS			Nate	Amount(TZS)
COLLECTION	1 1		1	
			Page No	Amount
Total Brought Forward from Page No.				With Reservoires I records
			6/7/13	1,185,420.00
			6/7/14	3,428,000.00
. 6				
	11			
1		1		
1		1		
1	11	1		
1		- 1		
		ŀ		
		1		
1				
1				
		1		
				ľ
Carried Forward to Summary of Bill No. 6		T.	SH	4,613,420.00
BILL NO. 6: OFFICE BUILDING				1,013,720.00
Element No. 7 FINISHINGS				
1				

Iten	n 	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 8; DECORATIONS  Internal work Prepare and apply one thinned coat and two full coats of vinyl silk paint				
A	Plastered walls	m²	52	8,000.00	416,000.00
	Prepare and apply three coats of 'polyurethane matt polish' or other equal and approved polish on wood surfaces				
В	Frames over 200mm not exceeding 300mm girth	m	20	1,500.00	30,000.00
С	General surfaces to hardwood shutter	m²	6	4,800.00	28,800.00
	Carried Forward to Summary of Bill No. 6  Bill No. 6  OFFICE BUILDING  Element No. 8  DECORATIONS			тѕн	474,800.00

Ite	m 	Unit	Quantity	Rate	Amount(TZS)
	SECTION SUMMARY OFFICE BUILDING				
Α	SUBSTRUCTURE		6/1/6		4,796,626.75
В	FRAME		6/2/7		1,466,300.00
С	WALLING		6/3/8		1,834,140.00
D	ROOF CONSTRUCTION		6/4/9		-V.CWEDIOOSER
E	DOORS		6/5/10		2,110,000.00
F	WINDOWS		5/6/12		3,514,700.00
G	FINISHINGS				1,301,400.00
н	DECORATIONS		6/7/14		4,613,420.00
			6/8/16		474,800.00
	7.				
	Carried to Final Summary BILL NO. 2 SUMMARY OF MEASURED WORKS			тѕн	20,111,386.75

	BILL NO. 7	1	1		
	PLUMBING AND ENGINEERING INSTALLATION				
	Supply and fix/install the following sanitary appliances including all connections and fixing to FLOORS or WALLS as necessary or approved by services Engineers.				
А	Asian (Squarting) type WC pans with built in S-trap complete with all necessary accessories - "Casterware" type or equal approved by Consultant	No	. 4	202,000.00	808,000.00
В	Flushing Cistern tank complete with flushing pipe and all other necessary accessories - KARIBA type or equal approved by Consultant	No.	. 4	110,000.00	440,000.00
C	Finned and plain plastic W.C outlet connector	No.	5	15,000.00	75,000.00
D	Chrome Shurtuff ( Dotche spray) 13mm diameter X 2000mm long flexible hose	No.	5	60,000.00	300,000.00
E	Twyford white vitreous Pack disabled WC pan Cat No. PK8154WH comprising of WC bowl with horizontal outlet, hand wash basin (HWB) non overflow, no chain stay, DOC.M support rails (4 No.), DOC.M hinged support rail and toilet holder, wall hangers (pair), grid waste, DOC.M Value cistern and fittings, DOC.M seat ring, stainless steel hinge, shartaff (Chrome Dotche spray)	No.	1	5,000,000.00	5,000,000.00
F	Complete hand wash basin (HWB), size 550x450x200mm complete with self closing; semi pedestal and chain stay hole; fairline ½in pillar taps with clear acrylic handles; 1¼in bead chain waste and plug; 80cm slotted tail bolt stay; Isovalve servicing valves, rubber plug with slotted tail; 32mm plastic bottle trap with 75mm seal - Castleware type or equal approved by Consultant	No.	5	420,000.00	2,100,000.00
	600 x 600 x 6 mm thick Frameless Mirror Pilkington or equally approved with alkali resistant coating one side, fixed with domex screws to blockwork requiring plugging	No.	5	95,000.00	475,000.00
ri l	Toilet paper holder; chrome as to RAK 21015 or the like fixing with brass screws to backgrounds olugaing	No.	5	55,000.00	275,000.00
1	792393 Lucia Bath Mixer Set Complete with nandshower and headshower with all nesessary fittings and accessories	Vo.	1	350,000.00	350,000.00

C	Single bowl single drainer kitchen sink; stainless steel sink; with bottle trap including swan neck krud RAK lever operated faucet - Franke type or equal approved by Consultant	No	. 1	580,000.00	580,000.00
	Carried to Collection	n		TSH	8,723,000.00
	WATER SUPPLY <u>Ancillaries:</u> <u>Draw off taps; stop valves; copper alloy to BS</u> 5154 or BS 1010:				
G	792550 Star Bib Tap Plain 15mm (1/2" Dia.)	pes	5	60,000.00	300,000.00
Н	Flexible pipes to all sanitaries including HWB and WC,	No.	10	10,000.00	100,000.00
	Supply and install the following HDPE pipe Class C including excavation, install and including its fittings:				
J	OD 25mm (3/4") HDPE pipe class C	m	150	4,500.00	675,000.00
	Carried to Collection			TSH	1,075,000.00
	Supply and install the following PPR pipes including its to install Complete with all fittings and accessories:				2,44 2,500.00
Α	PPR pipe PN10 3/4"	М	6	5,000.00	30,000.00
В	PPR pipe PN10 1/2"	М	30	4,500.00	135,000.00
	Carried to Collection			TSH	165,000.00
	WASTE AND VENT PIPES:				
	Supply and install UPVC pipes to the floor/slab or chassed block work; Class 'B'; including fittings in running length Complete with all fittings and accessories for pipe work installation				
A B	OD40mm (1 1/4") uPVC pipe PN6 (Class B)	М	12	6,000.00	72,000.00
C	OD50mm (1 1/2") uPVC pipe PN6 (Class B) OD110mm (4") uPVC pipe PN6 (Class B)	M	15 25	8,000.00 12,000.00	120,000.00 300,000.00
D	backfilling and compacting and removal of surplus excavated material.	m	25	6,000.00	150,000.00
1.	GULLY TRAP			1	

Е	Construct a standard gully trap 400 x 400mm internal dimensions deep; in thick concrete block walls complet with benching and all fittings and gully trap cover	e No	. 6	150,000.00	900,000.00
	MANHOLE:				1
F	Construct standard manhole size 600 x 600mm average depth 1000mm deep; in 150mm, thick solid concrete blocks walls; 150mm, thick plain in-situ concrete grade '15' bed; complete with benching and	No.	10	250,000.00	2,500,000.00
G	Construct of Septic Tank with size: Width (W) = 1.0 meter, Depth = 1.2 meter and Leght (L) = 1.8 meters	No.	1	4,500,000.00	4,500,000.00
	Carried to Collection			TSH	8,542,000.00
	FIRE FIGHTING INSTALLATIONS: PORTABLE FIRE EXTINGUISHERS INSTALLATION:				
В	Supply and install 9Kg, dry powder type - 'NAFFCO' Brand or any other equal and approved fire extinguishers, fixed to wall with and including brackets plugged on block work.	No.	2	250,000.00	500,000.00
С	Supply and install 5Kg, Carbondioxide (CO2) type - 'NAFFCO' Brand or any other equal and approved fire extinguishers, fixed to wall with and including brackets plugged on block work.	No.	1	300,000.00	300,000.00
D	Supply and Install Standard Photoluminiscent Fire Signage for Portable Fire Extinguishers	No.	4	80,000.00	320,000.00
	Carried to Collection			TSH	1,120,000.00
	COLLECTION				
	MB/7/11/1 MB/7/11/2 MB/7/11/2 MB/7/11/3 MB/7/11/3				8,723,000.00 1,075,000.00 165,000.00 8,542,000.00 1,120,000.00
į	Carried Forward to Summary of Bill No. 2			L	19,625,000.00

S/No	DESCRIPTION	TENU	QTY	RATE(Tshs)	AMOUNT(Tshs)
	BILL NO. 8 INSTALATION PUGU-KAZIMZUMBE			· · · · · · · · · · · · · · · · · · ·	AMOUNT(ISRS)
	Supply and Install the following				
	DISTRIBUTION SYSTEM Single phase and neutral distribution body (DB) WAYS,4 MCBs(10A,16A,25A,25A,) c/w Single phase Circuit breaker 63A/100mA as ABB make OR as approved equivalent	1 1	3	224,000	672,000.00
	POWER POINTS			22 1,000	672,000.00
2.1	2 X 13A switch socket With multipurpose ports for plugging c/w steel box as TRONIC make OR as approved equivalent	No No	22	24,500	539 000 00
Ü	25A switch Double Pole (DP) switch c/w steel box	(		2.1,300	539,000.00
2.2	as TRONIC make OR as approved equivalen	No	3	17,500	52,500.00
	LIGHT FITTING AND FANS ESTIA round opple Energy saver(LED) 18 W complete for toilet as Tronic make OR as				
3.1	approved equivalent ESTIA round opple Energy saver(LED) 24 W complete for toilet, as Tronic make, OR as	No	9	42,000	378,000.00
3.2	Wall Mounted Security light complete with its energy saver LED 40W/50W as PIEZO OR	No	19	56,000	1,064,000.00
3.3	approved equivalent	No	18	112,000	2,016,000.00
3.4	Solar street light IP66 100 W complete with solar pattery and solar panel and 12 mts steel pole Gate Mounted light complete with its energy waver LED 40W as PIEZO OR approved	No	0	4,200,000	¥
3.5	cuivalent Ceiling fan complete with its regulator 59" as	No	3	70,000	210,000.00
3.6 p	anasonic make OR as approved equivalent	No	7	350,000	2,450,000.00
	WITHES		1		
4.1 a	0A 1 gang 1 way flush light switch c/w steel box sTRONIC make OR as approved equivalent	No	9	5,600	50,400.00
4.2 a		No	6	7,700	46,200.00
4.3 as	Particular Control of the Control of	No	1	9,100	9,100.00
4.4 as	OA 1 gang 2 way flush light switch c/w steel box TRONIC make OR as approved equivalent	No	4	9,100	36,400.00

	TOTAL ELECTRICAL BILLS OF QUANTITIES FOR PUGU				17,539,200
	The state of the s	ITEM	1	840,000	840,000.00
	Soil treatment and interconnection to general earthing of the house sets to meet requirements of IEE regulations.complete Three earth pits with adequate number of earth rods linked together with the earthing cables, filled with wet charcoal/salt or bentonite powder				
	EARTHING SYSTEM AND PROTECTION				¥
6.2	PLASCON OR as approved equivalent	Pc	15	35,000	525,000.00
6.1	conduit wiring system c/w all accessories OR as	Pc	100	9,800	980,000.00
6	FIXED ENCLOUSERS FOR CABLE RUNS Use 3/4 inch PVC conduit class B tronic for full				•
5.5	(earthing) as Euro make OR as approved equivalent	mts	100	1,330	133,000.00
5.3	2C x 10 mm sq PVC copper cable as Euro make OR as approved equivalent 1C x 2.5mm sq PVC copper cable Yellow/Green	mts	200	21,000	4,200,000.00
	(ii)Yellow/Green	mts	300	1,470	441,000.00
	(ii) Black/Blue	mts	300	1,470	441,000.00
5.2	1C x 2.5mm sq PVC copper cable as Euro make CR as approved equivalent (i)Red/Brown	mts	300	1,470	441,000.00
	(ii)Yellow/Green	mts	400	1,330	532,000.00
	(i)Red/Brown (ii) Black/Blue	mts mts	500 400	1,330 1,330	665,000.00 532,000.00
	CABLES  1C x 1.5mm sq PVC copper cable as Euro make OR as approved equivalent				-
	equivalent	No	4	63,000	252,000.00
4.	7 asTRONIC make OR as approved equivalent 25A photocell as TRONIC make OR as approved	No	1	11,200	11,200.00
4.	10A 3 gang 2 way flush light switch c/w steel bo as TRONIC make OR as approved equivalent	No	2	11,200	22,400.00
4	5 as I RONIC make OR as approved equivalent	No	o	10,500	13 <b>4</b> 7
	10A 2 gang 2 way flush light switch c/w steel bo	1	1 1	30	

П	DESCRIPTION OF WORKS	UN	IIT Q	RATE	AMOUNT
	BILL NO. 9				
	ICT INSTALLATION- PUGU				
	STRUCTURED CABLING OF VOICE & DATA SYSTEM INSTALLATION				
	1CT INSTALLATION Supply, install, connect, test and commision as per drawings and specifications icluding all necessary equipments to the satisfaction of engineers.				
Α	D - Link switch 24 Ports	PC	1	400,000.0	400,000.00
В	Dell Desktop computer, Dual core 3.0GHz, 2GB Ram, 500 HDD	PC	1	1,500,000.0	22 2305
С	Wireless Access Point as of Ubiquiti Unifi Ap-AC (Ceilling - Indoor) PoE, Wireless Access Point 802.11, complete with connecting Accessories	PC.	1	600,000.0	0 500,000.00
D	Cat 6 Factory Terminated Computer Drops 3.0 Meter each	PC	10	18,000.00	180,000.00
E	IP Phone as of Yealink SIP-T21(P) E2.		1	300,000.00	300,000.00
F	Wall Metallic Square Box - Single for data (Tronic)	PC	7	2,500.00	
G	PVC Conduit pipe 1", class B (Tronic)	PC	100	3,000.00	
Н	RJ45 Wall Faceplate, cat 6 for data/voice (dual port) with spring loaded shutter and labelling field, c/w mounting boxes and other necessary accessories (DINTEK)	PC	7	24,000.00	
J	Conduit Elbow connector (Coupler) 3/4" (Tronic)	PC	25	1,000.00	25,000.00
K	Conduit connector (Coupler) 3/4" (Tronic)	PC	25	1,000.00	
L	Round box (Tronic)	PC	33	2,500.00	
М	Category 6 UTP 1m Patch Cord	PC	10	13,000.00	
N	Category 6 UTP 3M Patch Cord	PC	10	15,000.00	150,000.00
Р	Category 6 UTP 5m Patch Cord	PC	10	18,000.00	180,000.00
Q	TTCL Connection for Data and voice (Optic Fibre/Radio)	PC	1	6,000,000.00	6,000,000.00
	Cat 6e Horizontal Cable UTP 305M enclosed in a conduit (Class 'B')	Roll	3	500,000.00	1,500,000.00
	Carried to General Summary	Tshs			11,558,000.00

NO	DESCRIPTION	SPEC	1110	TIV	QTY	UNIT RATE	
	PROPOSED EXTERNAL WORKS FOR PUGU KAZI MZUMBWE					,,,,,,	
	SERIES 1000: PRELIMINARIES AND GENERAL COST						
1.1	and laboratory testing	1.09	Ls		1		500,000.00
1,2	lequipment	1.07	Ls	1	1		6,000,000.00
	TOTAL FOR SERIES 1000: PRELIMINARIES						6,500,000.00
	SERIES 2000: DRAINAGE Section 2200: Prefabricated Culverts (provisional)	SS 220	10				
NAME OF STREET	22.01 Excavation						
22.01 (	(i) 0.5m to 1.5m		Cu.r	m 1	12	6,500.00	
1.3415974(2-0)-110	Inlet/Outlets for culverts 22.02 Backfilling	3.02(e)	- 4009770	n 6	-	6,500.00	78,975.00 42,120.00
22.02 (	Using excavated material     Using imported selected material		cu.r	2004	3	3,000.00	8,100.00
	22.03 Concrete Pipe Culvert On Class A Bedding		CU.n	n .	5	38,000.00	171,000.00
	Provide, lay and fill concrete pipe culvert- 900mm		m	1	,	250,000.00	2,250,000.00
	22.07 Cast in Situ Concrete and Formwork	SS 2700					-,,
22.07 (	In Class A bedding, screeds and the encasing for pipes including formwork (Class 20/19 concrete)		cu.n	1 4		250,000.00	900,000.00
	Sub - Total: Carried Forward 23.01 Concrete Kerbing Class 25/19					1	3,450,195.00
23.01 (a	(150mm x 500mm) placed in concrete Class 15/19		m	80	1	35,000.00	2,800,000.00
23.03 (a	width size 700x500x600mm deep as per detail drawings		m	110	5	75,000.00	8,700,000.00
	Construct stone masonry to the wing wall, abutment and side wall of not greater than 2.5m from reducing level		cu.m	45		112,500.00	5,062,500.00
	Sub - Total: Carried Forward TOTAL FOR SERIES 2000: DRAINAGE (Carried Forward to Grand Summary)					1	16,562,500.00 20,012,695.00
	SERIES 3000: EARTHWORKS AND PAVEMENT LAYERS OF GRAVEL OR CRUSHED STONE						
	Section 3100: Clearing, Grubbing and Removal of Topsoil						
31.01(a)	Clearing, grubbing and removal of topsoil: Clearing and grubbing including small trees not						
	more than 1m cirth Removal of topsoil		sq.m	1,406	5	1,500.00	2,109,000.00
	Section 3400: Borrow Pit and Quarry Acquisition and Exploitation		cu.m	422		5,000.00	2,109,000.00
100	36.02 Fill and improved subgrade layers:						
36.02 (a)	Gravelling including overhaul (Excavate, load, haul, spread, water and compact G15 materials to minimum 95% MDD)	2.09	m³	422		38,000.00	16,028,400.00
- 1	Sub - Total: Carried Forward SERIES 5000: ANCILLARY ROADWORKS Section 5400: Road Signs 54.01 Road sign					1	20,246,400.00

54.01	Road sign on single post (sign sizes less th	an 0.5		1	1 1		
	PAVEMENT WORKS			no	1	350,000.00	350,000,00
5.11	Thick	00mm 000mm		sq.m	626	45,000.00	28,170,000,00
	Murram spread on back yard parking	- 1		sq.m	780	7,500.00	5,850,000.00
	Sub - Total: Carried Forward	1				7,7,00,00	
No	SUMMARY	1		1 1	- 1		34,370,000.00
1477.	DESCRIPTION			1 1		- 1	Amount
3	Total for SERIES 1000 Total for SERIES 2000 Total for SERIES 5000						TShs 6,500,000.00 20,012,695.00 34,370,000.00
	TOTAL CARRIED TO FORM OF TENDER Exclusive)	(VAT				1	
						1	60,882,695.00
- 1					1	- 1	
			- 1				
						1	
					- 1		
- 1						- 1	
		1	1		1		
			- 1			- 1	
- 1					- 1		
			1				
			- 1	- 1	4	- 1	
						1	
			- 1		1	1	
1							
1				- 1			
			1			1	
			- 1			1	
					1	1	
1		1					
1			- 1				
				1	1	- 1	
				1			
			1				
						1	
		700		-1	1		
			100	4			
			1	1			

	BILL NO. 2: GATE STRUCTURE	Unit	Quanti	ty Rate	Amount(TZS)
	Excavation in earth commencing at formation level and not exceeding 1.50 metres deep				
Α	Excavate foundation trench, column pits and the like	rn <sup>3</sup>	5	5,000.00	25,000.00
	Fillings				
	Earth filling obtained from the excavations (not compacted)				
В	Around foundations	m <sup>3</sup>	3	4,500.00	13,500.00
-	Remove surplus				13,300.00
С	Spread surplus excavated materials to spread on situated nearby from site	m <sup>3</sup>	2	3,500.00	7,000.00
1	Reinforced concrete Insitu concrete grade 20 including vibrating Insured reinforcement				
b	Column bases, strip foundation, plinth beams, learns and columns	m <sup>3</sup>	2.935	250,000.00	733,750.00
B	einforcement				
H st	igh tensile steel reinforcement to B.S. 4461 in ructural concrete work				
) 8r	nm Diameter bar	kg	26.74	4,000.00	106,960.00
12	2mm Diameter bar	kg	147,3792	4,000.00	589,516.80
Sa	awn formwork to:-				
Ve	rtical sides of columns, beams	m²	17.4	20,000.00	348,000.00
Stc 300	ALLING one wall Omm Wall, selected stones and bedded ited with cement and sand mortat 1:4	m²	11.7	45,000.00	526,500.00
	Carried to Collection				2,350,226.80

[te	m 	Unit	Quantity	Rate	Amount(TZS)
Α	METAL GATE  Steel gate openable size 4000mm wide x 1500mm high comprising of single openable leaf, fabricated from 100x50mm RHS Frame associated by 40 x 25mm RHS and 150 x complete with all iron mongery and locking devices: including one coat of primer and two coats of approved paint 4000x1500mm High	No	1	750,000.00	70.000
	CLADDING			730,000.00	750,000.00
В	Supply and fix Tanga stones as per detail drawings	m <sup>2</sup>	25	45,000.00	1,125,000.00
C	Allow sums for paint and decoration	Item			150,000.00
D	Signage writting	Item			250,000,00
	Carried to Collection				2,275,000.00
	COLLECTIONS				
	PAGE 1				2,350,226.80
	PAGE 2				
					2,275,000.00
- 1	Carried to Summary BILL NO. 2: GATE STRUCTURE			тѕн	4,625,226.80

PROPOSED CONSTRUCTION OF ENTRY GATE TO BE BUILT AT HANANG - MANYARA ON PLOT NO.... BLOCK ....

BILLS OF QUANTITIES (BOQ)

DECEMBER 2021

# GENERAL SUMMARY

BILL No. 2 - OFFICE BUILDING  BILL No. 3 - EXTERNAL WORKS	Unit	Qty	Rate	Amount(TZS) 14,500,000.0 51,476,637.1 23,161,000.0
BILL No. 4 - GUARD HOUSE BILL No. 5 - GATE				14,162,832.5; 8,411,521.60
SUBTOTAL (1)				111,711,991.35
ADD: VAT( 18%)				20,108,158.44
SUBTOTAL (2)				131,820,149.79
Condition of Contract Clause 60 Allow for the cost of providing performance security for 10% of the Contract sum				1,318,201.50
FIXED TENDER SUM (VAT INCLUSIVE) CARRIED TO FO	RM OF	TEND	ER	133,138,351.29

Signed	for and on behalf
	in the capacity of
DATED THIS	DAY OF2021

PRELIMINARIES AND GENERAL MATTERS	

Amount

Item no. A

BILL No. 01

PRELIMINARY ITEMS

PARTIES

The Employer is;

THE UNITED REPUBLIC OF TANZANIA MINISTRY OF NATURAL RESOURCES AND TOURISM P.O.BOX 40832 DAR ES SALAAM

The Archiects Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA

The Quantity Surveyors Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA

The Consulting Engineer shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA

The Services Engineer Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA

Not Priced

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

**Not Priced** 

Carried To Collection TSH

Item Amount no. APPROVED, DIRECTED AND SELECTED The term "Approved", "Directed" and "Selected" where used in this documents shall mean the approval, direction and selection of or by the Architect. Not Priced DEFINITIONS AND ABBREVIATIONS "as described" shall mean: В as described in the Section No.VI (Specifications) "B.S." shall mean: the current British Standard Specifications published by the British Standards Institution, 2 Park Street, London, W.I, England "TBS" shall mean: The Tanzania Bureau of Standard specification "KG" shall mean: Kilogrammes NO shall mean: Number M shall mean: Linear Metres "M2" shall mean: Square Metres "M3" shall mean: Cubic Metres "Ditto" shall mean: the whole of the preceding description except as qualified in the section of which it occurs in brackets it shall mean the whole of the preceeding description which is contained within the appropriate brackets. "M.S." shall mean: Measured separately B.M.S shall mean: Both sides measured separately **Not Priced** Carried To Collection TSH **Not Priced** BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1

PRELIMINARY ITEMS

Item Amount no. SCOPE OF CONTRACT AND DESCRIPTION OF THE WORKS The works under this contract generally comprises the construction and completion of the proposed office building and infrastructures for the Weights and Measures Agency at Medeli on Plot No. ... Block The above information is given without warranty and is only meant for the Contractor's guidance Not Priced В The type of construction and materials to be used in executing these works are clearly shown on the Architect's and Services Engineer's drawings and set out herein in these Bills of Quantities. The Contractor must obtain the approval from the Architect in regard to the use of any materials or facilities existing or found on site. **Not Priced** C Not Priced Carried to Collection TSH BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

tem no.		Amount
Α	LOCATION OF SITE  The site of the proposed works is located at Mt Hanang Kateshi	
	The Contractor shall be deemed to have visited the site and satisfied himself as to:-	
	a) The nature and position of the site	
	b) The amount of the rubbish or debris to be cleared away before commencement	
	c) The nature, current usage, proximity and size of adjoining property and building	
	d) The availability of land for the erection and positioning of all temporary structures, plant and materials necessary for the execution of the works. The Contractor shall obtain approval from the relevant Local Authority in all matters relating to site access and erection of temporary structures and must ensure adherence to the requirements of these Authorities	
	No claim will be allowed for travelling or other expenses which may be incurred by the Contractor in visiting the site or preparing the tender for the works.	Not Priced
	AGREEMENT AND CONDITIONS OF CONTRACT	
В	The Contractor will be required to enter into a contract with the Employer under the terms of Conditions of Contracts issued by the Public Procurement Regulatory Authority (PPRA).	Not Priced
С	The terms "The Contract Agreement" or "The Contract" or "The Form of Contract" shall mean the Conditions of Contract, the Special Conditions of Contract and Form of Contract Agreement given in Sections IV, V and IX in	
	this document respectively issued by the Public Procurement Regulatory Authority (PPRA) latest edition.	Not Priced
	Carried to Collection TSH	Not Priced
	BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS	

# THE FACTORIES (BUILDING OPERATIONS AND WORKS OF ENGINEERING CONSTRUCTION) RULES, 1985

The Contractor shall comply in all respects with the povissions of the Factories (Building Operations and Works of Engineering Construction) Rules, 1985 made under Section 55 of The Factories Ordinance, 1950 (CAP. 297)

The full text of the said rules may be inspected with the relevant authorities in addition to extract given here-below.

## PART II-DUTIES AND APPLICATION-FACTORY RULES, 1985

Notification of commencement or taking over of operations of work and appointment of safety supervisor

Clause 5. (1) A main contractor shall, within seven days of commencing or undertaking building operations or works of engineering construction, notify the Chief Inspector. in writing of:-

- a) the contractor's name and postal address;
- b) the address or location of the site of the operation or works;
- c) the date of commencement;
- d) the expected date of completion;
- e) whether mechanical power is used or not;
- f) the number of persons expected to be employed.

Clause 6. (1) Every contractor who employs more than twenty persons shall, for every site on which he is the contractor, appoint one or more persons experienced in the operations or works carried on at the site and suitably qualified for the purpose, to:-

- a) advise the contractor as to the observance of the safety, health and walfare requirement under the Ordinance and under these rules, and
- b) suprvise and ensure the observance of the requirements and promote the safe conduct of work generally at the sites.
  - (2) A contractor who employs twenty or fewer persons may appoint either himself or another person to be a safety supervisor in accordance with paragraph (1) above.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

Not Priced

Not Priced

Not Priced

Item no. Amount LABOUR CAMPS The contractor will NOT be permitted to house labour on site A Not Priced OFFICES FOR THE CONSULTANTS The Contractor shall construct, complete and maintain throughought the duration of the contract offices for the exclusive use of the Project B Consultants and the Clients representatives. The office building whose construction shall include services installation, water, power, telephone, sanitary facilities, etc shall include a conference room big enough to hold site meetings. The Contractor shall include for the following and maintaining the same during the duration of the project:-(i) Office furniture and furnishing (ii) Providing such office equipment as computers, telephones etc (iii) Maintaining and paying for such services as electricity, water supply, (iv) Staff for cleaning and messenger (v) Some secretarial staff The Contractor shall allow for the cost of providing light refreshment for the Consultants at site meetings. OFFICES AND SHED The Contractor shall erect and maintain temporary office accommodation for his own use and the use of Nominated Sub-contractors and ample temporary water tight sheds for the proper storage and protection of materials vulnerable to weather and remove when ordered 4,000,000.00 Carried to Collection TSH 4,000,000.00 BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

## TEMPORARY STRUCTURES

Amount

The Contractor shall allow for providing and clearing away on completion of the Works, such temporary hoarding, rubbish chutes, gates, planked walkways, guard rails etc. as may be necessary for the protection of the workers, the general public and for the proper execution of the Works.

All such temporary structures shall be constructed with the approval of the Architect and to his full satisfaction and in such a manner as to cause minimum inconvenience and disturbance to the pedestrians and road users using the adjacent roads.

All such temporary structures shall comply in all aspects with the national laws, rules, and regulations currently in force and applicable to such structures.

TEMPORARY STRUCTURES (cont'd)

The Contractor shall further comply in all respects with the following conditions:

All temporary structures shall be erected in a manner so that the unloading of materials causes minimum obstruction to the use of adjacent roads and other facilities

- D All temporary structures shall be kept properly lighted throughout the periods of darkness and any corners or projections shall be painted white.
- E Temporary structures shall not be used or permitted to be used for advertisement purposes except with the consent of the Architect.
- F All temporary structures shall be maintained at all times in good order and good condition to the satisfaction of the Architect.
- G All temporary structures shall be removed when so required by the Architect or at the end of the period for which it is required
- The Contractor shall idemnify and shall keep the employer idemnified against any expenses, loss, claims or suits arising out of or in connection with the temporary structures
- The Contractor shall pay all local authority or other charges payable in connection with temporary structures

WATCHING AND LIGHTING

The Contractor shall provide at his own risk and cost all watching as necessary to safeguard the Works, Plants and Materials against damage and theft.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS 1,600,000.00 1,600,000.00

em no.		Amount
	TEMPORARY DISPOSAL OF RAIN WATER	
Α	The Contractor shall provide and maintain all necessary temporary gutters, down pipes, chutes, drains etc. for conveying rainwater from the buildings.	
	The Contractor shall allow for temporary drainage plumbing and piping for keeping the premises and site free from accumulation of water.	
	SANITATION OF THE WORKS	
В	The Contractor shall make arrangement for the provision of sanitary facilities at site for use by his staff and workmen and shall keep them clean at all times to the satisfaction of the Architect	
	DOWN TAKINGS	
Ċ	All materials arising from demolitions and down takings are deemed to be the property of the employer. No claim will be entertained on account of employer excising this right to retain the materials	Not Priced
	All down takings shall be carefully removed, taken down, dismantled and stored on site until instructed by the Architect to remove from the site. Such materials shall only be incorporated in the new works if required by the Architect in which case appropriate adjustments will be made in the final account for the cost of labour, screws etc for fixing such down takings in the new works.	
	SUFFICIENCY OF TENDER	
D	The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices stated in the priced Bills of Quantities. Rates and prices quoted shall cover all his obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works	Not Priced
	Abbreviations used in the Bills of Quantities shall be interpreted as follows:-	
	SITE LEVELS	
E	Before commencing work the Contractor must arrange for and agree with the Architect and Quantity Surveyor the on the existing site levels and similarly establish and agree on a bench mark.  Carried to Collection TSH	Not Priced 0.00
	BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS	

## SETTING OUT

The Contractor shall set out the works in accordance with the dimensions and levels shown on the drawings and shall be responsible of the correctness of all dimensions and levels set out by him and he will be required to ammend all errors arising from inaccurate setting out at his own cost and expenses. In the event of any error or discrepancy in the dimensions or levels marked on the drawings being discovered, such errors or discrepencies must be reported by the Contractor to the Architect for his immediate attention.

No work shall be commenced by the Contractor until he has received written instructions from the Architect to adjust such discrepancies which may be proved, upon receipt of such instructions and no claim for extra expenses or relief from the provisions of Clause 7of the Conditions of the Contract, any discrepancy or error in the dimensions or levels shown on the drawings may be made thereafter.

## SAMPLES

The Contractor shall turnish at the earliest possible opportunity before work commences and at his own cost any samples of materials or workmanship that may be called for by the Architect for his approval or rejection until such samples are approved to be the minimum standard for the work to which they apply

## EXISTING PROPERTY AND SERVICES

The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for all damages hereto arising from the execution of his contract and he shall make good all such damages when directed at his own expense.

relevant Authorities the exact position, depth and level of all existing electric cables, water pipes and all other services in the area and he shall make whatever provisions may be required by the authorities concerned for the support and protection of such servivses. Any damage or disturbances caused to any service shall be reported immediately to the Architect and the relevant Authority and shall be made good to their satisfaction at the Contractor's expense.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

500,000.00

800,000.00

**Not Priced** 

**Not Priced** 

1,300,000.00

## MATERIALS, TOOLS, PLANT AND SCAFFOLDINGS

Amount

All materials and workmanship used in the execution of the works shall be of the best quality and description. Any materials for the works condemned by the Architect shall immediately be removed from the site at the Contractor's expense.

The Contractor shall be responsible for the provision of all materials, scaffolding, tools, plant, transport and workmen required for the works except in so far as may be stated otherwise herein and he shall allow for the provision of the foregoing except for such items specifically and only required for the use of Nominated Sub-contractors as described herein

No timber used for scaffolding, formwork or similar purpose shall be used afterwards in the permanent works.

All such plant, tools and scaffolding shall comply with all regulations whether general or local in force throughout the period of the contract and shall be required as may be necessary to comply with any ammendments in or additions to such regulations

## LOCAL REGULATIONS AND BY-LAWS

The Contractor is to comply with all local regulations and by-laws of the Local Authority including serving notices and paying of fees.

#### SUPERVISION

B

The said works shall be excuted under the direction and to the entire satisfaction of the Architect and Clerk of Works who shall have the Architect's specifically delegated authority and shall at all times have access to the works, to the yards and workshops of the Contractor or other places where goods are being prepared for the building

## TRANSPORT TO AND FROM THE SITE

The Contractor shall include in his prices for the transport of materials, workmen etc to and from the site of the proposed works at such hours and by such routes as are permitted by the Authorities.

All unit rates for local or imported goods are to include freight, insurance, handling and delivery costs to the project site together with import duties, sale tax, port charges etc and all other charges of whatever nature.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS 4,500,000.00

400,000.00

Not Priced

Not Priced

4,900,000.00

Amount

#### FAIR WAGES

The Contractor shall pay rates of wages and observe nours and conditions of labour not less favourable than the minimum conditions of employment applicable in the district in which the work is carried out. The relevant notice must be posted up and kept posted upon the site where it can be conveniently read by the employees concerned in languages they can understand.

The Contractor is to comply with the Regulations of Wages and Conditionds of Employment Act, Building and Construction IndustryWages Council and is to be responsible for compliance of the sub-contractors employed in the execution of the contract. If required he is to notify the Architect of the names and addresses of all such sub-contractors. Any Contractor or Sub-contractors not complying will not be permitted to tender for other work for such a period as the Architect may determine

Should a claim be made to the Architect alleging the Contractor's default in payment of Fair Wages to any workman employed on the contract and if proof thereof satisfactory to the Architect, may failing payment by the Contractor, pay the claim out of any monies due or which may become due to the Contractor under this contract.

The Contractor is to furnish to the Architect, if called upon to do so, such particulars of the rates of wages, hours and conditions of labour referred to above as the Architect may direct

SECURITY OF WORKS AND FENCING

The Contractor shall be entirely responsible for the security of all works, stores, materials, plant, personnel etc both his own and sub-contractors and shall provide adequate watching, lighting and other necessary to ensure this security, the safety and protection.

PUBLIC, PRIVATE ROADS AND PAVEMENTS ETC

The Contractor will be required to make good at his own expense any damages he may cause to the present approach road surfaces during the period of the works

POLICE REGULATIONS

D

E

The Contractor is to allow for complying with all instructions and regulations of the Police Authorities

AREA TO BE OCCUPIED BY CONTRACTOR

The area of the site which may be occupied by the Contractor for use as storage and for the purpose of erecting workshops etc shall be defined on the site by the Architect

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Not Priced

Not Priced

0.00

## PROGRESS SCHEDULE

Amount

progress Chart showing the time and order in which he proposes to carry out the works within the total construction time stated in the contract. The chart will show in detail the construction time and order in which each section of the work is to be carried out and be sub-divided into trades and tasks. If the Contractor proposes sectional completion of the project he must plan this in detail including access roads, and services and this shall be reflected on the chart.

Upon the letting of the sub-contractors work the contractor is to incorporate times and details of each separate sub-contractor's work which information is to be agreed by the sub-contractor and the chart will be so designed to accommodate this information.

At the end of each week the Contractor is to mark on the chart in a different colour the actual time taken to complete the respective stages and sections of the work. The Contractor shall obtain the Architect's approval on the chart and then shall supply copies to the Architect and Quantity Surveyor

If at any time it should appear to the Architect that the actual progress of the works does not conform to the approved programme progress schedule the Contractor shall produce at the request of the Architect a revised programme showing the modifications and accelerations to the approved programme necessary to ensure completion of the works within the agreed contract period.

The submission of and approval by the Architect of such revisions and accelerations shall not entitle the Contractor to any extra payment or extension of time and shall not relieve the Contractor of any duties or obligations or responsibilities under the contract

## OVERTIME

The Contractor shall be responsible for any extra costs for overtime working he considers will be necessary in order to complete the works within the contract period or time for completion apart from overtime working which may be authorised by the Architect

If overtime is worked out in accordance with a written instruction issued by the Architect the Contractor will be reimbursed in respect of such overtime to the unproductive time payable over and above the basic hourly rates as laid down by the Regulation of wages and Conditions of Employment Act, Building and Construction Industry Wages Council and excluding any bonuses, profits and overheads.

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Not Priced

Not Priced

Not Priced

Carried to Collection TSH

no.		Amount
	WATER	
Α	The Contractor shall provide at his own risk and cost all water for use in connection with the works including the work of Sub-contractors make arrangements with the local authority for the installation of a seperate meter for all water used by him throughout the contract and pay all costs and fees in connection therewith. He shall also provide temporary storage tanks and tubing etc as he may consider necessary and clear away at completion.	200,000.00
	All water shall be fresh, clean and pure, free from earthly vegetable or organic matter, acid or alkaline substance in solution or suspension.	1
	TELEPHONE	
В	The Contractor shall provide in the office, from the commencement to the completion of the works, a telephone to the Exchange and shall pay all fees and rentals for same.	Not Priced
	LIGHTING AND POWER	
С	The Contractor shall provide at his own risk and cost all temporary artificial lighting and power for use on the works including all sub-contractors and specialists requirements and including all temporary connections, wiring, fittings etc and clearing away on completion. The Contractor shall pay all fees and obtain all permits in connection therewith.	1,000,000.00
	CONCRETE TEST	1,000,000.00
D	Note: The Contractor must allow in his rates all costs in connection with the making of cubes, curing, transport, crushing by an approved testingl Authority and obtaining the test certificate;	
	Set of four 150 x 150 x 150mm concrete test cubes; 3 sets (Provisional @ Tshseach set)	
	*Contractor to insert rate and extend	Not Priced
	Carried to Collection TSH	1,200,000.00
1	BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS	
ľ		

## ACCESS TO SITE AND TEMPORARY ROADS

Means of access to the site shall be agreed with the Architect prior to commencement of the works and the Contractor must allow for building and maintaining any temporary access roads for the transport of materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges or any other means of gaining access.

Upon the completion the works the Contractor shall remove such temporary roads, temporary culverts bridges etc and make good and reinstate all works and services disturbed to the satisfaction of the Architect.

## TEMPORARY BUILDINGS

The Contractor shall provide sheds for storage, accommodation for all goods and materials liable to suffer damage from exposure to sunlight or indement weather.

The Contractor shall provide offices, mess rooms and all the buildings required by the contractor for his own use and the use of Nominated Subcontractors as required by the items of attendance only.

The Contractor shall shall provide an office of approximately 15 square meters equipped with a table, a chair and a plan chest for drawers for drawings

The Contractor will not be required to provide a separate office for Consultants but he shall provide a table of sufficient size for meetings, plan chest for drawings and ten chairs.

The Contractor shall allow for the cost of providing light refreshment for the Consultants at site meetings.

The Contractor shall keep on the site and maintain in good condition one dumpy or quickset level, metric leveling staff and one 30 metre steel tape for the use of the Architect, Surveyor and Engineer.

Upon completion all temporary buildings are to be removed and cleared away

Carried to Collection TSH

Amount

Not Priced

Not Priced

**Not Priced** 

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1

PRELIMINARY ITEMS

## SANITATION OF THE WORKS

The sanitation of the works shall be provided, maintained and removed on completion by the Contractor to the satisfaction of the Architects and local Authorities.

The latrines shall be enclosed with framing and corrugated sheets roots, sides and partitions, with concrete floors steel trowelled smooth to floors to facilitate washing. Their location shall be agreed with the Architects and the works shall not be commenced before the sanitary accommodation has been approved by the above mentioned authorities.

Ine Contractor will be required to pay all conservancy charges and shall ensure clean daily maintenance and disinfecting of the latrines, and not less than once per week, the whole area shall be sprayed with disinfectant and insecticides and any temporary drains shall be removed and all works and surfaces disturbed made good and then the whole area disinfected and left clean and free from pollution to the satisfaction of the Architect and local authorities

#### SIGNBOARD

the whole period of the building operation and remove at completion, one approved temporary sign board to the Architect's standard design giving a brief description of the works and showing the names of the employer and the consultants, with sufficient space to append the names of the sub-contractors and suppliers when known. The signboard shall conform to the requirement of the Architects and Quantity Surveyors Registration Board (AQRB) in all respects.

Amount

Not Priced

500,000.00

Carried to Collection TSH

500,000.00

BILL NO. I PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

#### Amount

A

## PRIME COST SUMS

- i) The words "Prime Cost" (or the initials "P.C") appearing in the contract documents shall mean; net costs exclusive of any trade, cash or other discount whatsoever but inclusive of the costs of the packing, carriage and delivery. Such costs shall be the same due to the sub-contract or supplier after adjustments where applicable in respect of measurements of rates.
- ii) Any increase or decrease in the prime costs sums resulting from the adjustments and properly paid by the contractor shall be added or deducted from the contract sum in the final account. In substantiation the contractor will require to produce to the Quantity Surveyor all quotations, invoices and receipted accounts as shall be necessary to show the details of the sums actually paid.
- iii) Any sum added by the Contractor in these Billsof Quantities in respect of profits upon any prime costs will be deducted at the final settlement of accounts and the sum will be added to the amount of which will bear the same proportion to the sum added as the net amount properly expended to the original P.C sum:

Not Priced

Carried to Collection TSH

Not Priced

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Item no. Amount NOMINATED SUB-CONTRACTORS The Contractor shall accept responsibility for providing the following services for nominated sub-contractors. GENERAL ATTENDANCE: The following services are described as "allow for general attendance" a) Use for the purpose of the sub-contract works of any scaffoding belonging to or provided by the Contractor while it remains so erected upon site, provided that no warranty or other liabilityon the part of the Contractor or of his other sub-contractors shall be created or implied in regard to the fitness, condition or suitability of the said scaffolding b) Provision of water, lighting, watching and attendance for the purpose of the sub-contract works. c) Use of sanitary accommodation, mess-rooms and welfare facilities. d) Provision of space for erecting of offices or stores or space for **Not Priced** storage of plant and materials. B ii) SPECIAL ATTENDACE: The following services are stated under a seperate item and where described under the following headings shall mean: a) Taking delivery including the provision of unskilled labour necessary to attend upon the sub-contractors workmen for the purpose of unloading plants and materials when received upon the site and placing in position within the sub-contractor's storage space or store. b) Hoisting including the provision of unskilled labour and the use of any Contractors standing scaffoding and plant for the purpose of assisting the sub-contractors workmen in hoisting the sub-contractors plant and materials to the various levels but not placing in its final position. **Not Priced**  c) Providing power including the provision of power during the course of the works and during the periodof commissioning and training Carried to Collection TSH Not Priced BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Item no. Amount A NOMINATED SUPPLIERS The Contractor shall take delivery anywhere in Dar es Salaam of all materials or goods supplied by the Nominated suppliers and shall sign a receipt as having received them in good order and condition. He shall ofload, transport to site, unload, hoist, provide safe storage and thereafter be responsible for any loss or damage or replacement of any such lost or damaged articles at his own expense and shall return case if so required. Not Priced Provision is made herein following each appropriate P.C sums for the costs of the foregoing services against items reading "take delivery of and fix only" PROTECTION OF THE WORK AND PREVENTION OF NUISANCE the works and such sections of the site necessary thereafter shall be under **Not Priced** the entire care and control of the Contractor during the whole period of the contract and shall take all possible precautions to prevent any nuisance, inconvenience or injury to the holder or occupiers of the existing or surrounding properties and to the public generally, and shall at all times keep all paths and roads affected by the works in a safe and clear state, and shall use proper precautions to ensure the safety of all wheeled traffic and pedestrians. REMOVAL OF PLANT AND RUBBISH ETC The Contractor shall upon completion of the works remove and clear away all temporary buildings, plant, rubbish and unused materials, and shall leave the whole of the site of the works in a clean and tidy state to the satisfaction of the Architect. He shall also remove all rubbish and dirt from the site at weekly intervals or as directed by the Architect. 1,000,000.00 Particular care shall be taken in leaving windows, floors and fittings clean and the removal of all paint and cement stains therefrom. COPYRIGHT The copyright of these documents is vested in Cost-Consult Ltd. No part of Not Priced this document may be reproduced in any form or by any means without their prior permission.

Carried to Collection TSH

1,000,000.00

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

		Amount
Bill No. 1		1
Element No. 1		
PRELIMINARY ITEMS	S	
COLLECTION		Amount
Total Brought Forward	rd from Page No.	
	VIII/1/1/1	Not Price
	VIII/1/1/2	Not Price
	VIII/1/1/3	Not Price
	VIII/1/1/4	Not Priced
	VIII/1/1/5	Not Priced
	VIII/1/1/6	4,000,000.0
	VIII/1/1/7	1,600,000.0
	VIII/1/1/8	0.00
	VIII/1/1/9	1,300,000.0
	VIII/1/1/10	4,900,000.0
	VIII/1/11	0.00
	VIII/1/1/12	Not Priced
	VIII/1/1/13	1,200,000.00
	VIII/1/1/14	Not Priced
	VIII/1/1/15	500,000.00
	VIII/1/1/16	Not Priced
	VIII/1/1/17	Not Priced
	VIII/1/1/18	1,000,000.00
BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS	Carried Forward to Summary of Bill No. 1 TSH	14,500,000.00

Ite	BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT H. ELEMENT NO. 1; SUBSTRUCTURE	1 1	Quantity WORK	Rate	Amount(TZS)
	(ALL PROVISIONAL)				
	EXCAVATIONS AND EARTHWORKS	1 1			
	Site clearance				
Α	Clear site of all bushes tuffs and small trees not exceeding 600mm girth and burn debris on site (approximate area 211 square metres)	m2	25.00		24,537.18
	Excavation in earth				
В	Excavate average 150mm deep to remove top vegetable soil and stock pile on site for later reuse (including disposal of surplus as necessary)	m <sup>2</sup>	25.00	1,000.00	25,000.00
	Cutting to form levels			1	
С	Open face excavations of slopping site to form levels	m³	7.5	5,000.00	37,500.00
	Excavation in earth commencing at formation level and not exceeding 1.50 metres deep				
D	Excavate foundation trench	m³	16	5,000.00	80,000.00
E	Excavate pit for column bases	m³	1	5,000.00	5,000.00
	Carried to Collection BILL NO. 2:			тѕн	172,037.18
	GUARD HOUSE AND CHANGE ROOM AT HANANG Element No. 1 SUBSTRUCTURE	WORK			
1	J	1	1		

Ite	em	Unit	Quantity	Rate	Amount(TZS)
	Risk of collapse of excavations				
	Planking and strutting				
А	Allow for maintaining and supporting sides of excavations by provision of planking and strutting and for keeping the same free from fallen materials		Item		200,000.00
	Keeping excavations free of water				
В	Allow for keeping excavations free of water (except spring or running water) and mud by pumping, baling or other approved means		Item		200,000.00
	Fillings				
	Earth filling obtained from the excavations (not compacted)				
C	Around foundations	m³	8	4,500.00	36,000.00
	Imported soil filling including excavating in borrow pits				
D	Well ram and consolidate to make up levels under floors	m³	9	15,000.00	135,000.00
				,	
1	Carried to Collection  BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HANANG Element No. 1 GUBSTRUCTURE	WORK		TSH	571,900.00
1					

oil poisoning  nti- termite treatment hemical anti termite treatment executed proplete by an approved specialist under a ten 0) year guarantee to surfaces of blinded ardcore	m2	Quantity	Rate	Amount(TZS)
hemical anti termite treatment executed omplete by an approved specialist under a ten 0) year guarantee to surfaces of blinded ardcore	m2		1	V
Marie Warran and Ville and Jersey of Artist Constitution		21	4,000.00	84,000.00
tto, around the building plinth	m	0	1,500.00	
ardcore				
Omm Bed, levelled and blinded to receive lythene membrane(measured separately)	m <sup>2</sup>	21	9,500.00	199,500.00
nd blinding	m <sup>2</sup>	21	1,000.00	21,000.00
DNCRETE WORK				And the state of t
ain concrete grade 15				
mm Thick surface blinding under column ses	m²	5.76	10,000.00	57,600.00
inforced concrete itu concrete grade 20 including vibrating und reinforcement				
p foundations	m³	2	250,000.00	500,000.00
umn bases	m³	0.14	250,000.00	36,000.00
imns	m³	1	250,000.00	250,000.00
th beams	m <sup>3</sup>	2	250,000.00	500,000.00
tu concrete grade 15 including vibrating	7			
STEAR FEMALES	V-0.07/E	WALLEY.	20,000.00	420,000.00
ши капр	m <sup>2</sup>	5	20,000.00	100,000.00
Carried to Collection NO. 2: RD HOUSE AND CHANGE ROOM AT HANANG lent No. 1 STRUCTURE	WORK		TSH	2,168,100,00
	th beams  u concrete grade 15 including vibrating and reinforcement and Ramp  Carried to Collection  NO. 2:  RD HOUSE AND CHANGE ROOM AT HANANG ent No. 1	m  m  m  m  m  m  m  m  m  m  m  m  m	m 0.14 m³ 1 m³ 2 u concrete grade 15 including vibrating nd reinforcement nm 8ed m² 21 nm Ramp m² 5  Carried to Collection NO. 2: RD HOUSE AND CHANGE ROOM AT HANANG WORK ent No. 1	m

Ite	m 	Unit	Quantity	Rate	Amount(TZS)
	Reinforcement	1 1		3343.000	
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
A	8mm Diameter bar	kg	59	4,000.00	236,000.00
В	12mm Diameter bar	kg	161	4,000.00	9 1100
	Sawn formwork to:-	1 1			
C	Vertical sides of column bases	m²	1	18,000.00	18,000.00
D	Vertical sides of rectangular columns	m²	1	18,000.00	18,000.00
Ε	Vertical sides of ground beams	m <sup>2</sup>	3	18,000.00	54,000.00
F	Edges of bed, 100mm high	m	0	2,700.00	-
	WALLING Solid Stone foundation wall bedded and jointed in cement mortar (1:4)				
G	300mm Wall	m²	18	35,000.00	630,000.00
E	Carried to Collection ELL NO. 2: EUARD HOUSE AND CHANGE ROOM AT HANANG I lement No. 1 UBSTRUCTURE	WORK		TSH	1,600,000.00

Ite	Damp-proof course	Unit	Quantity	Rate	Amount(TZS)
А	500 Gauge polythene damp-proof membrane laid over blinded hardcore (measured separately)	m²	21	2,000.00	42,000.00
В	Hessian based bitumen damp-proof course to B.S. 743 type 'A' 230mm wide laid horizontally	m	23	1,500.00	34,500.00
	Plinth protection				
С	12mm Cement and sand render to walls (1:4) external rendering to concrete or blockwork	m²	35	6,000.00	210,000.00
D	Prepare and apply two coats of black bituminous paint on rendered surfaces externally	m²	35	5,000.00	175,000.00
G El	Carried to Collection  ILL NO. 2:  UARD HOUSE AND CHANGE ROOM AT HANANG ement No. 1  JBSTRUCTURE	Work	TSF		461,500.00

Bill No. 2 Element No. 1	Unit	Quantity	Rate	Amount(TZS)
SUBSTRUCTURE	1 1	1		
COLLECTION		Page No.		Amount
Total Brought Forward from Page No.		MB/2/1/1		172 027 10
		MB/2/1/2		172,037.18
	11	MB/2/1/3		571,000.00
		MB/2/1/4		2,168,100.00
	1 1	MB/2/1/5	0	1,600,000.00
		,2,2,5		461,500.00
Carried Forward to Summary of Bill No. 2 BILL NO. 2:		TSI	1	4,972,637.18
GUARD HOUSE AND CHANGE ROOM AT HANANG Element No. 1 SUBSTRUCTURE	WORK			

tem		Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 2; FRAME				
	CONCRETE WORK				
	REINFORCED CONCRETE				
	In situ reinforced concrete grade '20' including vibrating around reinforcement				
Α	Columns	m <sup>3</sup>	1	250,000.00	250,000.00
В	Lintels/ beams	m <sup>3</sup>	1	250,000.00	250,000.00
	REINFORCEMENT				
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
C	8mm Diameter bar	kg	66	4,000.00	264,000.00
D	12mm Diameter bar	kg	90	4,000.00	360,000.00
	SAWN FORMWORK TO:-				
Ε	Vertical sides of rectangular columns	m <sup>2</sup>	11	18,000.00	198,000.00
F	Sides and soffits of horizontal beams	m <sup>2</sup>	14	18,000.00	252,000.00
	Carried Forward to Summary of Bill No.  Bill No. 2 GUARD HOUSE AND CHANGE ROOM AT HANA Element No. 2 FRAME		DRK	TSH	1,574,000.00

Item		Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 3; WALLING				
	BLOCK WALLING  Solid conrete block walling to B.S. 2028 type 'A' bedded and jointed in cement and sand (1:4) mortar with and inluding 2No. 6rnm high tensile bars set horizontally after every two courses				
А	150mm External Walls	m <sup>2</sup>	45	28,000.00	1,250,000.00
В	150 Internal Walls	m <sup>2</sup>	19	28,000.00	532,000.00
	Total Brought Forward from Page I BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HAN Element No. 3 WALLING	10	NORK	TSH	1,792,000.00

Iten	n I	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 4; ROOF CONSTRUCTION				
	ROOF COVERINGS				
	Aluminium roofing sheets				
	Corrugated Iron sheet "Gauge 28" lapped 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres				
Α	Roof coverings sloping not exceeding 45 degrees from the horizontal	m²	25	39,500.00	987,500.00
	ROOF STRUCTURE				
	Sawn soft wood: Impregnated with Preservatives				
В	50 x 150mm king post	m	5	6,000.00	30,000.00
С	50X150mm Tie beam	m	27	8,000.00	215,000.00
D	50X150mm Rafters	m	31	8,000.00	248,000.00
E	50X100mm Struts	m	25	7,000.00	175,000.00
F	50X150mm Wall Plate	m	19	8,000.00	152,000.00
G	50X75mm Purlins	m	36	5,000.00	180,000.00
Н	25 x 250mm Fascia and barge board, painted	m	24	9,500.00	228,000,00
	Carried Forward to Summary of Bill No. 2			TSH	2,216,500.00
	BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HANAN Element No. 4 ROOF CONSTRUCTION	ig woi	RK		

Ite	im I	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 5; DOORS				
	TIMBER DOORS				
	Prime quality 'mninga' or other equal and approved hardwood				
	Pannelled doors				
	45mm Thick solid panelled door, comprising of 40x250mm stiles, top, middle and bottom rails; both divided into two panels, filled in with and including hardwood panel; all veneer finished or both sides and polyurethane matt polished	1			
A	900 x 2100mm wide	No	1	510,300.00	510,300.00
В	800 x 2100mm wide	No	3	453,600.00	1,360,800.00
	GLAZING				
	5mm Thick clear sheet glass and glazing to timber with beads (m/s) in panes				
С	In panes over 0.5 square meters not exceeding 1 square meters	sm	2	29,000.00	58,000.00
	IRONMONGERY				
	Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized finish; to softwood, hardwood or the like; fixing with screw				
D	Three lever mortice lockset with furniture	No	3	120,000.00	360,000.00
Ε	Bathroom SASH lock with push plate and indicator	No	1	38,000.00	38,000.00
F	Rubber door stop plugged to concrete	No	3	5,000.00	15,000.00
G	150mm stainless steel butt hinges heavy duty ASSA ABLOY or equivalet	Prs	4	10,000.00	40,000.00
	Carried to Collection BILL NO. 2:			тѕн	2,382,100.00
	GUARD HOUSE AND CHANGE ROOM AT HANANG Element No. 5 DOORS	S WORK			

Iten		Unit	Quantity	Rate	Amount(TZS)
	Frames and finishings				
Α	45x145mm Frames, rebated plugged to wall	m	13.00	30,000.00	390,000.00
В	45x145mm Transome	m	2	30,000.00	60,000.00
С	15x40mm Architrave, splayed	m	13	3,200.00	41,600.00
D	15x25mm Glazing beads	m	D	2,100.00	; <del>4</del> 9)
	Carried to Collection BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HANA Element No. 5 DOORS		RK	TSH	491,600.00
	Bill No. 2 Element No. 5  DOORS COLLECTION				
	Total Brought Forward from Page No.			Page No MB/2/6/17 MB/2/6/18	2,382,100.00 491,600.00
	Carried Forward to Summary of Bill No.  BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HANA Element No. 5 DOORS		RK	TSH	2,873,700.00

Ite	m I	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 6; WINDOWS				The Samuel Manager of Bridge
	ALUMINIUM WINDOWS				
	Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.				
Α	1200x1750mm high	No	3	405,000.00	1,215,000.00
B	1200x 1500mm high	No	3 0 1	324,000.00	X.
D	500 x 750mm high 800 x 1500mm high	No No	0	64,800.00	64,800.00
	Parameter and a control of the second	140	U	216,000.00	*
E F G	DECORATIVE SECURITY GRILLS  Decorative Security Grilles in galvanised m. s; welded fabrication, welds ground smooth; 20mm mild steel solid bars in main frame with 20mm mild steel burglar bars laid vertically at 100mm centres; fixing with expansion bolts with 12mm loose bolts and spacer tubes and washers to masonry; including drilling; red oxide primer before fixing 1500 x1500mm high 1200x 1500mm high 600 x 600mm high	No No No	10 1 2	180,000.00 144,000.00 28,800.00	1,800,000.00 144,000.00 57,600.00
Н	800 x 1500mm high	No	2	96,000.00	192,000.00
	Carried Forward to Summary of Bill No. 2  BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HANANG Element No. 6 WINDOWS	WORK	ξ	TSH	3,473,400.00

[ten		Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 7; FINISHINGS				
	<u>In-situ finishings</u>				
	Beds and backings; Cement and sand (1:4)				
A	32mm Beds to receive Porcelain floor tiles	m <sup>2</sup>	14	10,000.00	140,000.00
В	32mm Beds to receive Ceramic floor tiles	m <sup>2</sup>	7	10,000.00	70,000.00
С	12mm Backings to receive ceramic wall tiles	m²	19	7,000.00	133,000.00
	Internal plastering in two coats steel trowelled to a smooth finish				
D	15mm To walls	m <sup>2</sup>	64	7,000.00	448,000.00
Е	15mm To slopping and sides of ramps	m²	6	7,000.00	42,000.00
	External cement and sand (1:4) rendering with approved plasticiser in two coats steel trowelled to a smooth finish	1			
F	15mm To walls	m <sup>2</sup>	45	7,000.00	315,000.00
G	15mm To columns	m²	14	7,000.00	98,000.00
	Carried to Collection BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HANA		)RK	тѕн	1,246,000.00
	Element No. 7 FINISHINGS				

orcelain tiles; or equal and approved non-slip cor tiles laid at 45 degree with 10mm tile kirting to blockwork; bedding and jointing in ement mortar (1:3) grouting joints with earthing  00 x 400 x8mm thick tiles; butt jointed to bors  50mm high skirting  Vall tiles Thite glazed ceramic wall tiles with cushion dge to B.S 1282 fixed to backings with	m² m	21.00	35,000.00	735,000.00
oors  Somm high skirting  Vall tiles  Thite glazed ceramic wall tiles with cushion  lige to B.S 1282 fixed to backings with		H47000456490	35,000.00	735,000,00
Vall tiles  Thite glazed ceramic wall tiles with cushion  Ige to B.S 1282 fixed to backings with	m	5		, 33,000.00
hite glazed ceramic wall tiles with cushion age to B.S 1282 fixed to backings with			6,000.00	30,000.00
thesive and pointed including working around does and pipes				,
00 x 200 x 8mm Tiling to walls	m²	10.00	32,500.00	325,000.00
ain sheet finishings nm gypsum ceiling fixed to 50x50mm andering;	m <sup>2</sup>	21.00	12,500.00	262,500.00
x50mm treated softwood brandering	lm	84	4,000.00	336,000.00
prnices; approved shape		1		¥***
50 x 50mm	lm	5	6,000.00	30,000.00
Carried to Collection  L NO. 2:	i work	- 1	тѕн	1,718,500.00
	NO. 2:	. NO. 2: ARD HOUSE AND CHANGE ROOM AT HANANG WORK nent No. 7	NO. 2: ARD HOUSE AND CHANGE ROOM AT HANANG WORK nent No. 7	. NO. 2: ARD HOUSE AND CHANGE ROOM AT HANANG WORK nent No. 7

em 	Unit	Quantity	Rate	Amount(TZS
FINISHINGS			ŀ	
COLLECTION				
N. Carlotte			Page	Amount
Total Brought Forward from Page No.			No	
non rage no.			MB/2/8/21	1,246,000.0
			MB/2/8/22	1,718,500.0
		1		
		1		
		1		
		1		
		1		
		1	1	
			1	
		1		
arried Forward to Summary of Bill No. 2				
LL NO. 2:		TS	iH L	2,964,500.00
JARD HOUSE AND CHANGE ROOM AT HANANG Prient No. 7	WORK	1		
NISHINGS				
100000000000000000000000000000000000000				
EMENT NO. 8; DECORATIONS	1			

	m 	Unit	Quantity	Rate	Amount(TZS)
	Internal work Prepare and apply one thinned coat and two fuccats of vinyl silk paint				Amount(125)
A	Plastered walls	m²	64	8,000.00	512,000.00
	Prepare and apply three coats of 'polyurethane matt polish' or other equal and approved polish on wood surfaces				
В	Frames over 200mm not exceeding 300mm girth	m	13	1,500.00	19,500.00
С	General surfaces to hardwood shutter	m²	0	4,800.00	-
	External work Prepare and apply one thinned coat and two full coats of weather quard paint to				
D	Rendered walls	m <sup>2</sup>	45	5,000.00	225,000.00
E	Columns	m²	0	5,000.00	223,000.00
E	ONE UNDERCOAT; TWO FINISHING COATS OF MULSION PAINT				
T	o gypsum surfaces		1	1	
	ceiling	sm	21.00	8,000.00	168,000.00
	cornice	m	5	1,500.00	7,500.00
	Carried Forward to Summary of Bill No. 2		TSI		756,500.00
GU Ele	No. 2 ARD HOUSE AND CHANGE ROOM AT HANANG N Ment No. 8 CORATIONS	WORK			,33,300,00
BTI	.L NO. 2;				

Ite	em .	1				
	ELEMENT NO. 9: PLUMBING AND ENGINEERING INSTALLATION	Įu,	nit (	Quantity	Rate	Amount(TZS)
	Supply and fix/install the following sanitary appliances including all connections and fixing to FLOORS or WALLS as necessary or approby services Engineers.	ig_				
Α	Asian (Squarting) type WC pans with built in trap complete with all necessary accessories "Casterware" type or equal approved by Consultant	S- No		3	202,000.00	606,000,00
	Flushing Cistern tank complete with flushing pipe and all other necessary accessories - KARIBA type or equal approved by Consultant	No.		3	110,000.00	330,000.00
- 1	Finned and plain plastic W.C outlet connector	No.		3	15,000.00	45,000.00
D	Chrome Shurtuff ( Dotche spray) 13mm diameter X 2000mm long flexible hose	No.		3	60,000.00	180,000.00
F c st	Complete hand wash basin (HWB), size 550x450x200mm complete with self closing; semi pedestal and chain stay hole; fairline Windillar taps with dear acrylic handles; 1 ¼ in beachain waste and plug; 80cm slotted tail bolt tay; isovalve servicing valves, rubber plug with lotted tail; 32mm plastic bottle trap with 75mm eal - Castleware type or equal approved by onsultant.	No.		3	420,000.00	1,260,000.00
G re	00 x 600 x 6 mm thick. Frameless Mirror lkington or equally approved with alkali sistant coating one side, fixed with domex rews to blockwork requiring plugging	No.	3		95,000.00	285,000.00
211	illet paper holder;chrome as to RAK 015 or the like fixing with brass-screws-to- ckgrounds-plugging	No.	3		55,000.00	165,000.00
High	2393 Lucia Bath Mixer Set Complete with ndshower and headshower with all nesessary inus and accessories Carried to Collection	No.	1		350,000.00	350,000.00
And Dra	ATER SUPPLY <u>cillaries:</u> <u>aw off taps; stop valves; copper alloy</u> <u>BS 5154 or BS 1010:</u>				TSH	2,421,000.00
	550 Star Bih Tan Plain 15mm (1/20 5)	ocs	3		60,000.00	180,000.00

Item	Unit	Quantity	Rate	Amount(TZS)
H Flexible pipes to all sanitaries including HWB and WC,	No.	6	10,000.00	60,000.00
Supply and install the following HDPE pipe Class C including excavation, insta- and including its fittings:	<u>u</u>			33,000.00
J OD 25mm (3/4") HDPE pipe class C	m	150	4,500.00	675,000.00
Carried to Collection	on	1	TSH.	915,000.00
Supply and install the following PPR pipes including its to install Complete with all fittings and accessories:				220,000.00
A PPR pipe PN10 3/4"	М	6	5,000.00	30,000.00
B PPR pipe PN10 1/2"	М	12	4,500.00	54,000.00
Carried to Collection	n		TSH	84,000.00
WASTE AND VENT PIPES:				
Supply and install UPVC pipes to the floor/slab or chassed block work; Class B': including fittings in running length Complete with all fittings and accessories for pine work installation.  OD40mm (1 1/4") uPVC pipe PN6 (Class B) OD50mm (1 1/2") uPVC pipe PN6 (Class B) OD110mm (4") uPVC pipe PN6 (Class B)	M M M	10 12 28	6,000.00 8,000.00 12,000.00	60,000.00 96,000.00 336,000.00
FOUL WATER DRAINAGE Excavate trench to receive pipes of 50mm or 110mm uPVC pipes; commencing at ground level not more than 1200mm deep; including grading bottom; backfilling and compacting and removal of surplus excavated material.	m	20	6,000.00	120,000.00
GULLY TRAP  Construct a standard gully trap 400 x 400mm internal dimensions deep; in thick concrete block walls complete with benching and all fittings and gully trap cover	No.	3	150,000.00	450,000.00
MANHOLE:				

	Unit	Quantity	Rate	Amount(TZS)
Construct standard manhole size 600 x 600m average depth 1000mm deep; in 150mm, this solid concrete blocks walls; 150mm, thick plain-situ concrete grade '15' bed; complete with benching and all necessary pipe fittings; 1No cast iron manholes covers and frames; finished to wall sides and top of slab with water proof cement and sand render; including excavation back filling and removal of surplus material; a as per and shown in the drawings.	ck in o No.	4	250,000.00	
G Construct of Septic Tank with size: Width (W) 1.0 meter, Depth = 1.2 meter and Leght (L) = 1.8 meters	= No.	1	3,000,000.00	3,000,000.00
Carried to Collection  FIRE FIGHTING INSTALLATIONS:  PORTABLE FIRE EXTINGUISHERS  INSTALLATION:	on		TSH	5,062,000.00
Supply and install 9kg, dry powder type - 'NAFFCO' Brand or any other equal and approved fire extinguishers, fixed to wall with and including brackets plugged on block work.	No.	2	250,000.00	500,000.00
Supply and install 5Kg, Carbondioxide (CO2) type – 'NAFFCO' Brand or any other equal and approved fire extinguishers, fixed to wall with and including brackets plugged on block work.	No.	1	300,000.00	300,000.00
Supply and Install Standard Photoluminiscent Fire Signage for Portable Fire Extinguishers	No.	4	80,000.00	320,000.00
Carried to Collection COLLECTION			TSH	1,120,000.00
MB/2/9/17 MB/2/9/18 MB/2/9/18 MB/2/9/19 MB/2/9/19				2,421,000.00 915,000.00 84,000.00 5,062,000.00 1,120,000.00
Carried Forward to Summary of Bill No. 2	- 1			

	ICT INSTALLATION	Unit	Quantity	Rate	Amount(TZS
	STRUCTURED CABLING OF VOICE & DATA SYSTEM INSTALLATION				
	1CT INSTALLATION Supply, Install, connect, test and commission as per drawings and specifications icluding all				
A	necessary equipments to the satisfaction of engineers. D - Link switch 24 Ports				
В	Dell Desktop computer, Dual core 3.0GHz, 2GB Ram, 500 HDD	PC PC	1	400,000.00	400,000.0
		(10000000)	1	1,500,000.00	1,500,000.0
-1	Wireless Access Point as of Ubiquiti Unifi Ap-AC (Ceilling - Indoor) PoE, Wireless Access Point 802.11, complete with connecting Accessories	PC	1	600,000.00	600,000.0
- 1	Cat 6 Factory Terminated Computer Drops 3.0 Meter each	PC	10	18,000.00	180,000.0
	P Phone as of Yealink SIP-T21(P) E2.		1	300,000.00	W Markey
- 11	Wall Metallic Square Box - Single for data Tronic)	PC	5	2,500.00	300,000.00 12,500.00
1	PVC Conduit pipe 1" , class B (Tronic) 8345 Wall Faceplate, cat 6 for data/voice (dual	PC	100	3,000.00	300,000.00
f	port) with spring loaded shutter and labelling ield, c/w mounting boxes and other necessary coessories (DINTEK)	PC	5	24,000.00	120,000.00
C	onduit Elbow connector (Coupler) 3/4" (Tronic)	PC	25	1,000.00	WALL WATER
C	onduit connector (Coupler) 3/4" (Tranic)	PC	25	1,000.00	25,000.00
c	ound box (Tronic) ategory 6 UTP 1m Patch Cord	PC	33	2,500.00	25,000.00 82,500.00
C	ategory 6 UTP 3M Patch Cord	PC	10	13,000.00	130,000.00
C	ategory 6 UTP 5m Patch Cord	PC	10	15,000.00	150,000.00
11	ICL Connection for Data and voice (Conto	PC PC	10 1	18,000.00	180,000.00
141	bre/Radio) at 6e Horizontal Cable UTP 305M enclosed in a		=	0,000,000,00	6,000,000.00
co	anduit (Class 'B')	Roll	1	500,000.00	500,000.00
	Carried Forward to Summary of Bill No. 2				10,505,000.00
GU Ele	No. 2 ARD HOUSE AND CHANGE ROOM AT HANANG Ment No. 10	WORK			
ICI	INSTALLATION				

Iter	ELEMENT NO. 11 ELECTRICAL INSTALLATION	Uni	t Quantity	Rate	Amount(TZS)
1.0	Supply and Install the following DISTRIBUTION SYSTEM				
1.1	Single phase and neutral distribution body (DE 4 WAYS,4 MCBs(10A,16A,25A,25A,) c/w Sing phase Circuit breaker 63A/100mA as ABB make <b>OR</b> as approved equivalent	B) le No	2	224,000.00	448,000.00
2.0	POWER POINTS				
2.1	2 X 13A switch socket c/w steel box as TRONI make OR as approved equivalent	C No	13	24,500.00	318,500.00
4.4	25A switch Double Pole (DP) switch c/w steel box as TRONIC make OR as approved equivalen	No	3	17,500.00	52,500.00
3.0	LIGHT FITTING AND FANS				
3.1	ESTIA round opple Energy saver(LED) 18 W complete for toilet as Tronic make OR as approved equivalent ESTIA round opple Energy saver(LED) 24 W	No	3	42,000.00	126,000.00
3.2 c	complete for toilet as Tronic make OR as	No	13	56,000.00	728,000.00
3.3 e	Vall Mounted Security light complete with its mergy saver LED 40W/50W as PIEZO OR inproved equivalent	No	8	112,000.00	896,000.00
3.4 St	olar street light IP66 100 W complete with olar battery and solar panel and 12 mts steel ole	No	0	4,200,000.00	*
3.5 Sc	ate Mounted light complete with its energy aver LED 40W as PIEZO OR approved quivalent	No	3	70,000.00	210,000.00
3.6 Pa	eiling fan complete with its regulator 59" as anasonic make OR as approved equivalent	No	5	350,000.00	1,750,000.00
	WITHES				
4.1 bc	A 1 gang 1 way flush light switch c/w steel ox asTRONIC make OR as approved	No	2	5,600.00	11,200.00
4.2 DO	A 2 gang 1 way flush light switch c/w steel x asTRONIC make OR as approved uivalent	No	4	7,700.00	30,800.00
*.5 DO	uivalent	No	2	9,100.00	18,200.00
eq.	uivalent	No	3	10,500.00	31,500.00
4.5 000	A 3 gang 2 way flush light switch c/w steel c as TRONIC make OR as approved uivalent	No	1	11,200.00	11,200.00

Item		Unit	Quantity	Rate	Amount(TZS)
4.6	10A Intermediate light switch c/w steel box asTRONIC make OR as approved	No	D	11,200.00	*
	equivalent 25A photocell as TRONIC make OR as appro	No	2	63,000.00	126,000.00
	CABLES				-
	1C x 1.5mm sq PVC copper cable as Euro	1 1			-
5.1	make OR as approved equivalent	1 1	59800	4 000 00	532,000.00
1	(i)Red/Brown	mts	400	1,330.00	
- 0	(ii) Black/Blue	mts	300	1,330.00	399,000.00
	(ii)Yellow/Green	mts	300	1,330.00	399,000.00
	16 v. 2 Form on BVC conner cable as Furo				-
5.2	make OR as approved equivalent	1 1		1,555,0533	204 000 00
	(I)Red/Brown	mts	200	1,470.00	294,000.00
	(ii) Black/Blue	mts	200	1,470.00	294,000.00
	5 Nathan / Capp	mts	200	1,470.00	294,000.00
	2C x 10 mm sq PVC copper cable as Euro		100	21,000.00	2,100,000.00
5.3	make OR as approved equivalent 1C x 2.5mm sq PVC copper cable Yellow/Green	mts	100	0,0,076,766,59,00055	
	(earthing) as Euro make OR as approved	mts	50	1,330.00	66,500.00
5.5	equivalent				
	equivalent	80 7			
60	FIXED ENCLOUSERS FOR CABLE RUNS	100			
0.0	Use 3/4 inch PVC conduit class B AFRICAB for				
e 1	full conduit wiring system c/w all accessories	Pc	80	7,000.00	560,000.00
0.1	OR as approved equivalent	1			
6.2	PVC water pipe 2" class B c/w all accessories PLASCON OR as approved equivalent	Pc	10	35,000.00	350,000.00
7 (	EARTHING SYSTEM AND PROTECTION				-
250.00	Soil treatment and interconnection to general		1		
	Soil treatment and interconnection to general	te	1		
	earthing of the house sets to meet requirement				700 000 00
7.	of IEE regulations.complete two earth pits with	ITE	<b>y</b> 1	700,000.00	700,000.00
16.65	ladeduate number of earth roos inneed together		1		
	with the earthing cables, filled with wet	1	1		
	charcoal/salt or bentonite powder	1			
		1	1		
			1		
					1
		1			1
		1	7		
			1	1	10,746,400.00
	Carried Forward to Summary of Bill No.	2			10,740,400.00
	250				
	Bill No. 2	I W	OPK		
	GUARD HOUSE AND CHANGE ROOM AT HANA	TING W	OKK I		
	Element No. 11	011	1		1
	ELECTRICAL AND ENGINEERING INSTALLATION	CIN		P	
	3				
	110 - 000 - 100 - 000 -				
	SECTION SUMMARY	1	1	Į.	п

## EXTRNAL WORKS - HANANG MANYARA

ITEM NO.	D.F.C.T.		UNIT	T QT	UNIT	
	23.01 Concrete Kerbing Class 25/19	REF.	0112		RATE	AMOUNT (TZS
23.01 (a	Concrete Kerbing Class 25/19 raised kerbs (150mm x 500mm) placed in concrete Class 15/19		m	89	35,00	3,115,00
	Sub - Total: Carried Forward			上		
	TOTAL FOR SERIES 2000: DRAINAGE					3,115,000
	(Carried Forward to Grand Summary)					3,115,000
SER	IES 3000: EARTHWORKS AND PAVEMEN	NT LAYE	RS OF	GRA	VEL OR CR	LISHED STONE
	Section 3100: Clearing, Grubbing and Removal of Topsoil	1			T	JONE
	Clearing, grubbing and removal of topsoil:					
31.01(a)	Clearing and grubbing including small		sq.m	320	1,500	480,000
31.01 (b)	Removal of topsoil		cu.m	96	8,500	.00,000
	Section 3400: Borrow Pit and Quarry Acquisition and Exploitation				0,500	816,000
	36.02 Fill and improved subgrade layers:					
10.02 (6)	Improved subgrade layer as specified in the Drawings to require G15 quality material as minimum		cu.m	96	25,000	2,400,000
	Sub - Total: Carried Forward					
	SERIES 5000: ANCILLARY ROADWORKS	2	_	_		3,696,000
	Section 5400: Road Sinns			-		
	54.01 Road sign		-	-		
- 1	Road sign on single post (sign sizes less than 0.5 sq.m) PAVEMENT WORKS		no	1	350,000	350,000
F	Paving blocks for bus terminal		-			
55.11 2	200x100x100mm Thick including	s	g.m :	320	50,000.00	16,000,000
5	Sub - Total: Carried Forward		_	_		16,350,000
	SUMMARY	-				10,530,000
No	DESCRIPTION	-		-1		Amount
			_			TShs
1 T	otal for SERIES 3000					3,115,000.00
	otal for SERIES 3000 otal for SERIES 5000					3,696,000.00
	THE SERVED SHOW					16,350,000.00

BILL NO. 2: GUARD HOUSE AND CHANGE REELEMENT NO. 1; SUBSTRUCTUR	Unit DOM AT HANANG	100000000000000000000000000000000000000	Rate	Amount(TZS)
(ALL PROVISIONAL)				
EXCAVATIONS AND EARTHWORKS	1.1	i i		
Site clearance				
Clear site of all bushes tuffs and sma exceeding 600mm girth and burn det (approximate area 211 square metre	ric on city	8.00	1,000.00	7,879.7
Excavation in earth		ľ	1	
Excavate average 150mm deep to rer vegetable soil and stock pile on site for use (including disposal of surplus as n	or later ve 2	8.00	1,000.00	8,000.00
Cutting to form levels				
Open face excavations of slopping site levels	to form m <sup>3</sup>	4.80	5,000.00	24,000.00
Excavation in earth commencing at for level and not exceeding 1.50 metres de	mation eep			
Excavate foundation trench	m <sup>3</sup>	10	5,000.00	FC 000 as
Excavate pit for column bases	m <sup>3</sup>	1	5,000.00	50,000.00
Carried to Co	llection		тѕн	94,879.75
BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT Element No. 1 SUBSTRUCTURE	HANANG WORK			

	m 	Unit	Quantity	Rate	Amount(TZS)
	Risk of collapse of excavations				
	Planking and strutting				
В	Allow for maintaining and supporting sides of excavations by provision of planking and strutting and for keeping the same free from fallen materials		Item		50,000.00
	Keeping excavations free of water				
6	Allow for keeping excavations free of water (except spring or running water) and mud by pumping, baling or other approved means		Item		50,000.00
	Fillings				
1	Earth filling obtained from the excavations (not compacted)				
0	Around foundations	m <sup>3</sup>	5	4,500.00	
I b	mported soil filling including excavating in forrow pits			1,500,00	22,500.00
v u	Vell ram and consolidate to make up levels nder floors	m <sup>3</sup>	3	15,000.00	45,000.00
Ir	mport materials				
Si	mport surplus material to excavations and/or cock piles on site from pit situated nearby from te	m³	3	25,000.00	75,000.00
	Carried to Collection			TSH	242,500.00
GU Ele	LL NO. 2: ARD HOUSE AND CHANGE ROOM AT HANANG ment No. 1 BSTRUCTURE	WORK			

[ten	ı I	Unit	Quantity	Rate	Amount(TZS)
	Soil poisoning				
Α	Anti- termite treatment Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded hardcore	m2	7	4,000.00	28,000.00
В	Ditto, around the building plinth	m	0	1,500.00	~
	<u>Hardcore</u>	8			
С	150mm Bed, levelled and blinded to receive polythene membrane(measured separately)	m²	7	9,500.00	56,500.00
D	Sand blinding	m²	7	1,000.00	7,000.00
	Reinforced concrete Insitu concrete grade 20 including vibrating around reinforcement				
G	Strip foundations	m³	0.5	250,000.00	125,000.00
Н	Column bases	m <sup>3</sup>	0.14	250,000.00	36,000.00
J	Columns	m <sup>3</sup>	0.5	250,000.00	125,000.00
K	Plinth beams	m <sup>3</sup>	0.5	250,000.00	125,000.00
	Insitu concrete grade 15 including vibrating around reinforcement	1			
P	100mm Bed	m <sup>2</sup>	5	20,000.00	100,000.00
Q	100mm Ramp	m²	5	20,000.00	100,000.00
	Carried to Collection BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HANAN Element No. 1 SUBSTRUCTURE		RK	TSH	712,500.00

Ite		Unit	Quantity	Rate	Amount(TZS)
	Reinforcement				
	High tensile steel reinforcement to B.S. 4461 structural concrete work	Lin_			
A	8mm Diameter bar	kg	37	4,000.00	149 000 00
В	12mm Diameter bar	kg	125	4,000.00	148,000.00 500,000.00
	Sawn formwork to:-				
E	Vertical sides of column bases	m <sup>2</sup>	1	18,000.00	19 000 00
F	Vertical sides of rectangular columns	m <sup>2</sup>	1	18,000.00	18,000.00
G	Vertical sides of ground beams	m²	3	18,000.00	18,000.00
н	Edges of bed, 100mm high	m	8	PERVAS PROPERTY	54,000.00
	WALLING Stone wall		ū	2,700.00	21,600.00
3	300mm Wall, selected stones and bedded jointed with cement and sand mortal 1:4	m²	11	40,000.00	440,000.00
G	Carried to Collection ILL NO. 2: UARD HOUSE AND CHANGE ROOM AT HANAN ement No. 1 JBSTRUCTURE	1 1	7	TSH	1,199,600.00

	Damp-proof course	Unit	Quantity	Rate	Amount(TZS)
Α	500 Gauge polythene damp-proof membrane laid over blinded hardcore (measured separately)	m²	5	2,000.00	10,000.00
В	Hessian based bitumen damp-proof course to B.S. 743 type 'A' 230mm wide laid horizontally	m	13.85	<b>1,</b> 500.00	20,775.00
	Plinth protection				
С	12mm Cement and sand render to walls (1:4) external rendering to concrete or blockwork	m²	35	6,000.00	210,000.00
1	Prepare and apply two coats of black pituminous paint on rendered surfaces externally	m²	35	5,000.00	175,000.00
	Carried to Collection  L NO. 2:  ARD HOUSE AND CHANGE ROOM AT HANANG V	VORK	TS	н	415,775.00

Bill No. 2 Element No. 1	Unit	Quantity	Rate	Amount(TZS)
SUBSTRUCTURE				
COLLECTION				
	1 1	Page No.		Amount
Total Brought Forward from Page No.		MB/2/1/1		94,879.75
		MB/2/1/2		242,500.00
		MB/2/1/3		712,500.00
		MB/2/1/4		1,199,600.00
		MB/2/1/5		415,775.00
Carried Forward to Summary of Bill No. 2 BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HANANG Element No. 1 SUBSTRUCTURE	WORK	TSH		2,665,254.75

ite	em	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 2; FRAME				
	CONCRETE WORK				
	REINFORCED CONCRETE				
	In situ reinforced concrete grade '20' including vibrating around reinforcement	L			
1	Lintels/ beams	m³	1	250,000.00	250,000.00
	REINFORCEMENT				
The second second	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
	8mm Diameter bar	kg	43	4,000.00	172,000.00
	12mm Diameter bar	kg	55	4,000.00	
1	SAWN FORMWORK TO:-			,,,,,,,,	220,000.00
1	Vertical sides of rectangular columns	m <sup>2</sup>	11	18,000.00	198,000.00
1	Sides and soffits of horizontal beams	m <sup>2</sup>	9	18,000.00	162,000.00
Bill Bill Bill	Carried Forward to Summary of Bill No. 2 I No. 2 IARD HOUSE AND CHANGE ROOM AT HANANG Ement No. 2 AME	WORK	Т	TSH	1,002,000.00

em	Unit	Quantity	Rate	Amount(TZS)
Solid brick walling thedded and jointed in				
cement and sand (1:6) mortar with and in 230 Internal Walls	luding m²	19	28,000.00	532,000.0
Total Brought Forward from Page N ILL NO. 2: UARD HOUSE AND CHANGE ROOM AT HAN Jement No. 3		TSH		532,000.00

ELEMENT NO. 4; ROOF CONSTRUCTION	Unit	Quantity	Rate	Amount(TZS)
ROOF COVERINGS	11			
Aluminium roofing sheets				
28 IT 5 Gauge Industrial resincoted (preformed trough aluminium sheeting (ref. 116) is pre-				
Roof coverings sloping not exceeding 45 degrees from the horizontal Ridges	m² Im	28.00 16	39,500.00	1,106,000.00
Sawn soft wood; Impregnated with Preservatives			0,000,00	128,000.00
50 x 150mm king post	m	8	6,000.00	46,800.00
50X150mm Tie beam	m	19	8,000.00	152,160.00
50X150mm Rafters	m	31	8,000.00	249,600.00
50X100mm Struts	m	17	7,000.00	117,600.00
50X150mm Wall Plate	m	19	8,000.00	149,920.00
50X75mm Purlins	m	71.94	5,000.00	359,722.22
25 x 250mm Fascia and barge board, painted	m	24	9,500.00	228,000.00
UARD HOUSE AND CHANGE ROOM AT HANANG ement No. 4	WORK	7	TSH	2,537,802,22
	ROOF COVERINGS  Aluminium roofing sheets 28 IT 5 Gauge Industrial resincoted (preformed trough aluminium sheeting (ref. 116) lapped 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres  Roof coverings sloping not exceeding 45 degrees from the horizontal Ridges ROOF STRUCTURE  Sawn soft wood; Impregnated with Preservatives  50 x 150mm king post  50X150mm Tie bearn  50X150mm Rafters  50X150mm Wall Plate  50X75mm Purlins  25 x 250mm Fascia and barge board, painted  Carried to Collection	ELEMENT NO. 4; ROOF CONSTRUCTION  ROOF COVERINGS  Aluminium roofing sheets 28 IT 5 Gauge Industrial resincoted (preformed) trough aluminium sheeting (ref. 116) lapped 150mm at joints and fixed with aluminium hook holts, nut and washers at 3000mm centres  Roof coverings sloping not exceeding 45 degrees from the horizontal Ridges ROOF STRUCTURE  Sawn soft wood; Impregnated with Preservatives  50 x 150mm king post mm  50X150mm Tie beam mm  50X150mm Rafters mm  50X150mm Wall Plate mm  Cox75mm Purlins mm  Carried to Collection  Carried to Collection  LLL NO. 2:  UARD HOUSE AND CHANGE ROOM AT HANANG WORK ement No. 4	ROOF COVERINGS  Aluminium roofing sheets 28 IT 5 Gauge Industrial resincoted (preformed) trough aluminium sheeting (ref. 116) lapped 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres  Roof coverings sloping not exceeding 45 degrees from the horizontal Ridges ROOF STRUCTURE  Sawn soft wood; Impregnated with Preservatives  50 x 150mm king post  50x150mm Tie beam  m 19  50x150mm Rafters  m 17  50x150mm Wall Plate  m 19  coverings sloping not exceeding 45 m²  28.00  m²	ROF COVERINGS  Aluminium roofing sheets 28 IT 5 Gauge Industrial resincoted (preformed) trough aluminium sheeting (ref. 116) lapped. 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres  Roof coverings sloping not exceeding 45 degrees from the horizontal Ridges ROF STRUCTURE  Sawn soft wood; Impregnated with Preservatives  50 x 150mm king post m 8 6,000.00  50x150mm Tie beam m 19 8,000.00  50x150mm Rafters m 19 8,000.00  50x150mm Wall Plate m 19 8,000.00  50x150mm Wall Plate m 19 8,000.00  50x75mm Purlins m 71.94 5,000.00  Carried to Collection m 24 9,500.00  Carried to Collection TSH

m	Unit	Quantity	Rate	Amount(TZS)
Carried to Collection BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HANANG Element No. 4 ROOF CONSTRUCTION	3 WORI	<	TSH	-
Bill No. 2				
Element No. 4				
ROOF CONSTRUCTION COLLECTION			Page No.	Amount
Total Brought Forward from Page No.			MB/2/5/15	2,537,802.22
Carried Forward to Summary of Bill No. 2			TSH	2,537,802.22
BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HANANG Element No. 4 ROOF CONSTRUCTION	: WORK	E		

Ete	em 	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 5; DOORS				
	TIMBER DOORS				
	Prime quality 'mninga' or other equal and approved hardwood				
	Pannelled doors	1 1			
	45mm Thick solid panelled door, comprising of 40x250mm stiles, top, middle and bottom rails; both divided into two panels, filled in with and including hardwood panel; all veneer finished or both sides and polyurethane matt polished	-			
A	900 x 2100mm wide	No	3	510,300.00	1,530,900.00
В	800 x 2100mm wide	No	1	453,600.00	453,600.00
	GLAZING				
	5mm Thick clear sheet glass and glazing to timber with beads (m/s) in panes				
С	In panes over 0.5 square meters not exceeding 1 square meters	sm	1.6	29,000.00	46,400.00
	IRONMONGERY				
	Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized finish; to softwood, hardwood or the like; fixing with screw				
Α	Three lever mortice lockset with furniture	Nο	3	110,000.00	330,000.00
В	Two lever mortice lockset with furniture key less	No	1	65,000.00	65,000.00
С	Rubber door stop plugged to concrete	No	4	5,000.00	20,000.00
D	150mm stainless steel butt hinges heavy duty ASSA ABLOY or equivalet	Prs	6	10,000.00	60,000.00
	Carried to Collection BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HANANC Element No. 5 DOORS	S WORK		TSH	2,505,900.00

	Unit	Quantity	Rate	Amount(TZS)
Frames and finishings				
J 45x145mm Frames, rebated plugged to wall	m	13.00	30,000,00	
K 45x145mm Transome	m	2		320,000,0
L 15x40rnm Architrave, splayed	m	13	30,000.00	60,000.0
15x25mm Glazing beads	m	10.4	3,200.00 2,100.00	41,600.0 21,840.0
Carried to Collection BILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HANAN Element No. 5 DOORS	1		TSH	513,440.00
Bill No. 2 Element No. 5  DOORS				
COLLECTION				
Total Brought Forward from Page No.			No	mount
			MB/2/6/17 MB/2/6/18	2,505,900.00 513,440.00
Carried Forward to Summary of Bill No. 2		7	SH	3,019,340.00
SH L N/ 1 3+	NORK		1	

[te	em 	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 6; WINDOWS				
	ALUMINIUM WINDOWS				
	Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt furniture, allen key locks, stainless friction stay, neoprene gasket for glazing, silicon treated polypile weather striping stainless screws including 5mm glass.				
A C	1200×1500mm high 500 x 750mm high	No No	3 1	324,000.00 67,500.00	972,000.00 67,500.00
	DECORATIVE SECURITY GRILLS  Decorative Security Grilles in galvanised m. s; welded fabrication, welds ground smooth; 20mm mild steel solid bars in main frame with 20mm mild steel burglar bars laid vertically at 100mm centres; fixing with expansion bolts with 12mm loose bolts and spacer tubes and washers to masonry; including drilling; red oxide primer before fixing				
E	1500 x1500mm high	No No	3 1	270,000.00 4,500.00	810,000.00 4,500.00
	Carried Forward to Summary of Bill No. 2			TSH	1,854,000.00
E	SILL NO. 2: GUARD HOUSE AND CHANGE ROOM AT HANANG Tement No. 6 VINDOWS	WORK			1,854,000.00

Ite	m 	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 7; FINISHINGS				
	In-situ finishings				
	Beds and backings; Cement and sand (1:4)				
Α	32mm Beds to receive Porcelain floor tiles	m <sup>2</sup>	18.8	10,000.00	187,844.00
С	12mm Backings to receive ceramic wall tiles	m²	11.76	7,000.00	82,320.00
	Internal plastering in two coats steel trowelled to a smooth finish				
D	15mm To walls	m <sup>2</sup>	19	7,000.00	133,000.00
	External cement and sand (1:4) pointing to bricks, fair finish				200,000.00
D	Pointing to 230mm Thick bricks	m²	19	2,500.00	47,500.00
1					
В	Carried to Collection			тѕн	450,664.00
100	UARD HOUSE AND CHANGE ROOM AT HANANG ement No. 7 NISHINGS	WORK			
l					

te	Floor Tiles	Unit	Quantity	/ Rate	Amount(TZS)
	Non-glazed (Polished) full body approved porcelain tiles; or equal and approved non-slip floor tiles laid at 45 degree with 10mm tile skirting to blockwork; bedding and jointing in cement mortar (1:3) grouting joints with matching				
A	600 x 600x9mm thick tiles; butt jointed to floors	m²	1	9 48,000.0	901,651.20
	150mm high skirting  Wall tiles  White glazed ceramic wall tiles with cushion edge to B.S 1282 fixed to backings with adhesive and pointed including working around edges and pines	m	4	7,200.0	0 29,484.00
-1	- 100 A	m <sup>2</sup>	9	32,500.00	296,205.00
19	Plain sheet finishings Ornm gypsum ceiling fixed to 50x50mm orandering;	m²	19	12,500.00	234,805.00
2	0x50mm treated softwood brandering	lm	75	4,000.00	300,550.40
E	Carried to Collection			тѕн	1,762,695.60
C	OLLECTION			Page No	Amount
To	stal Brought Forward from Page No.			MB/2/8/21	450,664.00
Ele Gr RTI	rried Forward to Summary of Bill No. 2 LL NO. 2: IARD HOUSE AND CHANGE ROOM AT HANANG V Ment No. 7 VISHINGS	VORK		МВ/2/8/22 ТЅН	1,762,695.60 2,213,359.60

		Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 8; DECORATIONS				
	Internal work Prepare and apply one thinned coat and two full coats of vinyl silk paint				
Ą	Plastered walls	m²	10		
	CONTROL CONTRO	m	19	8,000.00	152,000.0
	Prepare and apply three coats of 'polyurethane matt polish' or other equal and approved polish on wood surfaces				
State	Frames over 200mm not exceeding 300mm girth	m	13	1,500.00	19,500.00
100	General surfaces to hardwood shutter	m <sup>2</sup>	15.12	4,800.00	72,576.00
1	External work Prepare and apply one thinned coat and two full coats of weather quard paint to				
1	Rendered walls	m²	19	5,000.00	95,000.00
•	Carried Forward to Summary of Bill No. 2			TSH	339,076.00
Ril	II No. 2 JARD HOUSE AND CHANGE ROOM AT HANANG V	VODE			

Ite	m 	Unit	Quantity	Rate	Amount(TZS)
	SECTION SUMMARY GUARD HOUSE AND CHANGE ROOM AT HA	NANG	WORK		
A	SUBSTRUCTURE		MB/2/1/6		2,665,254.75
В	FRAME		MB/2/2/9		1,002,000.00
C	WALLING		MB/2/4/13		532,000.00
D	ROOF CONSTRUCTION		MB/2/5/15		2,537,802.22
Ε	DOORS		MB/2/6/18		3,019,340.00
F	WINDOWS		MB/2/7/19		1,854,000.00
G	FINISHINGS		MB/2/8/22		2,213,359.60
Н	DECORATIONS		MB/2/9/23		339,076.00
					333,070.00
	Carried to Final Summary BILL NO. 2 SUMMARY OF MEASURED WORKS			тѕн	14,162,832.57

Ite	BILL NO. 5: GATE STRUCTURE	Uni	t Quantity	Rate	Amount(TZS)
	Excavation in earth commencing at formation level and not exceeding 1.50 metres deep				
A	Column pits	m <sup>3</sup>	5.76	5,000.00	28,800.00
	Fillings		1 1		
	Earth filling obtained from the excavations (not compacted)				
В	Around foundations	m <sup>3</sup>	3	4,500.00	13,500.00
	Remove surplus				
С	Spread surplus excavated materials to spread on situated nearby from site	m <sup>3</sup>	2	3,500.00	7,000.00
	Reinforced concrete Insitu concrete grade 20 including vibrating around reinforcement				
	Column bases	m <sup>3</sup>	1.728	250,000.00	432,000.00
	Reinforcement				
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
D	8mm Diameter bar	kg	141.568	4,000.00	566,272.00
E	12mm Diameter bar	kg	241.4472	4,000.00	965,788.80
	Sawn formwork to:-				
F	Vertical sides of columns, beams	m <sup>2</sup>	53.8	20,000.00	1,076,000.00
	Carried to Collection				3,089,360.80

			V Rate	Amount(TZS)
METAL GATE  Steel gate openable size 4000mm wide x 1500mm high comprising of single openable leaf, fabricated from 100x50mm RHS Frame associated by 40 x 25mm RHS and 150 x complete with all iron mongery and locking devices: including one coat of primer and two coats of approved paint 4000x1500mm High				
\#**	1		750,000.00	750,000.00
All the second s	No	4	25,000.00	100,000.00
External plastering in two coats steel trowelled to a smooth finish			Item	250,000.00
ROOF COVERINGS	No	4	25,000.00	100,000.00
aluminium sheeting (ref. 116) lapped 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres  Roof coverings sloping not exceeding 45 degrees from the horizontal  ROOF STRUCTURE Sawn soft wood; Impregnated with Preservatives, wrought and polished	m²	14.40	39,500,00	558,800.00
	m	6	10,000.00	56,000.00
	m	14	10,000.00	136,000.00
50X150mm Rafters	m	10	10,000.00	96,000.00
50X150mm Struts	m	18	10,000.00	176,000.00
50X150mm Wall Plate	m	11	10,000.00	110,000.00
0X75mm Purlins	m	32.40	5,000.00	162,000.00
5 x 250mm Fascia and barge board, painted	m	24.6	9,500.00	233,700.00
Carried to Summary ATE STRUCTURE		,	rsh	8,411,521.60
	leaf, fabricated from 100x50mm RHS Frame associated by 40 x 25mm RHS and 150 x complete with all iron mongery and locking devices: including one coat of primer and two coats of approved paint 4000x1500mm High  External painting to columns  Signage writting  External plastering in two coats steel trowelled to a smooth finish 15mm To columns  ROOF COVERINGS  Aluminium roofing sheets  28 GCI green resincoted (preformed) trough aluminium sheeting (ref. 116) lapped 150mm at ioints and fixed with aluminium hook bolts, nut and washers at 3000mm centres  Roof coverings sloping not exceeding 45 degrees from the horizontal  ROOF STRUCTURE Sawn soft wood; Impregnated with Preservatives, wrought and polished  50 x 150mm king post, 50X150mm Rafters  50X150mm Rafters  50X150mm Rafters  50X150mm Rafters  50X150mm Purlins  5 x 250mm Fascia and barge board, painted  Carried to Summary	1500mm high comprising of single openable leaf, fabricated from 100x50mm RHS Frame associated by 40 x 25mm RHS and 150 x complete with all iron mongery and locking devices: including one coat of primer and two coats of approved paint 4000x1500mm High No External painting to columns No Signage writting  External plastering in two coats steel trowelled to a smooth finish 15mm To columns No ROOF COVERINGS Aluminium roofing sheets 28 GCI green resincoted (preformed) trough aluminium sheeting (ref. 116) lapped 150mm at joints and fixed with aluminium hook bolts, nut and washers at 3000mm centres  Roof coverings sloping not exceeding 45 degrees from the horizontal mook soft wood; Impregnated with Preservatives, wrought and polished  50 x 150mm king post, m m m m m m m m m m m m m m m m m m m	1500mm high comprising of single openable leaf, fabricated from 100x50mm RHS Frame associated by 40 x 25mm RHS and 150 x complete with all iron mongery and locking devices: including one coat of primer and two coats of approved paint 4000x1500mm High  External painting to columns  No  1  External painting to columns  No  ROOF coverings in two coats steel trowelled to a smooth finish 15mm To columns  ROOF COVERINGS Aluminium roofing sheets  28 GCI green resincoted (preformed) trough aluminium sheeting (ref. 116) lapped 150mm at ioints and fixed with aluminium hook bolts, nut and washers at 3000mm centres  Roof coverings sloping not exceeding 45 degrees from the horizontal  ROOF STRUCTURE Sawn soft wood; Impregnated with Preservatives, wrought and polished  50 x 150mm king post,  50 x 150mm Rafters  m 10  60x150mm Rafters  m 10  m 32.40  m 32.40  Carried to Summary  IILL NO. 5:	1500mm high comprising of single openable leaf, fabricated from 100x50mm RHS Frame associated by 40 x 25mm RHS and 150 x complete with all iron mongery and locking devices: including one coat of primer and two coats of approved paint 4000x1500mm High No 1 750,000.00 External painting to columns No 4 25,000.00 Signage writting Item External plastering in two coats steel trowelled to a smooth finish 15mm To columns No 4 25,000.00 ROOF COVERINGS Aluminium roofing sheets 28. GCI green resincoted (preformed) trough aluminium sheeting (ref. 116) lapped 150mm at ioints and fixed with aluminium hook bolts, nut and washers at 3000mm centres  Roof coverings sloping not exceeding 45 degrees from the horizontal ROOF STRUCTURE Sawn soft wood; Impregnated with Preservatives, wrought and polished  50 x 150mm king post, m 6 10,000.00 S00x150mm Rafters m 10 10,000.00 S00x150mm Rafters m 10 10,000.00 S00x150mm Struts m 18 10,000.00 S00x150mm Struts m 18 10,000.00 S00x150mm Purlins m 32.40 5,000.00 S00x150mm Purlins m 32.40 5,000.00 S00x150mm Purlins m 32.40 9,500.00 S00x150mm Fascia and barge board, painted m 24.6 9,500.00 TSH

PROPOSED CONSTRUCTION OF ENTRY GATE TO BE BUILT AT NILO - KOROGWE ON PLOT NO.... BLOCK ....

BILLS OF QUANTITIES (BOQ)

DECEMBER 2021

# GENERAL SUMMARY

Unit	Amount(TZS) 5,500,000.00
	28,297,883.00
	4,518,266.80
L	38,316,149.80
	6,896,906.96
	45,213,056.76
	452,130.57
DER	45,665,187.33
half	
	DER

PRELIMINARIES AND GENERAL MATTERS	PRELIMINARIES AND GENERAL MATTERS

Amount

Item

no.

BILL No. 01

PRELIMINARY ITEMS

A PARTIES

The Employer is;
THE UNITED REPUBLIC OF TANZANIA
MINISTRY OF NATURAL RESOURCES AND TOURISM
TANZANIA FOREST SERVICE AGENCY
P.O.BOX 40832
DAR ES SALAAM

The Archiects Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA

The Quantity Surveyors Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA

The Consulting Engineer shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA

The Services Engineer Shall be deemed to be; MUST CONSULTANCY BUREAU P.O.BOX 131, MBEYA

Not Priced

Carried To Collection TSH

Not Priced

# APPROVED, DIRECTED AND SELECTED

A The term "Approved", "Directed" and "Selected" where used in this documents shall mean the approval, direction and selection of or by the Architect.

# DEFINITIONS AND ABBREVIATIONS

B "as described" shall mean: as described in the Section No.VI (Specifications)

"B.S." shall mean: the current British Standard Specifications published by the British Standards Institution, 2 Park Street, London, W.I., England

"TBS" shall mean: The Tanzania Bureau of Standard specification

"KG" shall mean: Kilogrammes

NO shall mean: Number

M shall mean: Linear Metres

"M2" shall mean: Square Metres

"M3" shall mean: Cubic Metres

"Ditto" shall mean: the whole of the preceding description except as qualified in the section of which it occurs in brackets it shall mean the whole of the preceeding description which is contained within the appropriate brackets.

"M.S." shall mean: Measured separately

B.M.S shall mean: Both sides measured separately

Amount

**Not Priced** 

**Not Priced** 

Carned To Collection TSH

**Not Priced** 

Item Amount no. SCOPE OF CONTRACT AND DESCRIPTION OF THE WORKS A The works under this contract generally comprises the construction and completion of the proposed office building and infrastructures for the The above information is given without warranty and is only meant for the Contractor's guidance **Not Priced** The type of construction and materials to be used in executing these works are clearly shown on the Architect's and Services Engineer's C drawings and set out herein in these Bills of Quantities. The Contractor must obtain the approval from the Architect in regard to the use of any materials or facilities existing or found on site. Not Priced BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS

Item Amount no. LOCATION OF SITE A The site of the proposed works is located at Nilo-korogwe The Contractor shall be deemed to have visited the site and satisfied himself as to:a) The nature and position of the site b) The amount of the rubbish or debris to be cleared away before commencement c) The nature, current usage, proximity and size of adjoining property and building d) The availabilityof land for the erection and positioning of all temporary structures, plant and materials necessary for the execution of the works. The Contractor shall obtain approval from the relevant Local Authority in all matters relating to site access and erection of temporary structures and must ensure adherence to the requirements of these Authorities No claim will be allowed for travelling or other expenses which may be incurred by the Contractor in visiting the site or preparing the tender for the works. **Not Priced** AGREEMENT AND CONDITIONS OF CONTRACT The Contractor will be required to enter into a contract with the B Employer under the terms of Conditions of Contracts issued by the Public Procurement Regulatory Authority (PPRA). **Not Priced** The terms "The Contract Agreement" or "The Contract" or "The Form of Contract" shall mean the Conditions of Contract, the Special Conditions of Contract and Form of Contract Agreement given in Sections IV, V and IX in this document respectively issued by the Public Procurement Regulatory Authority (PPRA) latest edition. **Not Priced** 

Carried to Collection TSH

**Not Priced** 

# THE FACTORIES (BUILDING OPERATIONS AND WORKS OF ENGINEERING CONSTRUCTION) RULES, 1985

The Contractor shall comply in all respects with the povissions of the Factories (Building Operations and Works of Engineering Construction) Rules, 1985 made under Section 55 of The Factories Ordinance, 1950 (CAP. 297)

The full text of the said rules may be inspected with the relevant authorities in addition to extract given here-below.

PART II-DUTIES AND APPLICATION-FACTORY RULES, 1985

Notification of commencement or taking over of operations of work and appointment of safety supervisor

Clause 5. (1) A main contractor shall, within seven days of commencing or undertaking building operations or works of engineering construction, notify the Chief Inspector, in writing of:-

- a) the contractor's name and postal address;
- b) the address or location of the site of the operation or works;
- c) the date of commencement;
- d) the expected date of completion;
- e) whether mechanical power is used or not;
- f) the number of persons expected to be employed.

Clause 6. (1) Every contractor who employs more than twenty persons shall, for every site on which he is the contractor, appoint one or more persons experienced in the operations or works carried on at the site and suitably qualified for the purpose, to:-

- a) advise the contractor as to the observance of the safety, health and walfare requirement under the Ordinance and under these rules, and
- b) suprvise and ensure the observance of the requirements and promote the safe conduct of work generally at the sites.
- (2) A contractor who employs twenty or fewer persons may appoint either himself or another person to be a safety supervisor in accordance with paragraph (1) above.

Carried to Collection TSH

Not Priced

**Not Priced** 

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

Not Priced

Amount

### LABOUR CAMPS

**Not Priced** 

A The contractor will NOT be permitted to house labour on site

# OFFICES FOR THE CONSULTANTS

The Contractor shall construct, complete and maintain throughought b the duration of the contract offices for the exclusive use of the Project Consultants and the Clients representatives.

The office building whose construction shall include services installation, water, power, telephone, sanitary facilities, etc shall include a conference room big enough to hold site meetings.

The Contractor shall include for the following and maintaining the same during the duration of the project:-

(i) Office furniture and furnishing

- (ii) Providing such office equipment as computers, telephones etc
- (iii) Maintaining and paying for such services as electricity, water supply, telephone
- (iv) Staff for cleaning and messenger
- (v) Some secretarial staff

The Contractor shall allow for the cost of providing light refreshment for the Consultants at site meetings.

### OFFICES AND SHED

The Contractor shall erect and maintain temporary office accommodation for his own use and the use of Nominated Sub-contractors and ample temporary water tight sheds for the proper storage and protection of materials vulnerable to weather and remove when ordered

Carried to Collection TSH

Not Priced

no.

### TEMPORARY STRUCTURES

The Contractor shall allow for providing and clearing away on completion of the Works, such temporary hearding, rubbish chutes, gates, planked walkways, guard rails etc. as may be necessary for the protection of the workers, the general public and for the proper execution of the Works.

All such temporary structures shall be constructed with the approval of the Architect and to his full satisfaction and in such a manner as to cause minimum inconvenience and disturbance to the pedestrians and road users using the adjacent roads.

All such temporary structures shall comply in all aspects with the national laws, rules, and regulations currently in force and applicable to such structures.

# TEMPORARY STRUCTURES (cont'd)

The Contractor shall further comply in all respects with the following conditions:

All temporary structures shall be erected in a manner so that the unloading of materials causes minimum obstruction to the use of adiacent roads and other facilities

All temporary structures shall be kept properly lighted throughout the periods of darkness and any corners or projections shall be painted white.

Temporary structures shall not be used or permitted to be used for advertisement purposes except with the consent of the Architect.

All temporary structures shall be maintained at all times in good order and good condition to the satisfaction of the Architect.

F All temporary structures shall be removed when so required by the Architect or at the end of the period for which it is required

The Contractor shall idemnify and shall keep the employer idemnified G against any expenses, loss, claims or suits arising out of or in connection with the temporary structures

The Contractor shall pay all local authority or other charges payable in connection with temporary structures

### WATCHING AND LIGHTING

The Contractor shall provide at his own risk and cost all watching as necessary to safeguard the Works, Plants and Materials against damage and theft.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

Not Priced

400,000.00

400,000.00

Amount

### TEMPORARY DISPOSAL OF RAIN WATER

The Contractor shall provide and maintain all necessary temporary A gutters, down pipes, chutes, drains etc. for conveying rainwater from the buildings.

The Contractor shall allow for temporary drainage plumbing and piping for keeping the premises and site free from accumulation of water.

#### SANITATION OF THE WORKS

The Contractor shall make arrangement for the provision of sanitary facilities at site for use by his staff and workmen and shall keep them clean at all times to the satisfaction of the Architect

#### DOWN TAKINGS

All materials arising from demolitions and down takings are deemed to C be the property of the employer. No claim will be entertained on account of employer excising this right to retain the materials

All down takings shall be carefully removed, taken down, dismantled and stored on site until instructed by the Architect to remove from the site. Such materials shall only be incorporated in the new works if required by the Architect in which case appropriate adjustments will be made in the final account for the cost of labour, screws etc for fixing such down takings in the new works.

#### SUFFICIENCY OF TENDER

The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and of the rates and prices stated in the priced Bills of Quantities. Rates and prices quoted shall cover all his obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.

Abbreviations used in the Bills of Quantities shall be interpreted as follows:-

### SITE LEVELS

Before commencing work the Contractor must arrange for and agree with the Architect and Quantity Surveyor the on the existing site levels and similarly establish and agree on a bench mark.

L NO. 1

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS **Not Priced** 

**Not Priced** 

**Not Priced** 

0.00

#### SETTING OUT

The Contractor shall set out the works in accordance with the dimensions and levels shown on the drawings and shall be responsible of the correctness of all dimensions and levels set out by him and he will be required to ammend all errors arising from inaccurate setting out at his own cost and expenses. In the event of any error or discrepancy in the dimensions or levels marked on the drawings being discovered, such errors or discrepencies must be reported by the

250,000.00

Amount

No work shall be commenced by the Contractor until he has received written instructions from the Architect to adjust such discrepancies which may be proved, upon receipt of such instructions and no claim for extra expenses or relief from the provisions of Clause 7of the Conditions of the Contract, any discrepancy or error in the dimensions or levels shown on the drawings may be made thereafter.

Contractor to the Architect for his immediate attention.

#### SAMPLES

The Contractor shall furnish at the earliest possible opportunity before work commences and at his own cost any samples of materials or workmanship that may be called for by the Architect for his approval or rejection until such samples are approved to be the minimum standard for the work to which they apply

300,000.00

#### EXISTING PROPERTY AND SERVICES

The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for all damages hereto arising from the execution of his contract and he shall make good all such damages when directed at his own expense.

**Not Priced** 

Prior to commencement of any work the Contractor is to ascertain from the relevant Authorities the exact position, depth and level of all existing electric cables, water pipes and all other services in the area and he shall make whatever provisions may be required by the authorities concerned for the support and protection of such servivses. Any damage or disturbances caused to any service shall be reported immediately to the Architect and the relevant Authority and shall be made good to theirsatisfaction at the Contractor's expense.

Not Priced

Carried to Collection TSH

550,000.00

# MATERIALS, TOOLS, PLANT AND SCAFFOLDINGS

All materials and workmanship used in the execution of the works shall be of the best quality and description. Any materials for the works condemned by the Architect shall immediately be removed from the site at the Contractor's expense.

The Contractor shall be responsible for the provision of all materials, scaffolding, tools, plant, transport and workmen required for the works except in so far as may be stated otherwise herein and he shall allow for the provision of the foregoing except for such items specifically and only required for the use of Nominated Sub-contractors as described herein.

No timber used for scaffolding, formwork or similar purpose shall be used afterwards in the permanent works.

All such plant, tools and scaffolding shall comply with all regulations whether general or local in force throughout the period of the contract and shall be required as may be necessary to comply with any ammendments in or additions to such regulations

# LOCAL REGULATIONS AND BY-LAWS

The Contractor is to comply with all local regulations and by-laws of the Local Authority including serving notices and paying of fees.

### SUPERVISION

The said works shall be excuted under the direction and to the entire satisfaction of the Architect and Clerk of Works who shall have the C Architect's specifically delegated authority and shall at all times have access to the works, to the yards and workshops of the Contractor or other places where goods are being prepared for the building

# TRANSPORT TO AND FROM THE SITE

The Contractor shall include in his prices for the transport of materials, workmen etc to and from the site of the proposed works at such hours and by such routes as are permitted by the Authorities.

All unit rates for local or imported goods are to include freight, insurance, handling and delivery costs to the project site together with import duties, sale tax, port charges etc and all other charges of whatever nature.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

1,500,000.00

300,000.00

Not Priced

Not Priced

1,000,000.00

2,800,000.00

Amount

### FAIR WAGES

The Contractor shall pay rates of wages and observe hours and conditions of labour not less favourable than the minimum conditions of employment applicable in the district in which the work is carried out. The relevant notice must be posted up and kept posted upon the site where it can be conveniently read by the employees concerned in languages they can understand.

The Contractor is to comply with the Regulations of Wages and Conditionds of Employment Act, Building and Construction IndustryWages Council and is to be responsible for compliance of the sub-contractors employed in the execution of the contract. If required he is to notify the Architect of the names and addresses of all such sub-contractors. Any Contractor or Sub-contactors not complying will not be permitted to tender for other work for such a period as the

Should a claim be made to the Architect alleging the Contractor's default in payment of Fair Wages to any workman employed on the contract and if proof thereof satisfactory to the Architect, may failing payment by the Contractor, pay the claim out of any monies due or which may become due to the Contractor under this contract.

The Contractor is to furnish to the Architect, if called upon to do so, such particulars of the rates of wages, hours and conditions of labour referred to above as the Architect may direct

# SECURITY OF WORKS AND FENCING

The Contractor shall be entirely responsible for the security of all works, stores, materials, plant, personnel etc both his own and sub-contractors and shall provide adequate watching, lighting and other necessary to ensure this security, the safety and protection.

# PUBLIC, PRIVATE ROADS AND PAVEMENTS ETC

The Contractor will be required to make good at his own expense any damages he may cause to the present approach road surfaces during the period of the works

### POLICE REGULATIONS

The Contractor is to allow for complying with all instructions and regulations of the Police Authorities

# AREA TO BE OCCUPIED BY CONTRACTOR

The area of the site which may be occupied by the Contractor for use as storage and for the purpose of erecting workshops etc shall be defined on the site by the Architect

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Not Priced

Not Priced

0.00

ПО.

# PROGRESS SCHEDULE

Immediately after signing the contract the Contractor is to prepare a Time progress Chart showing the time and order in which he proposes to carry out the works within the total construction time stated in the contract. The chart will show in detail the construction time and order in which each section of the work is to be carried out and be subdivided into trades and tasks. If the Contractor proposes sectional completion of the project he must plan this in detail including access roads, and services and this shall be reflected on the chart.

Upon the letting of the sub-contractors work the contractor is to incorporate times and details of each separate sub-contractor's work which information is to be agreed by the sub-contractor and the chart will be so designed to accommodate this information.

At the end of each week the Contractor is to mark on the chart in a different colour the actual time taken to complete the respective stages and sections of the work. The Contractor shall obtain the Architect's approval on the chart and then shall supply copies to the Architect and Quantity Surveyor

If at any time it should appear to the Architect that the actual progress of the works does not conform to the approved programme progress schedule the Contractor shall produce at the request of the Architect a revised programme showing the modifications and accelerations to the approved programme necessary to ensure completion of the works within the agreed contract period.

The submission of and approval by the Architect of such revisions and accelerations shall not entitle the Contractor to any extra payment or extension of time and shall not relieve the Contractor of any duties or obligations or responsibilities under the contract

### OVER TIME

The Contractor shall be responsible for any extra costs for overtime working he considers will be necessary in order to complete the works within the contract period or time for completion apart from overtime working which may be authorised by the Architect

If overtime is worked out in accordance with a written instruction issued by the Architect the Contractor will be reimbursed in respect of such overtime to the unproductive time payable over and above the basic hourly rates as laid down by the Regulation of wages and Conditions of Employment Act, Building and Construction Industry Wages Council and excluding any bonuses, profits and overheads.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

Not Priced

Not Priced

Not Priced

Item no. Amount WATER The Contractor shall provide at his own risk and cost all water for use In connection with the works including the work of Sub-contractors make arrangements with the local authority for the installation of a seperate meter for all water used by him throughout the contract and pay all costs and fees in connection therewith. He shall also provide 200,000.00 temporary storage tanks and tubing etc as he may consider necessary and clear away at completion. All water shall be fresh, clean and pure, free from earthly vegetable or organic matter, acid or alkaline substance in solution or suspension. TELEPHONE The Contractor shall provide in the office, from the commencement to Not Priced B the completion of the works, a telephone to the Exchange and shall pay all fees and rentals for same. LIGHTING AND POWER The Contractor shall provide at his own risk and cost all temporary artificial lighting and power for use on the works including all subcontractors and specialists requirements and including all temporary connections, wiring, fittings etc and clearing away on completion. The 500,000.00 Contractor shall pay all fees and obtain all permits in connection therewith CONCRETE TEST Note: The Contractor must allow in his rates all costs in connection with the making of cubes, curing, transport, crushing by an approved testingl Authority and obtaining the test certificate; Set of four 150 x 150 x 150mm concrete test cubes; 3 sets (Provisional @ Tshs.....each set) Not Priced \*Contractor to insert rate and extend Carried to Collection TSH 700,000.00

BILL NO. 1

no.

# ACCESS TO SITE AND TEMPORARY ROADS

Means of access to the site shall be agreed with the Architect prior to commencement of the works and the Contractor must allow for building and maintaining any temporary access roads for the transport of materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges or any other means of gaining access.

Upon the completion the works the Contractor shall remove such temporary roads, temporary culverts bridges etc and make good and reinstate all works and services disturbed to the satisfaction of the Architect.

# TEMPORARY BUILDINGS

The Contractor shall provide sheds for storage, accommodation for all goods and materials liable to suffer damage from exposure to sunlight or inclement weather.

The Contractor shall provide offices, mess rooms and all the buildings required by the contractor for his own use and the use of Nominated Sub-contractors as required by the items of attendance only.

The Contractor shall shall provide an office of approximately 15 square meters equipped with a table, a chair and a plan chest for drawers for drawings

The Contractor will not be required to provide a separate office for Consultants but he shall provide a table of sufficient size for meetings, plan chest for drawings and ten chairs.

The Contractor shall allow for the cost of providing light refreshment for the Consultants at site meetings.

The Contractor shall keep on the site and maintain in good condition one dumpy or quickset level, metric leveling staff and one 30 metre steel tape for the use of the Architect, Surveyor and Engineer.

Upon completion all temporary buildings are to be removed and cleared away

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS Amount

Not Priced

**Not Priced** 

**Not Priced** 

### SANITATION OF THE WORKS

The sanitation of the works shall be provided, maintained and removed on completion by the Contractor to the satisfaction of the Architects and local Authorities.

The latrines shall be enclosed with framing and corrugated sheets roofs, sides and partitions, with concrete floors steel trowelled smooth to floors to facilitate washing. Their location shall be agreed with the Architects and the works shall not be commenced before the sanitary accommodation has been approved by the above mentioned authorities.

The Contractor will be required to pay all conservancy charges and shall ensure clean daily maintenance and disinfecting of the latrines, and not less than once per week, the whole area shall be sprayed with disinfectant and insecticides and any temporary drains shall be removed and all works and surfaces disturbed made good and then the whole area disinfected and left clean and free from pollution to the satisfaction of the Architect and local authorities

### SIGNBOARD

The Contractor shall provide and erect where directed and maintain during the whole period of the building operation and remove at completion, one approved temporary sign board to the Architect's standard design giving a brief description of the works and showing the names of the employer and the consultants, with sufficient space to append the names of the sub-contractors and suppliers when known. The signboard shall conform to the requirement of the Architects and Quantity Surveyors Registration Board (AQRB) in all

Amount

**Not Priced** 

400,000.00

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS 400,000.00

#### Amount

#### PRIME COST SUMS

 i) The words "Prime Cost" (or the initials "P.C") appearing in the contract documents shall mean;

net costs exclusive of any trade, cash or other discount whatsoever but inclusive of the costs of the packing, carriage and delivery. Such costs shall be the same due to the sub-contract or supplier after adjustments where applicable in respect of measurements of rates.

 ii) Any increase or decrease in the prime costs sums resulting from the adjustments and properly paid by the contractor shall be added or deducted from the contract sum in the final account.

In substantiation the contractor will require to produce to the Quantity Surveyor all quotations, invoices and receipted accounts as shall be necessary to show the details of the sums actually paid.

iii) Any sum added by the Contractor in these Billsof Quantities in respect of profits upon any prime costs will be deducted at the final settlement of accounts and the sum will be added to the amount of which will bear the same proportion to the sum added as the net amount properly expended to the original P.C. sum. Not Priced

Carried to Collection TSH

Not Priced

Item Amount no. NOMINATED SUB-CONTRACTORS The Contractor shall accept responsibility for providing the following services for nominated sub-contractors. i) GENERAL ATTENDANCE: The following services are described as "allow for general attendance" a) Use for the purpose of the sub-contract works of any scaffoding belonging to or provided by the Contractor while it remains so erected upon site, provided that no warranty or other liabilityon the part of the Contractor or of his other sub-contractors shall be created or implied in regard to the fitness, condition or suitability of the said scaffolding b) Provision of water, lighting, watching and attendance for the purpose of the sub-contract works. c) Use of sanitary accommodation, mess-rooms and welfare facilities. **Not Priced** d) Provisionof space for erecting of offices or stores or space for storage of plant and materials. ii) SPECIAL ATTENDACE: The following services are stated under a seperate item and where described under the following headings shall a) Taking delivery including the provision of unskilled labour necessary to attend upon the sub-contractors workmen for the purpose of unloading plants and materials when received upon the site and placing in position within the sub-contractor's storage space or store. b) Hoisting including the provision of unskilled labour and the use of any Contractors standing scaffoding and plant for the purpose of assisting the sub-contractors workmen in hoisting the sub-contractors plant and materials to the various levels but not placing in its final nosition. Not Priced c) Providing power including the provision of power during the course of the works and during the periodof commissioning and training Carried to Collection TSH Not Priced

#### Amount

### A NOMINATED SUPPLIERS

The Contractor shall take delivery anywhere in Dar es Salaam of all materials or goods supplied by the Nominated suppliers and shall sign a receipt as having received them in good order and condition. He shall ofload, transport to site, unload, hoist, provide safe storage and thereafter be responsible for any loss or damage or replacement of any such lost or damaged articles at his own expense and shall return case if so required.

Provision is made herein following each appropriate P.C sums for the costs of the foregoing services against items reading "take delivery of and fix only"

# B PROTECTION OF THE WORK AND PREVENTION OF NUISANCE

The Works and such sections of the site necessary thereafter shall be under the entire care and control of the Contractor during the whole period of the contract and shall take all possible precautions to prevent any nuisance, inconvenience or injury to the holder or occupiers of the existing or surrounding properties and to the public generally, and shall at all times keep all paths and roads affected by the works in a safe and clear state, and shall use proper precautions to ensure the safety of all wheeled traffic and pedestrians.

### C REMOVAL OF PLANT AND RUBBISH ETC

The Contractor shall upon completion of the works remove and clear away all temporary buildings, plant, rubbish and unused materials, and shall leave the whole of the site of the works in a clean and tidy state to the satisfaction of the Architect. He shall also remove all rubbish and dirt from the site at weekly intervals or as directed by the Architect.

Particular care shall be taken in leaving windows, floors and fittings clean and the removal of all paint and cement stains therefrom.

### B COPYRIGHT

The copyright of these documents is vested in Cost-Consult Ltd. No part of this document may be reproduced in any form or by any means without their prior permission.

Carried to Collection TSH

BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS **Not Priced** 

**Not Priced** 

650,000.00

Not Priced

650,000.00

		Amount
Bill No. 1		
Element No. 1		
PRELIMINARY ITEMS	1	
COLLECTION		Amount
Total Brought Forward from Page No.	VIII/1/1/1	Not Priced
1	VIII/1/1/2	Not Priced
	VIII/1/1/3	Not Priced
	VIII/1/1/4	Not Priced
	VIII/1/1/5	Not Priced
	VIII/1/1/6	Not Priced
	VIII/1/1/7	400,000.00
	VIII/1/1/8	0.00
	VIII/1/1/9	550,000.00
	VIII/1/1/10	2,800,000.00
	VIII/1/1/11	0.00
	VIII/1/1/12	Not Priced
	VIII/1/1/13	700,000.00
	VIII/1/1/14	Not Priced
	VIII/1/1/15	400,000.00
	VIII/1/1/16	Not Priced
	VIII/1/1/17	Not Priced
1	VIII/1/1/18	650,000.00
Carried Forward to Summa BILL NO. 1 PRELIMINARY ITEMS ELEMENT NO. 1 PRELIMINARY ITEMS	ary of Bill No. 1 TSH	5,500,000.00

Ite	BILL NO. 2: NILO - KOROGWE ELEMENT NO. 1; SUBSTRUCTURE	Unit	Quantity	Rate	Amount(TZS)
	(ALL PROVISIONAL)				
	EXCAVATIONS AND EARTHWORKS				
	Site clearance				
Α	Clear site of all bushes tuffs and small trees not exceeding 23 square metres)	m²	23	1,000.00	22,944.00
	Excavation in earth				
В	Excavate average 150mm deep to remove top vegetable soil and stock pile on site for later reuse (including disposal of surplus as necessary)	m²	23	1,000.00	22,944.00
	Cutting to form levels				
C	Open face excavations of slopping site to form	m <sup>3</sup>	16	10,000.00	160,608.00
	Excavation in earth commencing at formation level and not exceeding 1.50 metres deep				
D	Excavate foundation trench	m <sup>3</sup>	15	5,000.00	75,000.00
E	Excavate foundation of column pit	m3	3	5,000.00	75,000.00
	Carried to Collection  BILL NO. 2:  NILO - KOROGWE  Element No. 1  SUBSTRUCTURE			TSH	356,496.00

Ite	Risk of collapse of excavations	Unit	Quantity	Rate	Amount(TZS)
	Planking and strutting				
Α	Allow for maintaining and supporting sides of excavations by provision of planking and strutting and for keeping the same free from	Item	Item		100,000.00
	Keeping excavations free of water				
В	Allow for keeping excavations free of water (except spring or running water) and mud by pumping, baling or other approved means	Item	Item		100,000.00
	Fillings				
	Earth filling obtained from the excavations (not				N.
C	Around foundations	m³	8	4,500.00	36,000.00
	Imported soil filling including excavating in				
D	Well ram and consolidate to make up levels	m³	7	15,000.00	105,000.00
	Remove surplus				
Е	spread surplus excavated materials to nearby	m³	6	25,000.00	150,000.00
1					
	Carried to Collection			TSH	491,000.00
	BILL NO. 2: NILO - KOROGWE Element No. 1 SUBSTRUCTURE				

Ite	m 	Unit	Quantity	Rate	Amount(TZS)
	Soil poisoning				
А	Anti- termite treatment Chemical anti termite treatment executed complete by an approved specialist under a ten (10) year guarantee to surfaces of blinded	m2	16	4,000.00	64,000.00
В	Ditto, around the building plinth	m	20	1,500.00	29,820.00
	Hardcore			1-040	
С	150mm Bed, levelled and blinded to receive polythene membrane(measured separately)	m²	16	9,500.00	152,000.00
D	Sand blinding	m <sup>2</sup>	16	1,000.00	16,000.00
	Reinforced concrete Insitu concrete grade 20 including vibrating				
Е	Strip foundations	m³	1	250,000.00	250,000.00
F	Columns	m³	1	250,000.00	250,000.00
G	Plinth beams	m <sup>3</sup>	1	250,000.00	250,000.00
н	Insitu concrete grade 15 including vibrating 100mm Bed	m²	21	18,000.00	378,000.00
	Carried to Collection BILL NC. 2: NILO - KOROGWE Element No. 1 SUBSTRUCTURE			TSH	1,389,820.00

Ite	Reinforcement	Unit	Quantity	Rate	Amount(TZS)
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
Α	8mm Diameter bar	kg	79	4,000.00	316,000.00
В	12mm Diameter bar	kg	247	4,000.00	988,000.00
	Sawn formwork to:-				
С	Vertical sides of rectangular columns	m <sup>2</sup>	10	18,000.00	180,000.00
D	Vertical sides of ground beams	m <sup>2</sup>	8	18,000.00	144,000.00
F	Edges of bed, 100mm high	m	20	2,700.00	53,676.00
	Stone wall				
G	300mm Wall, selected stones and bedded fointed with cement and sand mortat 1:4	m²	17	40,000.00	680,000.00
	Carried to Collection BILL NO. 2: NILO - KOROGWE Element No. 1 SUBSTRUCTURE			TSH	2,361,676.00

[te	Damp-proof course	Unit	Quantity	Rate	Amount(TZS)
	500 Gauge polythene damp-proof membrane				31. 7.3. 2. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7.
Α	laid over	m <sup>2</sup>	21	2,000.00	42,000.00
В	Hessian based bitumen damp-proof course to B.S. 743 type 'A' 230mm wide laid horizontally	m	21	1,500.00	31,785.00
	Plinth protection				
C	12mm Cement and sand render to walls (1:4) external rendering to concrete or blockwork	m²	9	6,000.00	53,676.00
D	Prepare and apply two coats of black bituminous paint on rendered surfaces	m <sup>2</sup>	9	5,000.00	44,730.00
	) (g)				
	Carried to Collection BILL NO. 2: NILO - KOROGWE Element No. 1 SUBSTRUCTURE			TSH	172,191.00

em	Unit	Quantity	Rate	Amount(TZS)
SUBSTRUCTURE				
COLLECTION		Page No.		Amount
Total Brought Forward from Page No.		MB/2/1/1		356,496.00
		MB/2/1/2		491,000.00
		MB/2/1/3		1,389,820.00
		MB/2/1/4		2,361,676.00
		MB/2/1/5		172,191.00
Carried Forward to Summary of Bill No. 2 BILL NO. 2: NILO - KOROGWE Element No. 1 SUBSTRUCTURE		TS	SH	4,771,183.00

[te	ELEMENT NO. 2; FRAME	Unit	Quantity	Rate	Amount(TZS)
	CONCRETE WORK				
	REINFORCED CONCRETE				
	In situ reinforced concrete grade '20' including vibrating around reinforcement				
Α	Lintels/ beams	m <sup>3</sup>	1	250,000.00	250,000.00
В	Columns	m <sup>3</sup>	1	250,000.00	250,000.00
	REINFORCEMENT			72	
	High tensile steel reinforcement to B.S. 4461 in structural concrete work				
В	8mm Diameter bar	kg	54	4,000.00	216,000.00
C	12mm Diameter bar	kg	83	4,000.00	332,000.00
	SAWN FORMWORK TO:-				
D	Sides and soffits of horizontal beams and column	m²	13	25,000.00	325,000.00
	Carried Forward to Summary of Bill No. 2 Bill No. 2 NILO - KOROGWE Element No. 2 FRAME			TSH	1,373,000,00

[ten	1	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 3; WALLING				
	BLOCK WALLING Solid brick walling thedded and jointed in cement and sand (1:6) mortar with and inluding				
Α	230mm External Walls	m²	36	28,000.00	1,008,000.00
В	230 Internal Walls	m²	7	28,000.00	196,000.00
	Total Brought Forward from Page No. BILL NO. 2: NILO - KOROGWE Element No. 3 WALLING			TSH	1,204,000.00

Ite	ELEMENT NO. 4; ROOF CONSTRUCTION	Unit	Quantity	Rate	Amount(TZS)
	ROOF COVERINGS  Aluminium roofing sheets				
	28 G Corrugated resincoted aluminium sheeting lapped 150mm at joints and fixed with roofing				
Α	Roof coverings sloping not exceeding 45 degrees from the horizontal	m²	24.00	39,500.00	948,000.00
	ROOF STRUCTURE				
	Sawn soft wood; Impregnated with Preservatives				
В	50 x 150mm king post	m	3	6,000.00	18,000.00
С	50X100mm Tie beam	m	14	6,000.00	84,000.00
D	50X100mm Rafters	m	16	6,000.00	96,000.00
Ε	50X100mm Struts	m	15	6,000.00	90,000.00
F	50X100mm Wall Plate	m	23	6,000.00	138,000.00
G	50X50mm Purlins	m	72.00	5,000.00	360,000.00
G	25 x 250mm Fascia and barge board, painted	m	10	9,500.00	95,000.00
	Carried Forward to Summary of Bill No. 2  BILL NO. 2: NILO - KOROGWE Element No. 4 ROOF CONSTRUCTION			тѕн	1,829,000.00
	ELEMENT NO. 5; DOORS				

[te	m I	Unit	Quantity	Rate	Amount(TZS)
	TIMBER DOORS				
	Prime quality 'mninga' or other equal and				
	Pannelled doors				ů
	45mm Thick solid panelled door, comprising of 40x250mm stiles, top, middle and bottom rails; both divided into two panels, filled in with and including hardwood panel; all veneer finished on				
Α	900 x 2100mm wide	No	3	510,300.00	1,530,900.00
	GLAZING				
	5mm Thick clear sheet glass and glazing to timber with beads (m/s) in panes				
В	In panes over 0.5 square meters not exceeding  IRONMONGERY	sm	8	29,000.00	232,000.00
	Supplying and fixing ironmongery, "UNION" as supplied by "ASSA ABLOY" or equivalent to the approval of the Project Manager; satin anodized finish: to softwood, hardwood or the like: fixing				
В	Three lever mortice lockset with furniture	No	3	110,000.00	330,000.00
С	Rubber door stop plugged to concrete	No	3	5,000.00	15,000.00
D	150mm stainless steel butt hinges heavy duty ASSA ABLOY or equivalet	Prs	4.5	10,000.00	45,000.00
	Carried to Collection BILL NO. 2: NILO - KOROGWE Element No. 5 DOORS			тѕн	2,152,900.00

Frames and finishings 45x145mm Frames, rebated plugged to wall 45x145mm Transome 15x40mm Architrave, splayed 15x25mm Glazing beads	m m m	19 3 19	30,000.00	570,000.00
45x145mm Transome 15x40mm Architrave, splayed	m m	3		
15x40mm Architrave, splayed	m			
		19	4 - 4 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	90,000.00
15x25mm Glazing beads	m	# 2	3,200.00	60,800.00
		9	2,100.00	18,900.00
ILL NO. 2: ILO - KOROGWE ement No. 5			rsh	739,700.00
-	Carried to Collection ILL NO. 2: ILO - KOROGWE lement No. 5 OORS	ILL NO. 2: ILO - KOROGWE Jement No. 5	ILL NO. 2: ILO - KOROGWE Jement No. 5	ILL NO. 2: ILO - KOROGWE Jement No. 5

m	Unit	Quantity	Rate	Amount(TZS)
DOORS COLLECTION  Total Brought Forward from Page No.			Page No MB/2/6/17 MB/2/6/18	Amount 2,152,900.00 739,700.00
Carried Forward to Summary of Bill No. 2 4 BILL NO. 2: NILO - KOROGWE	<del>1</del> 00000		TSH	2,892,600.00

[tem		Unit	Quantity	Rate	Amount(TZS)
A B C D	Supply and fix Powder coated aluminium windows comprising 45 x 80x1.2mm aluminium extrusion frame complete with ironmongery Ref "union" stainless matt fumiture, allen key locks, stainless friction stav. neoprene dasket for 1300 x1500mm high 1200x 1500mm high 1200x 1500mm high 1000 x 1500mm high 1000 x 800mm high 1000mm Security Grilles in galvanised m. 5; welded fabrication, welds ground smooth; 20mm mild steel burglar bars laid vertically at 100mm centres; fixing with expansion bolts with 12mm loose bolts and snacer tubes and 1300 x1500mm high	No No No No	1 1 1 1	351,000.00 324,000.00 270,000.00 86,400.00	351,000.00 324,000.00 270,000.00 86,400.00
	1200x 1500mm high 1000 x 1500mm high 600x 800mm high	No No No	1 1 1	216,000.00 180,000.00 57,600.00	216,000.00 180,000.00 57,600.00
	Carried Forward to Summary of Bill No. 2 BILL NO. 2: NILO - KOROGWE Element No. 6 WINDOWS	2		TSH	1,719,000.00

Item		Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 7; FINISHINGS				
	In-situ finishings				
	Beds and backings; Cement and sand (1:4)			4	
Α	32mm Beds to receive Porcelain floor tiles	m <sup>2</sup>	19	10,000.00	190,000.00
В	12mm Backings to receive ceramic wall tiles	m <sup>2</sup>	12	7,000.00	84,000.00
C	Internal plastering in two coats steel trowelled 15mm To walls	m <sup>2</sup>	50	7,000.00	350,000.00
D	External cement and sand (1:4) pointing to Pointing to 230mm Thick bricks	m <sup>2</sup>	36	7,000.00	252,000.00
	Carried to Collectic	on		тѕн	876,000.00
	BILL NO. 2: NILO - KOROGWE Element No. 7 FINISHINGS				
					I

[tem		Unit	Quantity	Rate	Amount(TZS)
	Floor Tiles				
	Non-glazed (Polished) full body approved parcelain tiles; or equal and approved non-slip floor tiles laid at 45 degree with 10mm tile skirting to blockwork; bedding and iointing in				
А	400 x 400x9mm thick tiles; butt jointed to floors	m <sup>2</sup>	19	48,000.00	912,000.00
В	150mm high skirting	m	22	7,200.00	158,400.00
	Wall tiles White glazed ceramic wall tiles with cushion edge to B.S 1282 fixed to backings with adhesive and pointed including working around				
С	600 x 200 x 8mm Tiling to walls	m²	12	35,000.00	420,000.00
С	Plain sheet finishings 9mm gypsum ceiling fixed to 50x50mm	650000 m <sup>2</sup>	19	35,000.00	665,000.00
D	50x50mm treated softwood brandering	lm	86	4,000.00	344,000.00
	Carried to Collection	1		TSH	2,499,400.00
	BILL NO. 2: NILO - KOROGWE Element No. 7 FINISHINGS				
	FINISHINGS				
	COLLECTION			Page No	Amount
	Total Brought Forward from Page No.			MB/2/8/21	876,000.00
				MB/2/8/22	2,499,400.00
	Carried Forward to Summary of Bill No. 2 BILL NO. 2: NILO - KOROGWE Element No. 7 FINISHINGS			TSH	3,375,400.00
			1	5	II.

m   Un	it Quantity	Rate	Amount(TZS)
ELEMENT NO. 8; DECORATIONS			
Internal work Prepare and apply one thinned coat and two full coats of vinyl silk paint			
Plastered walls m	73	8,000.00	584,000.00
Prepare and apply three coats of 'polyurethane matt polish' or other equal and approved polish			
Frames over 200mm not exceeding 300mm m	19	1,500.00	28,500.00
General surfaces to hardwood shutter m	48	4,800.00	230,400.00
External work Prepare and apply one thinned coat and two full coats of weather guard paint to			
Rendered walls m <sup>3</sup>	36	5,000.00	180,000.00
Carried Forward to Summary of Bill No. 2  Bill No. 2  NILO - KOROGWE Element No. 8		TSH	1,022,900.00
Bill No. 2 NILO - KOROGWE		TSH	

Item	1	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 9				
	PLUMBING AND ENGINEERING				
	Supply and fix/install the following sanitary appliances including all connections and fixing to FLOORS or WALLS as necessary or approved				
Α	Asian (Squarting) type WC pans with built in S- trap complete with all necessary accessories - "Casterware" type or equal approved by	No.	1	202,000.00	202,000.00
В	Flushing Cistern tank complete with flushing pipe and all other necessary accessories - KARIBA type or equal approved by Consultant	No.	1	110,000.00	110,000.00
С	Finned and plain plastic W.C outlet connector	No.	1	15,000.00	15,000.00
D	Chrome Shurtuff ( Dotche spray) 13mm diameter X 2000mm long flexible hose	No.	1	60,000.00	60,000.00
E	Complete hand wash basin (HWB), size 550x450x200mm complete with self closing; semi pedestal and chain stay hole; fairline ½in pillar taps with clear acrylic handles; 1¼in bead chain waste and plug; 80cm slotted tail bolt stay; isovalve servicing valves, rubber plug with slotted tail: 32mm plastic hottle trap with 75mm	No.	1	420,000.00	420,000.00
F	600 x 600 x 6 mm thick. Frameless Mirror Pilkington or equally approved with alkali resistant coating one side, fixed with domex	No.	1	95,000.00	95,000.00
G	Toilet paper holder; chrome as to RAK 21015 or the like fixing with brass screws to	No.	1	55,000.00	55,000.00
Н	792393 Lucia Bath Mixer Set Complete with handshower and headshower with all nesessary	No.	1	350,000.00	350,000.00
	Carried to Collection	1		TSH	807,000.00

em		Unit	Quantity	Rate	Amount(TZS)
	WATER SUPPLY				
- 1	Ancillaries:		1		
	Draw off taps; stop valves; copper alloy to				
	BS 5154 or BS 1010:				
G	792550 Star Bib Tap Plain 15mm (1/2" Dia.)	pcs	1	60,000.00	60,000.00
Н	Flexible pipes to all sanitaries including HWB	No.	2	10,000.00	20,000.00
	Supply and install the following HDPE pipe Class C including excavation, install				
J	OD 25mm (3/4") HDPE pipe class C	m	300	4,500.00	1,350,000.00
	Carried to Collection			TSH	1,430,000.00
	Supply and install the following PPR pipes				
Α	including its to install Complete with all PPR pipe PN10 3/4"	M	3	5,000.00	15,000.00
В	PPR pipe PN10 1/2"	М	7	4,500.00	31,500.00
	Carried to Collection			TSH	46,500.00
	WASTE AND VENT PIPES:				
	Supply and install UPVC pipes to the				
	floor/slab or chassed block work; Class		1		
	'B'; including fittings in running length				
	Complete with all fittings and accessories	M	- 3	6,000.00	18,000.00
Α	OD40mm (1 1/4") uPVC pipe PN6 (Class B)	M M	3 6	8,000.00	48,000.00
В	OD50mm (1 1/2") uPVC pipe PN6 (Class B)	M	6	12,000.00	72,000.00
C	OD110mm (4") uPVC pipe PN6 (Class B)	1835			
	FOUL WATER DRAINAGE			M I	
	Excavate trench to receive pipes of 50mm or				573 (742,004,004,004,004,004,004,004,004,004,0
D	110mm uPVC pipes; commencing at ground	m	6	6,000.00	36,000.00
	level not more than 1200mm deep; including	1			
	grading bottom: backfilling and compacting and		1		1
	GULLY TRAP		1		
	Construct a standard gully trap 400 x 400mm	No.	. 1	150,000.00	150,000.00
E	internal dimensions deep; in thick concrete block walls complete with benching and all fittings and	A STATE OF THE PARTY OF	- 1	130,000.00	
	MANHOLE:				

Ite	m 1	Unit	Quantity	Rate	Amount(TTC)
F	Construct standard manhole size 600 x 600mm average depth 1000mm deep; in 150mm, thick solid concrete blocks walls; 150mm, thick plain	No.	1	200,000.00	Amount(TZS) 200,000.00
н	Construct of Soak Away pit with: Depth/Height (H) = 2.5 meters and Diameter (D) = 1.5	No.	1	2,500,000.00	2,500,000.00
	Carried to Collection			TSH	3,024,000.00
	FIRE FIGHTING INSTALLATIONS: PORTABLE FIRE EXTINGUISHERS				
В	Supply and install 9Kg, dry powder type - 'NAFFCO' Brand or any other equal and approved fire extinguishers, fixed to wall with	No.	1	250,000.00	250,000.00
С	Supply and install 5Kg, Carbondioxide (CO2) type - 'NAFFCO' Brand or any other equal and approved fire extinguishers, fixed to wall with	No.	1	300,000.00	300,000.00
D	Supply and Install Standard Photoluminiscent Fire Signage for Portable Fire Extinguishers	No.	4	80,000.00	320,000.00
	Carried to Collection			TSH	870,000.00
	COLLECTION				
	MB/2/9/18 MB/2/9/19 MB/2/9/19 MB/2/9/19 MB/2/9/20				807,000.00 1,430,000.00 46,500.00 3,024,000.00 870,000.00
	Carried Forward to Summary of Bill No. 2				6,177,500.00

Iten	1	Unit	Quantity	Rate	Amount(TZS)
	ELEMENT NO. 10 ELECTRICAL INSTALLATION				
1	Supply and Install the following DISTRIBUTION SYSTEM				
1.1	Single phase and neutral distribution body (DB) 4 WAYS,4 MCBs(10A,16A,25A,25A,) c/w Single phase Circuit breaker 63A/100mA as ABB	No	1	224,000.00	224,000.00
2	POWER POINTS				-
4.1	2 X 13A switch socket c/w steel box as TRONIC make OR as approved equivalent	No	2	24,500.00	49,000.00
2.2	25A switch Double Pole (DP) switch c/w steel box as TRONIC make OR as approved	No	0	17,500.00	-
3	LIGHT FITTING AND FANS				
3.1	ESTIA round opple Energy saver(LED) 18 W complete for toilet as Tronic make OR as	No	2	42,000.00	84,000.00
3.2	ESTIA round opple Energy saver(LED) 24 W complete for toilet as Tronic make OR as	No	3	55,000.00	168,000.00
3.3	Wall Mounted Security light complete with its energy saver LED 40W/50W as PIEZO OR	No	3	112,000.00	336,000.00
9.1	Gate Mounted light complete with its energy saver LED 40W as PIEZO OR approved	No	3	70,000.00	210,000.00
	Ceiling fan complete with its regulator 59" as Panasonic make OR as approved equivalent	No	1	350,000.00	350,000.00
4	SWITHES				¥
4.1	10A 1 gang 1 way flush light switch c/w steel box asTRONIC make OR as approved equivalent	No	1	5,600.00	5,600.00
4.2	10A 2 gang 1 way flush light switch c/w steel box asTRONIC make OR as approved equivalent	No	1	7,700.00	7,700.00
101000	10A 3 gang 1 way flush light switch c/w steel box asTRONIC make OR as approved equivalent	No	1	9,100.00	9,100.00
4,4	10A 1 gang 2 way flush light switch c/w steel	No	O	9,100.00	*
4.5	10A 2 gang 2 way flush light switch c/w steel	No	0	10,500.00	*
4.6	10A 3 gang 2 way flush light switch c/w steel box as TRONIC make OR as approved	No	σ	11,200.00	¥
4.7	10A Intermediate light switch c/w steel box asTRONIC make OR as approved equivalent	No	0	11,200.00	-
4.8	25A photocell as TRONIC make OR as	No	0	63,000.00	141
5	CABLES				643
	1C x 1.5mm sq PVC copper cable as Euro make				
1	OR as approved equivalent (i)Red/Brown	mte	100	1 770 00	122.002.20
- 1	(ii) Black/Blue	mts	100 100	1,330.00 1,330.00	133,000.00
	(ii)Yellow/Green	mts	100	1,330.00	133,000.00 133,000.00
	IC x 2.5mm sq PVC copper cable as Euro make	010000	200	-1020100	222,000.00
5.2	OR as approved equivalent			1000 1000 1000 1000 1000	
	(i)Red/Brown	mts	100	1,470.00	147,000.00
1	(ii) Black/Blue	mts	100	1,470.00	147,000.00

Iter	n   (ii)Yellow/Green	Unit	Quantity	Rate	Amount(TZS)
5.3	2C x 10 mm sq PVC copper cable as Euro make	mts	100	1,470.00 21,000.00	147,000.00 1,050,000.00
5.5	OR as approved equivalent 1C x 2.5mm sq PVC copper cable Yellow/Green (earthing) as Euro make OR as approved	mts	30	1,330.00	39,900.00
6.1	full conduit wiring system c/w all accessories OR	Pc	20	7,000.00	140,000.00
6.2	PLASCON OR as approved equivalent	Pc	2	35,000.00	70,000.00
	EARTHING SYSTEM AND PROTECTION Soil treatment and interconnection to general earthing of the house sets to meet requirements of IEE regulations.complete One earth pits with adequate number of earth rod linked together with the earthing cables.filled with wet	ІТЕМ	1	350,000.00	350,000.00
	Carried Forward to Summary of Bill No. 2 Bill No. 2 NILO - KOROGWE Element No. 10 ELECTRICAL INSTALLATION  SECTION SUMMARY NILO - KOROGWE				3,933,300.00
А	SUBSTRUCTURE		MB/2/1/6		4,771,183.00
В	FRAME		MB/2/2/7		1,373,000.00
С	WALLING		MB/2/3/8		1,204,000.00
D	ROOF CONSTRUCTION		MB/2/4/9		1,829,000.00
E	DOORS		MB/2/5/10		2,892,600.00
F	WINDOWS		MB/2/6/11		1,719,000.00
G	FINISHINGS		MB/2/7/14		3,375,400.00
Н	DECORATIONS		MB/2/8/15		1,022,900.00
К	PLUMBING AND ENGINEERING INSTALLATION		MB/2/9/19		6,177,500.00
М	ELECTRICAL INSTALLATION	ı	MB/2/10/32		3,933,300.00
	Carried to Final Summary BILL NO. 2 SUMMARY OF MEASURED WORKS			TSH	28,297,883.00

Ite	BILL NO. 2: GATE STRUCTURE	Unit	Rate	Amount(TZS)
	Excavation in earth commencing at formation level and not exceeding 1.50 metres deep			
Α	Excavate foundation trench, column pits and the	m <sup>3</sup>	5,000.00	25,000.00
	Fillings			
	Earth filling obtained from the excavations (not			
В	Around foundations	m <sup>3</sup>	4,500.00	13,500.00
	Remove surplus			
С	Spread surplus excavated materials to spread on situated nearby from site	m³	3,500.00	7,000.00
	Reinforced concrete Insitu concrete grade 20 including vibrating around			
	Column bases, strip foundation, plinth beams, beams and columns	m³	250,000.00	733,750.00
	Reinforcement			
	High tensile steel reinforcement to 8.5. 4461 in structural concrete work			
E	12mm Diameter bar	kg	4,000.00	589,516.80
	Sawn formwork to:-			
F	Vertical sides of columns, beams	m <sup>2</sup>	20,000.00	348,000.00
	WALLING Stone wall			
G	300mm Wall, selected stones and bedded jointed with cement and sand mortat 1:4	m²	45,000.00	526,500.00
	Carried to Collection			2 242 255 25
	Carried to Collection	1	1	2,243,266.80

Ite	m 	Unit	Rate	Amount(TZS)
A	METAL GATE  Steel gate openable size 4000mm wide x 1500mm high comprising of single openable leaf, fabricated from 100x50mm RHS Frame associated by 40 x 25mm RHS and 150 x complete with all iron mongery and locking devices: including one coat of primer and two coats of approved paint			
	4000x1500mm High	No	750,000.00	750,000.00
В	CLADDING Supply and fix Tanga stones as per detail drawings	m²	45,000.00	1,125,000.00
C	Allow sums for paint and decoration	Item		150,000.00
D	Signage writting	Item		250,000.00
	Carried to Collection			2,275,000.00
	COLLECTIONS			
	PAGE 1			2,243,265.80
	PAGE 2			2,275,000.00
	Carried to Summary BILL NO. 2: GATE STRUCTURE		тѕн	4,518.266.80

**POWER OF ATTORNEY** 

## THE UNITED REPUBLIC OF TANZANIA

## THE REGISTRATION OF DOCUMENT ACT

(CAP.117 R.E.2002)

## POWER OF ATTORNEY

## TO ALL IT MAY CONCERN

THAT BY THIS POWER OF ATTORNEY given on the **04**<sup>th</sup> day of **January 2022**, We the undersigned **MCB COMPANY LIMITED** of P.O. Box 131 Mbeya, by virtue of authority vested to us by the Company Board Resolution Number 03 of 9<sup>th</sup> day of September, 2020, do hereby ordain and appoint **ENG. IVOR JOSEPH NDIMBO** - The Managing Director of P.O. Box 131, Mbeya to be our true lawful Attorney and Agent, with full Powers and Authority, for us and in our names and for our accounts and benefits, to do any, to say; to negotiate, sign all paper contacts and documents relating to the contract number AE-068/2021-2022/HQ/TCRP/W/06.

To act for the company and do any other things incidental to contract number AE-068/2021-2022/HQ/TCRP/W/06 FOR PROPOSED DESIGN AND CONSTRUCTION OF ENTRY GATE IN MATOGORO, MT. HANANG, PUGU-KAZIMZUMBWI, AMANI AND NILO NATURE RESERVES FOR TANZANIA FOREST SERVICES AGENCY.

We hereby undertake to ratify everything, which our Attorney or any substitute(s) or agent(s) appointed by him under this power on his behalf herein before contained shall do or purport to do in virtue of this Power of Attorney.

SEALED with the common seal of MCB COMPANY LIMITED and delivered in the presence of us this 04th day of January 2022.

This power of Attorney is valid until completion of the project.

IN WITNESS WHEREOF we have signed this deed on this day of January 2022 at Mbeya for and on behalf of MCB COMPANY LIMITED. SEALEDED and DELIVERED by the Seal of MCB COMPANY this 4th day of LIMITED on eck Godfrey Mollel JANUARY, 2022 (Director) (DONER) BEFORE ME, FNOREW BUNDALA Signature Advocate, Notary Public Qualification Commissioner for Oaths ACKNOWLEDGEMENT: I, ENG. IVOR JOSEPH NDIMBO do hereby acknowledge and accept to be an Attorney of the said MCB COMPANY LIMITED under the terms and conditions contained in this power of attorney an I promise to perform and discharge my duties as the lawfully appointed Attorney faithfully and honestly. SIGNED and RECEIVED by the Name: ENG. IVOR JOSEPH NDIMBO Designation: Director this day of JANUAR; IVOR JOSEPH NDIMBO 2022. (DONEE) BEFORE ME, ANDREW BUNDALA Signature Advocate, Notary Public Qualification Commissioner for Oaths